

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP062822\
 Data File : BP010906.D
 Acq On : 28 Jun 2022 16:01
 Operator : CG/JU
 Sample : N3474-01DL 5X
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 C0AA5DL

Quant Time: Jun 28 23:21:18 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP062322.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Jun 27 23:12:49 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.705	152	490519	20.000	ng/ul	0.00
20) Naphthalene-d8	10.499	136	1956472	20.000	ng/ul	0.00
38) Acenaphthene-d10	14.363	164	987376	20.000	ng/ul	0.00
64) Phenanthrene-d10	17.128	188	1744286	20.000	ng/ul	# 0.00
79) Chrysene-d12	21.239	240	1599247	20.000	ng/ul	# 0.00
88) Perylene-d12	23.604	264	1824054	20.000	ng/ul	-0.01
System Monitoring Compounds						
3) 1,4-Dioxane-d8	0.000	96	0d	0.000	ng/uL	
4) Pyridine-d5	3.622	84	74487	2.158	ng/ul	0.01
7) Phenol-d5	6.881	99	60322	1.553	ng/ul	0.00
9) Bis-(2-Chloroethyl)eth...	7.046	67	153739	6.054	ng/ul	0.00
11) 2-Chlorophenol-d4	7.240	132	153185	4.755	ng/ul	0.00
15) 4-Methylphenol-d8	8.422	113	109048	3.553	ng/ul	0.00
21) Nitrobenzene-d5	8.869	128	81353	6.532	ng/ul	0.00
24) 2-Nitrophenol-d4	9.587	143	70549	6.847	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	10.128	165	144193	5.663	ng/ul	0.00
31) 4-Chloroaniline-d4	10.646	131	159585	3.840	ng/ul	0.00
46) Dimethylphthalate-d6	13.781	166	486025	7.186	ng/ul	0.00
49) Acenaphthylene-d8	14.051	160	561941	6.510	ng/ul	0.00
54) 4-Nitrophenol-d4	0.000	143	0d	0.000	ng/ul	
60) Fluorene-d10	15.357	176	418147	7.204	ng/ul	-0.01
65) 4,6-Dinitro-2-methylph...	15.481	200	24087	4.168	ng/ul	0.00
73) Anthracene-d10	17.222	188	591650	7.624	ng/ul	-0.01
81) Pyrene-d10	19.475	212	618881	7.103	ng/ul	-0.01
92) Benzo(a)pyrene-d12	23.445	264	665311	7.381	ng/ul	-0.01
Target Compounds						
					Qvalue	
52) Acenaphthene	14.428	153	2038287	33.414	ng/ul	99
61) Fluorene	15.416	166	715222	10.735	ng/ul	99
74) Anthracene	17.257	178	129745	1.389	ng/ul	98
77) Carbazole	17.539	167	302180	3.593	ng/ul	99
80) Fluoranthene	19.151	202	261118	2.437	ng/ul#	91
82) Pyrene	19.504	202	141283	1.306	ng/ul#	87

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP062822\
Data File : BP010906.D
Acq On : 28 Jun 2022 16:01
Operator : CG/JU
Sample : N3474-01DL 5X
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
C0AA5DL

Quant Time: Jun 28 23:21:18 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP062322.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Jun 27 23:12:49 2022
Response via : Initial Calibration

