

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP062921\
 Data File : BP006094.D
 Acq On : 29 Jun 2021 16:24
 Operator : CG/JU
 Sample : PB137375BL
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB137375BL

Quant Time: Jun 29 17:09:50 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP060821.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 28 11:34:30 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.905	152	69253	20.000	ng	0.00
21) Naphthalene-d8	10.704	136	251471	20.000	ng	0.00
39) Acenaphthene-d10	14.534	164	144362	20.000	ng	0.00
64) Phenanthrene-d10	17.281	188	286191	20.000	ng	0.00
76) Chrysene-d12	21.363	240	329205	20.000	ng	0.00
86) Perylene-d12	23.763	264	376857	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.475	112	623295	144.421	ng	0.00
7) Phenol-d6	7.081	99	716757	128.131	ng	0.00
23) Nitrobenzene-d5	9.069	82	436393	85.080	ng	0.00
42) 2,4,6-Tribromophenol	16.028	330	315350	127.293	ng	0.00
45) 2-Fluorobiphenyl	13.157	172	979298	89.078	ng	0.00
79) Terphenyl-d14	19.833	244	1541746	87.693	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP062921\
Data File : BP006094.D
Acq On : 29 Jun 2021 16:24
Operator : CG/JU
Sample : PB137375BL
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB137375BL

Quant Time: Jun 29 17:09:50 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP060821.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 28 11:34:30 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.905 min Scan# 819
Delta R.T. -0.000 min
Lab File: BP006094.D
Acq: 29 Jun 2021 16:24




Instrument :
BNA_P
ClientSampleId :
PB137375BL


Tgt Ion:152 Resp: 69253
Ion Ratio Lower Upper
152 100
150 156.4 125.6 188.4
115 60.6 48.5 72.7



#5
2-Fluorophenol
Concen: 144.421 ng
RT: 5.475 min Scan# 406
Delta R.T. 0.000 min
Lab File: BP006094.D
Acq: 29 Jun 2021 16:24

Tgt Ion:112 Resp: 623295
Ion Ratio Lower Upper
112 100
64 51.7 41.4 62.2
63 27.7 23.8 35.8









#7
Phenol-d6
Concen: 128.131 ng
RT: 7.081 min Scan# 679
Delta R.T. 0.000 min
Lab File: BP006094.D
Acq: 29 Jun 2021 16:24

Instrument :
BNA_P
ClientSampleId :
PB137375BL

Tgt Ion: 99 Resp: 716757




Ion	Ratio	Lower	Upper
99	100		
42	15.3	13.4	20.0
71	36.6	30.6	46.0




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.704 min Scan# 1295
Delta R.T. -0.006 min
Lab File: BP006094.D
Acq: 29 Jun 2021 16:24

Tgt Ion: 136 Resp: 251471

Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.6	12.8
54	5.5	4.6	6.8
68	5.1	3.6	5.4









#23
Nitrobenzene-d5
Concen: 85.080 ng
RT: 9.069 min Scan# 1017
Delta R.T. -0.006 min
Lab File: BP006094.D
Acq: 29 Jun 2021 16:24




Instrument :
BNA_P
ClientSampleId :
PB137375BL


Tgt Ion: 82 Resp: 436393
Ion Ratio Lower Upper
82 100
128 46.2 35.7 53.5
54 41.0 35.0 52.4



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.534 min Scan# 1946
Delta R.T. 0.000 min
Lab File: BP006094.D
Acq: 29 Jun 2021 16:24

Tgt Ion: 164 Resp: 144362
Ion Ratio Lower Upper
164 100
162 102.1 80.2 120.2
160 44.0 34.5 51.7









#42
2,4,6-Tribromophenol
Concen: 127.293 ng
RT: 16.028 min Scan# 2200
Delta R.T. 0.000 min
Lab File: BP006094.D
Acq: 29 Jun 2021 16:24




Instrument :
BNA_P
ClientSampleId :
PB137375BL


Tgt Ion:330 Resp: 315350
Ion Ratio Lower Upper
330 100
332 97.8 77.8 116.8
141 30.0 25.4 38.2



#45
2-Fluorobiphenyl
Concen: 89.078 ng
RT: 13.157 min Scan# 1712
Delta R.T. -0.006 min
Lab File: BP006094.D
Acq: 29 Jun 2021 16:24

Tgt Ion:172 Resp: 979298
Ion Ratio Lower Upper
172 100
171 35.5 27.9 41.9
170 23.1 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.281 min Scan# 2413
Delta R.T. 0.000 min
Lab File: BP006094.D
Acq: 29 Jun 2021 16:24




Instrument :
BNA_P
ClientSampleId :
PB137375BL


Tgt Ion:188 Resp: 286191
Ion Ratio Lower Upper
188 100
94 8.1 5.6 8.4
80 8.7 6.3 9.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.363 min Scan# 3107
Delta R.T. 0.006 min
Lab File: BP006094.D
Acq: 29 Jun 2021 16:24

Tgt Ion:240 Resp: 329205
Ion Ratio Lower Upper
240 100
120 8.8 6.5 9.7
236 26.0 20.6 31.0









#79
Terphenyl-d14
Concen: 87.693 ng
RT: 19.833 min Scan# 2847
Delta R.T. 0.000 min
Lab File: BP006094.D
Acq: 29 Jun 2021 16:24

Instrument :
BNA_P
ClientSampleId :
PB137375BL

Tgt Ion:244 Resp: 1541746
Ion Ratio Lower Upper
244 100
212 7.1 6.0 9.0
122 8.5 7.1 10.7



#86
Perylene-d12
Concen: 20.000 ng
RT: 23.763 min Scan# 3515
Delta R.T. 0.006 min
Lab File: BP006094.D
Acq: 29 Jun 2021 16:24

Tgt Ion:264 Resp: 376857
Ion Ratio Lower Upper
264 100
260 23.8 18.6 28.0
265 23.0 17.6 26.4

