

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP063022\
 Data File : BP010918.D
 Acq On : 30 Jun 2022 13:45
 Operator : CG/JU
 Sample : N3523-09
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 C0JY0

Quant Time: Jul 01 02:32:57 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP062322.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Jun 27 23:12:49 2022
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.734	152	317244	20.000	ng/u1	0.02
20) Naphthalene-d8	10.516	136	1513254	20.000	ng/u1	0.01
38) Acenaphthene-d10	14.363	164	809355	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.128	188	1477327	20.000	ng/u1	# 0.00
79) Chrysene-d12	21.239	240	1499744	20.000	ng/u1	# 0.00
88) Perylene-d12	23.598	264	1688728	20.000	ng/u1	-0.02
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.205	96	39919	4.760	ng/uL	0.00
4) Pyridine-d5	3.617	84	264183	11.834	ng/u1	0.00
7) Phenol-d5	6.893	99	129323	5.150	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.063	67	660527	40.218	ng/u1	0.01
11) 2-Chlorophenol-d4	7.252	132	429716	20.624	ng/u1	0.00
15) 4-Methylphenol-d8	8.428	113	274217	13.813	ng/u1	0.00
21) Nitrobenzene-d5	8.875	128	381863	39.640	ng/u1	0.00
24) 2-Nitrophenol-d4	9.593	143	226892	28.469	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.128	165	387343	19.669	ng/u1	0.00
31) 4-Chloroaniline-d4	10.652	131	592093	18.419	ng/u1	0.00
46) Dimethylphthalate-d6	13.781	166	1721325	31.048	ng/u1	0.00
49) Acenaphthylene-d8	14.051	160	2201471	31.112	ng/u1	0.00
54) 4-Nitrophenol-d4	14.575	143	25318	2.924	ng/u1	0.00
60) Fluorene-d10	15.357	176	1500270	31.533	ng/u1	-0.01
65) 4,6-Dinitro-2-methylph...	15.481	200	80773	16.503	ng/u1	0.00
73) Anthracene-d10	17.222	188	2161416	32.884	ng/u1	-0.01
81) Pyrene-d10	19.475	212	2492741	30.508	ng/u1	-0.01
92) Benzo(a)pyrene-d12	23.445	264	2834920	33.972	ng/u1	-0.01
Target Compounds						
					Qvalue	
12) 2-Chlorophenol	7.281	128	27568	1.282	ng/u1	88
22) Nitrobenzene	8.916	77	2344503	97.524	ng/u1	91
25) 2-Nitrophenol	9.622	139	18008	1.866	ng/u1#	87
39) 1,2,4,5-Tetrachloroben...	12.540	216	1193983	51.337	ng/u1	99
75) 1,2,3,4-Tetrachloroben...	13.151	216	2754829	113.003	ng/uL	98
76) Pentachlorobenzene	14.675	250	78923	3.775	ng/uL	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP063022\
Data File : BP010918.D
Acq On : 30 Jun 2022 13:45
Operator : CG/JU
Sample : N3523-09
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
C0JY0

Quant Time: Jul 01 02:32:57 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP062322.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Jun 27 23:12:49 2022
Response via : Initial Calibration









#12
2-Chlorophenol
Concen: 1.282 ng/ul
RT: 7.281 min Scan# 711
Delta R.T. 0.006 min
Lab File: BP010918.D
Acq: 30 Jun 2022 13:45




Instrument :
BNA_P
ClientSampleId :
C0JY0


Tgt Ion:128 Resp: 27568
Ion Ratio Lower Upper
128 100
64 47.5 44.8 67.2
130 25.8 25.8 38.6



#22
Nitrobenzene
Concen: 97.524 ng/ul
RT: 8.916 min Scan# 991
Delta R.T. 0.000 min
Lab File: BP010918.D
Acq: 30 Jun 2022 13:45

Tgt Ion: 77 Resp: 2344503
Ion Ratio Lower Upper
77 100
123 46.5 31.5 47.3
65 13.6 11.4 17.2









#25
2-Nitrophenol
Concen: 1.866 ng/ul
RT: 9.622 min Scan# 1111
Delta R.T. 0.000 min
Lab File: BP010918.D
Acq: 30 Jun 2022 13:45




Instrument :
BNA_P
ClientSampleId :
C0JY0


Tgt Ion:139 Resp: 18008
Ion Ratio Lower Upper
139 100
65 53.9 54.2 81.4#
109 34.3 30.6 45.8



#39
1,2,4,5-Tetrachlorobenzene
Concen: 51.337 ng/ul
RT: 12.540 min Scan# 1607
Delta R.T. -0.006 min
Lab File: BP010918.D
Acq: 30 Jun 2022 13:45

Tgt Ion:216 Resp: 1193983
Ion Ratio Lower Upper
216 100
214 78.2 63.0 94.6
179 22.6 18.1 27.1
108 19.5 13.6 20.4









#75
1,2,3,4-Tetrachlorobenzene
Concen: 113.003 ng/uL
RT: 13.151 min Scan# 1711
Delta R.T. -0.006 min
Lab File: BP010918.D
Acq: 30 Jun 2022 13:45

Instrument :
BNA_P
ClientSampleId :
C0JY0

Tgt Ion:216 Resp: 2754829
Ion Ratio Lower Upper
216 100
214 79.0 65.0 97.4
218 48.3 39.1 58.7



#76
Pentachlorobenzene
Concen: 3.775 ng/uL
RT: 14.675 min Scan# 1970
Delta R.T. -0.012 min
Lab File: BP010918.D
Acq: 30 Jun 2022 13:45

Tgt Ion:250 Resp: 78923
Ion Ratio Lower Upper
250 100
248 59.9 49.8 74.6
252 60.7 51.2 76.8

