

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP070120\
 Data File : BP002602.D
 Acq On : 01 Jul 2020 13:51
 Operator : CG/JU
 Sample : PB129897BL
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB129897BL

Quant Time: Jul 02 07:27:57 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA P\METHODS\8270-BP062920.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 29 16:51:57 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.57	152	249944	20.00	ng	0.00
21) Naphthalene-d8	10.34	136	1021997	20.00	ng	0.00
39) Acenaphthene-d10	14.22	164	647482	20.00	ng	0.00
64) Phenanthrene-d10	16.98	188	1398383	20.00	ng	0.00
76) Chrysene-d12	21.09	240	1296469	20.00	ng	0.00
86) Perylene-d12	23.28	264	1133975	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.19	112	1726499	116.95	ng	0.00
7) Phenol-d6	6.76	99	2274640	110.40	ng	0.00
23) Nitrobenzene-d5	8.72	82	1575595	79.44	ng	0.00
42) 2,4,6-Tribromophenol	15.72	330	844788	107.27	ng	0.00
45) 2-Fluorobiphenyl	12.83	172	3301283	75.04	ng	0.00
79) Terphenyl-d14	19.57	244	4455026	74.17	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP070120\
Data File : BP002602.D
Acq On : 01 Jul 2020 13:51
Operator : CG/JU
Sample : PB129897BL
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB129897BL

Quant Time: Jul 02 07:27:57 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA P\METHODS\8270-BP062920.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 29 16:51:57 2020
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.57 min Scan# 796
Delta R.T. -0.01 min
Lab File: BP002602.D
Acq: 01 Jul 2020 13:51

Instrument :
BNA_P
ClientSampleId :
PB129897BL




Tot Ion	Ratio	Lower	Upper
152	100		
150	156.2	124.2	186.2
115	59.5	47.1	70.7




#5

2-Fluorophenol
Concen: 116.953 ng
RT: 5.19 min Scan# 392
Delta R.T. -0.00 min
Lab File: BP002602.D
Acq: 01 Jul 2020 13:51

Tgt Ion	Ratio	Lower	Upper
112	100		
64	57.3	47.0	70.6
63	30.0	26.1	39.1





#7

Phenol-d6

Concen: 110.395 ng

RT: 6.76 min Scan# 659

Delta R.T. -0.01 min

Lab File: BP002602.D

Acq: 01 Jul 2020 13:51

Instrument :


BNA_P

ClientSampleId :

PB129897BL

Tot Ion: 99 Resp: 2274640

Ion	Ratio	Lower	Upper
99	100		
42	17.5	15.5	23.3
71	33.1	28.9	43.3






Abundance

Ion 99.00 (98.70 to 99.70): BP0

Ion 42.00 (41.70 to 42.70): BP0

Ion 71.00 (70.70 to 71.70): BP0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.34 min Scan# 1267


Delta R.T. -0.01 min

Lab File: BP002602.D

Acq: 01 Jul 2020 13:51

Tgt Ion: 136 Resp: 1021997

Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.8	13.2
54	8.6	6.4	9.6
68	7.1	5.1	7.7





Abundance


Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BP0

Ion 68.00 (67.70 to 68.70): BP0









#23
 Nitrobenzene-d5
 Concen: 79.436 ng
 RT: 8.72 min Scan# 991
 Delta R.T. -0.01 min
 Lab File: BP002602.D
 Acq: 01 Jul 2020 13:51

Instrument :
 BNA_P
 ClientSampleId :
 PB129897BL

Tot Ion: 82 Resp: 1575595




Ion	Ratio	Lower	Upper
82	100		
128	42.6	33.4	50.2
54	49.4	40.1	60.1




#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.22 min Scan# 1926
 Delta R.T. -0.01 min
 Lab File: BP002602.D
 Acq: 01 Jul 2020 13:51

Tgt Ion: 164 Resp: 647482

Ion	Ratio	Lower	Upper
164	100		
162	98.8	80.3	120.5
160	43.9	35.0	52.6









#42
 2,4,6-Tribromophenol
 Concen: 107.272 ng
 RT: 15.72 min Scan# 2182
 Delta R.T. -0.01 min
 Lab File: BP002602.D
 Acq: 01 Jul 2020 13:51




Instrument :
 BNA_P
 ClientSampleId :
 PB129897BL


Tot Ion	Ratio	Lower	Upper
330	100		
332	95.3	77.7	116.5
141	34.4	29.0	43.6



#45
 2-Fluorobiphenyl
 Concen: 75.044 ng
 RT: 12.83 min Scan# 1691
 Delta R.T. -0.01 min
 Lab File: BP002602.D
 Acq: 01 Jul 2020 13:51

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.3	28.0	42.0
170	24.5	19.0	28.4





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 16.98 min Scan# 2396

Delta R.T. -0.00 min

Lab File: BP002602.D

Acq: 01 Jul 2020 13:51

Instrument :

BNA_P

ClientSampleId :

PB129897BL


Tot Ion:188 Resp: 1398383

Ion Ratio Lower Upper

188 100

94 9.7 7.8 11.6




80 10.5 8.2 12.4



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BP0

Ion 80.00 (79.70 to 80.70): BP0



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.09 min Scan# 3094

Delta R.T. -0.01 min

Lab File: BP002602.D

Acq: 01 Jul 2020 13:51


Tgt Ion:240 Resp: 1296469

Ion Ratio Lower Upper

240 100

120 11.4 8.6 13.0



236 25.5 20.8 31.2




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 74.172 ng

RT: 19.57 min Scan# 2836

Delta R.T. -0.01 min

Lab File: BP002602.D

Acq: 01 Jul 2020 13:51

Instrument :

BNA_P

ClientSampleId :

PB129897BL


Tot Ion:244 Resp: 4455026

Ion Ratio Lower Upper

244 100

212 8.2 6.5 9.7




122 10.7 7.9 11.9



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 23.28 min Scan# 3467

Delta R.T. -0.01 min

Lab File: BP002602.D

Acq: 01 Jul 2020 13:51


Tgt Ion:264 Resp: 1133975

Ion Ratio Lower Upper

264 100

260 23.6 19.7 29.5

265 21.0 17.6 26.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

