

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP070920\
 Data File : BP002707.D
 Acq On : 09 Jul 2020 20:47
 Operator : CG/JU
 Sample : L3183-04
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 OK-02-070720

Quant Time: Jul 10 01:00:41 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA P\METHODS\8270-BP062920.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 29 16:51:57 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.57	152	46754	20.00	ng	0.00
21) Naphthalene-d8	10.34	136	205920	20.00	ng	0.00
39) Acenaphthene-d10	14.22	164	148151	20.00	ng	0.00
64) Phenanthrene-d10	16.97	188	381797	20.00	ng	0.00
76) Chrysene-d12	21.08	240	604100	20.00	ng	-0.01
86) Perylene-d12	23.28	264	798056	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.19	112	355273	128.66	ng	0.00
7) Phenol-d6	6.77	99	468277	121.50	ng	0.00
23) Nitrobenzene-d5	8.71	82	371487	92.95	ng	-0.01
42) 2,4,6-Tribromophenol	15.72	330	267089	148.22	ng	0.00
45) 2-Fluorobiphenyl	12.83	172	907961	90.20	ng	-0.01
79) Terphenyl-d14	19.56	244	2329136	83.22	ng	-0.01
Target Compounds						
50) Dimethylphthalate	13.68	163	200729	17.251	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP070920\
Data File : BP002707.D
Acq On : 09 Jul 2020 20:47
Operator : CG/JU
Sample : L3183-04
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
OK-02-070720

Quant Time: Jul 10 01:00:41 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA P\METHODS\8270-BP062920.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 29 16:51:57 2020
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.57 min Scan# 796
Delta R.T. -0.01 min
Lab File: BP002707.D
Acq: 09 Jul 2020 20:47

Instrument :
BNA_P
ClientSampleId :
OK-02-070720




Tot Ion	Ratio	Lower	Upper
152	100		
150	153.6	124.2	186.2
115	58.4	47.1	70.7




#5

2-Fluorophenol
Concen: 128.656 ng
RT: 5.19 min Scan# 392
Delta R.T. 0.00 min
Lab File: BP002707.D
Acq: 09 Jul 2020 20:47

Tgt Ion	Ratio	Lower	Upper
112	100		
64	57.7	47.0	70.6
63	29.0	26.1	39.1





#7

Phenol-d6

Concen: 121.497 ng

RT: 6.77 min Scan# 660

Delta R.T. 0.00 min

Lab File: BP002707.D

Acq: 09 Jul 2020 20:47

Instrument :

BNA_P

ClientSampleId :

OK-02-070720


Tot Ion: 99 Resp: 468277

Ion Ratio Lower Upper

99 100

42 17.6 15.5 23.3




71 30.4 28.9 43.3



Abundance Ion 99.00 (98.70 to 99.70): BP0

Ion 42.00 (41.70 to 42.70): BP0

Ion 71.00 (70.70 to 71.70): BP0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.34 min Scan# 1267

Delta R.T. -0.01 min

Lab File: BP002707.D

Acq: 09 Jul 2020 20:47

Tgt Ion: 136 Resp: 205920


Ion Ratio Lower Upper

136 100

137 10.8 8.8 13.2

54 9.0 6.4 9.6

68 6.9 5.1 7.7






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BP0

Ion 68.00 (67.70 to 68.70): BP0









#23
 Nitrobenzene-d5
 Concen: 92.953 ng
 RT: 8.71 min Scan# 990
 Delta R.T. -0.01 min
 Lab File: BP002707.D
 Acq: 09 Jul 2020 20:47




Instrument :
 BNA_P
 ClientSampleId :
 OK-02-070720


Tot Ion	82	Resp	371487
Ion Ratio	Lower	Upper	
82	100		
128	41.3	33.4	50.2
54	48.1	40.1	60.1



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.22 min Scan# 1926
 Delta R.T. -0.01 min
 Lab File: BP002707.D
 Acq: 09 Jul 2020 20:47

Tgt Ion	164	Resp	148151
Ion Ratio	Lower	Upper	
164	100		
162	98.7	80.3	120.5
160	45.0	35.0	52.6









#42
 2,4,6-Tribromophenol
 Concen: 148.224 ng
 RT: 15.72 min Scan# 2182
 Delta R.T. -0.01 min
 Lab File: BP002707.D
 Acq: 09 Jul 2020 20:47




Instrument :
 BNA_P
 ClientSampleId :
 OK-02-070720


Tot Ion	Ratio	Lower	Upper
330	100		
332	95.1	77.7	116.5
141	35.8	29.0	43.6



#45
 2-Fluorobiphenyl
 Concen: 90.203 ng
 RT: 12.83 min Scan# 1690
 Delta R.T. -0.01 min
 Lab File: BP002707.D
 Acq: 09 Jul 2020 20:47

Tgt Ion	Ratio	Lower	Upper
172	100		
171	34.3	28.0	42.0
170	23.7	19.0	28.4





#50

Dimethylphthalate

Concen: 17.251 ng

RT: 13.68 min Scan# 1835

Delta R.T. -0.01 min

Lab File: BP002707.D

Acq: 09 Jul 2020 20:47

Instrument :

BNA_P

ClientSampleId :

OK-02-070720


Tot Ion:163 Resp: 200729

Ion Ratio Lower Upper

163 100

194 4.1 3.4 5.0




164 9.7 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 16.97 min Scan# 2395

Delta R.T. -0.01 min

Lab File: BP002707.D

Acq: 09 Jul 2020 20:47


Tgt Ion:188 Resp: 381797

Ion Ratio Lower Upper

188 100

94 10.9 7.8 11.6



80 11.3 8.2 12.4




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BP0

Ion 80.00 (79.70 to 80.70): BP0









#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 21.08 min Scan# 3093
 Delta R.T. -0.01 min
 Lab File: BP002707.D
 Acq: 09 Jul 2020 20:47




Instrument :
 BNA_P
 ClientSampleId :
 OK-02-070720


Tot Ion:240 Resp: 604100
 Ion Ratio Lower Upper
 240 100
 120 12.6 8.6 13.0
 236 25.6 20.8 31.2



#79
 Terphenyl-d14
 Concen: 83.221 ng
 RT: 19.56 min Scan# 2835
 Delta R.T. -0.01 min
 Lab File: BP002707.D
 Acq: 09 Jul 2020 20:47

Tgt Ion:244 Resp: 2329136
 Ion Ratio Lower Upper
 244 100
 212 7.3 6.5 9.7
 122 11.5 7.9 11.9






#86
Pervlene-d12
Concen: 20.000 ng
RT: 23.28 min Scan# 3467
Delta R.T. -0.01 min
Lab File: BP002707.D
Acq: 09 Jul 2020 20:47

Instrument :
BNA_P
ClientSampleId :
OK-02-070720

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.9	19.7	29.5
265	22.0	17.6	26.4



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

