

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP070921\
 Data File : BP006165.D
 Acq On : 09 Jul 2021 17:32
 Operator : CG/JU
 Sample : M2969-05
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SB03

Quant Time: Jul 10 01:11:36 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP070721.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jul 07 16:08:13 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.869	152	175215	20.000	ng	0.00
21) Naphthalene-d8	10.675	136	669385	20.000	ng	0.00
39) Acenaphthene-d10	14.510	164	382957	20.000	ng	0.00
64) Phenanthrene-d10	17.263	188	735304	20.000	ng	# 0.00
76) Chrysene-d12	21.345	240	735818	20.000	ng	# 0.00
86) Perylene-d12	23.745	264	855307	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.446	112	464329	45.598	ng	-0.01
7) Phenol-d6	7.057	99	551890	40.973	ng	0.00
23) Nitrobenzene-d5	9.046	82	304013	28.688	ng	0.00
42) 2,4,6-Tribromophenol	16.010	330	169048	37.077	ng	0.00
45) 2-Fluorobiphenyl	13.134	172	530529	20.480	ng	0.00
79) Terphenyl-d14	19.816	244	864490	23.164	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP070921\
Data File : BP006165.D
Acq On : 09 Jul 2021 17:32
Operator : CG/JU
Sample : M2969-05
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SB03

Quant Time: Jul 10 01:11:36 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP070721.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jul 07 16:08:13 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.869 min Scan# 813
Delta R.T. -0.006 min
Lab File: BP006165.D
Acq: 09 Jul 2021 17:32




Instrument :
BNA_P
ClientSampleId :
SB03


Tgt Ion:152 Resp: 175215
Ion Ratio Lower Upper
152 100
150 158.4 125.6 188.4
115 59.2 48.5 72.7



#5
2-Fluorophenol
Concen: 45.598 ng
RT: 5.446 min Scan# 401
Delta R.T. -0.012 min
Lab File: BP006165.D
Acq: 09 Jul 2021 17:32

Tgt Ion:112 Resp: 464329
Ion Ratio Lower Upper
112 100
64 50.2 41.4 62.2
63 25.2 23.8 35.8









#7
Phenol-d6
Concen: 40.973 ng
RT: 7.057 min Scan# 675
Delta R.T. -0.006 min
Lab File: BP006165.D
Acq: 09 Jul 2021 17:32




Instrument :
BNA_P
ClientSampleId :
SB03


Tgt Ion:	99	Resp:	551890
Ion	Ratio	Lower	Upper
99	100		
42	15.5	13.4	20.0
71	32.4	30.6	46.0



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.675 min Scan# 1290
Delta R.T. -0.006 min
Lab File: BP006165.D
Acq: 09 Jul 2021 17:32

Tgt Ion:	136	Resp:	669385
Ion	Ratio	Lower	Upper
136	100		
137	11.2	8.6	12.8
54	6.7	4.6	6.8
68	4.8	3.6	5.4









#23
Nitrobenzene-d5
Concen: 28.688 ng
RT: 9.046 min Scan# 1013
Delta R.T. -0.000 min
Lab File: BP006165.D
Acq: 09 Jul 2021 17:32




Instrument :
BNA_P
ClientSampleId :
SB03


Tgt Ion: 82 Resp: 304013
Ion Ratio Lower Upper
82 100
128 50.9 35.7 53.5
54 48.3 35.0 52.4



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.510 min Scan# 1942
Delta R.T. -0.006 min
Lab File: BP006165.D
Acq: 09 Jul 2021 17:32

Tgt Ion:164 Resp: 382957
Ion Ratio Lower Upper
164 100
162 102.0 80.2 120.2
160 45.4 34.5 51.7









#42
2,4,6-Tribromophenol
Concen: 37.077 ng
RT: 16.010 min Scan# 2197
Delta R.T. -0.000 min
Lab File: BP006165.D
Acq: 09 Jul 2021 17:32




Instrument :
BNA_P
ClientSampleId :
SB03


Tgt Ion:330 Resp: 169048
Ion Ratio Lower Upper
330 100
332 98.9 77.8 116.8
141 39.2 25.4 38.2#



#45
2-Fluorobiphenyl
Concen: 20.480 ng
RT: 13.134 min Scan# 1708
Delta R.T. -0.006 min
Lab File: BP006165.D
Acq: 09 Jul 2021 17:32

Tgt Ion:172 Resp: 530529
Ion Ratio Lower Upper
172 100
171 34.1 27.9 41.9
170 23.0 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.263 min Scan# 2410
Delta R.T. -0.000 min
Lab File: BP006165.D
Acq: 09 Jul 2021 17:32




Instrument :
BNA_P
ClientSampleId :
SB03


Tgt Ion:188 Resp: 735304
Ion Ratio Lower Upper
188 100
94 9.8 5.6 8.4#
80 10.7 6.3 9.5#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.345 min Scan# 3104
Delta R.T. -0.000 min
Lab File: BP006165.D
Acq: 09 Jul 2021 17:32

Tgt Ion:240 Resp: 735818
Ion Ratio Lower Upper
240 100
120 13.7 6.5 9.7#
236 25.5 20.6 31.0









#79
Terphenyl-d14
Concen: 23.164 ng
RT: 19.816 min Scan# 2844
Delta R.T. -0.000 min
Lab File: BP006165.D
Acq: 09 Jul 2021 17:32

Instrument :
BNA_P
ClientSampleId :
SB03

Tgt Ion:244 Resp: 864490
Ion Ratio Lower Upper
244 100
212 7.2 6.0 9.0
122 13.1 7.1 10.7#



#86
Perylene-d12
Concen: 20.000 ng
RT: 23.745 min Scan# 3512
Delta R.T. 0.006 min
Lab File: BP006165.D
Acq: 09 Jul 2021 17:32

Tgt Ion:264 Resp: 855307
Ion Ratio Lower Upper
264 100
260 23.5 18.6 28.0
265 22.5 17.6 26.4

