

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP070921\
 Data File : BP006175.D
 Acq On : 09 Jul 2021 23:14
 Operator : CG/JU
 Sample : M2969-07
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SB04

Quant Time: Jul 10 01:14:31 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP070721.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jul 07 16:08:13 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.869	152	208056	20.000	ng	0.00
21) Naphthalene-d8	10.675	136	806786	20.000	ng	0.00
39) Acenaphthene-d10	14.510	164	445388	20.000	ng	0.00
64) Phenanthrene-d10	17.257	188	831781	20.000	ng	# 0.00
76) Chrysene-d12	21.339	240	792835	20.000	ng	# 0.00
86) Perylene-d12	23.739	264	922011	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.446	112	1191109	98.506	ng	-0.01
7) Phenol-d6	7.058	99	1480615	92.572	ng	0.00
23) Nitrobenzene-d5	9.040	82	831632	65.110	ng	0.00
42) 2,4,6-Tribromophenol	16.004	330	512092	96.573	ng	0.00
45) 2-Fluorobiphenyl	13.134	172	1920786	63.755	ng	0.00
79) Terphenyl-d14	19.816	244	2453175	61.006	ng	0.00
Target Compounds						
84) Bis(2-ethylhexyl)phtha...	21.239	149	130301	3.321	ng	# 95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP070921\
Data File : BP006175.D
Acq On : 09 Jul 2021 23:14
Operator : CG/JU
Sample : M2969-07
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SB04

Quant Time: Jul 10 01:14:31 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP070721.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jul 07 16:08:13 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.869 min Scan# 813
Delta R.T. -0.006 min
Lab File: BP006175.D
Acq: 09 Jul 2021 23:14




Instrument :
BNA_P
ClientSampleId :
SB04


Tgt Ion:152 Resp: 208056
Ion Ratio Lower Upper
152 100
150 158.1 125.6 188.4
115 59.8 48.5 72.7



#5
2-Fluorophenol
Concen: 98.506 ng
RT: 5.446 min Scan# 401
Delta R.T. -0.012 min
Lab File: BP006175.D
Acq: 09 Jul 2021 23:14

Tgt Ion:112 Resp: 1191109
Ion Ratio Lower Upper
112 100
64 50.6 41.4 62.2
63 25.7 23.8 35.8









#7
Phenol-d6
Concen: 92.572 ng
RT: 7.058 min Scan# 675
Delta R.T. -0.006 min
Lab File: BP006175.D
Acq: 09 Jul 2021 23:14




Instrument :
BNA_P
ClientSampleId :
SB04


Tgt Ion: 99 Resp: 1480615
Ion Ratio Lower Upper
99 100
42 14.5 13.4 20.0
71 31.4 30.6 46.0



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.675 min Scan# 1290
Delta R.T. -0.006 min
Lab File: BP006175.D
Acq: 09 Jul 2021 23:14

Tgt Ion: 136 Resp: 806786
Ion Ratio Lower Upper
136 100
137 11.2 8.6 12.8
54 6.2 4.6 6.8
68 5.2 3.6 5.4









#23
Nitrobenzene-d5
Concen: 65.110 ng
RT: 9.040 min Scan# 1012
Delta R.T. -0.006 min
Lab File: BP006175.D
Acq: 09 Jul 2021 23:14




Instrument :
BNA_P
ClientSampleId :
SB04


Tgt Ion: 82 Resp: 831632
Ion Ratio Lower Upper
82 100
128 50.7 35.7 53.5
54 44.2 35.0 52.4



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.510 min Scan# 1942
Delta R.T. -0.006 min
Lab File: BP006175.D
Acq: 09 Jul 2021 23:14

Tgt Ion: 164 Resp: 445388
Ion Ratio Lower Upper
164 100
162 104.7 80.2 120.2
160 44.5 34.5 51.7









#42
2,4,6-Tribromophenol
Concen: 96.573 ng
RT: 16.004 min Scan# 2196
Delta R.T. -0.006 min
Lab File: BP006175.D
Acq: 09 Jul 2021 23:14




Instrument :
BNA_P
ClientSampleId :
SB04


Tgt Ion:330 Resp: 512092
Ion Ratio Lower Upper
330 100
332 97.0 77.8 116.8
141 36.7 25.4 38.2



#45
2-Fluorobiphenyl
Concen: 63.755 ng
RT: 13.134 min Scan# 1708
Delta R.T. -0.006 min
Lab File: BP006175.D
Acq: 09 Jul 2021 23:14

Tgt Ion:172 Resp: 1920786
Ion Ratio Lower Upper
172 100
171 35.6 27.9 41.9
170 23.4 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.257 min Scan# 2409
Delta R.T. -0.006 min
Lab File: BP006175.D
Acq: 09 Jul 2021 23:14




Instrument :
BNA_P
ClientSampleId :
SB04


Tgt Ion:188 Resp: 831781
Ion Ratio Lower Upper
188 100
94 9.4 5.6 8.4#
80 10.3 6.3 9.5#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.339 min Scan# 3103
Delta R.T. -0.006 min
Lab File: BP006175.D
Acq: 09 Jul 2021 23:14

Tgt Ion:240 Resp: 792835
Ion Ratio Lower Upper
240 100
120 14.7 6.5 9.7#
236 25.5 20.6 31.0









#79
Terphenyl-d14
Concen: 61.006 ng
RT: 19.816 min Scan# 2844
Delta R.T. 0.000 min
Lab File: BP006175.D
Acq: 09 Jul 2021 23:14




Instrument :
BNA_P
ClientSampleId :
SB04


Tgt Ion:244 Resp: 2453175
Ion Ratio Lower Upper
244 100
212 7.3 6.0 9.0
122 12.1 7.1 10.7#



#84
Bis(2-ethylhexyl)phthalate
Concen: 3.321 ng
RT: 21.239 min Scan# 3086
Delta R.T. -0.006 min
Lab File: BP006175.D
Acq: 09 Jul 2021 23:14

Tgt Ion:149 Resp: 130301
Ion Ratio Lower Upper
149 100
167 25.0 21.9 32.9
279 3.6 4.3 6.5#





#86
Perylene-d12
Concen: 20.000 ng
RT: 23.739 min Scan# 3511
Delta R.T. 0.000 min
Lab File: BP006175.D
Acq: 09 Jul 2021 23:14

Instrument :
BNA_P
ClientSampleId :
SB04

Tgt Ion:264 Resp: 922011

Ion	Ratio	Lower	Upper
264	100		
260	23.3	18.6	28.0
265	22.0	17.6	26.4

