

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP071021\
 Data File : BP006180.D
 Acq On : 10 Jul 2021 15:16
 Operator : CG/JU
 Sample : PB137592BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB137592BL

Quant Time: Jul 11 05:47:28 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP070721.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jul 07 16:08:13 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.869	152	154384	20.000	ng	0.00
21) Naphthalene-d8	10.675	136	532204	20.000	ng	0.00
39) Acenaphthene-d10	14.510	164	306612	20.000	ng	0.00
64) Phenanthrene-d10	17.263	188	593203	20.000	ng	# 0.00
76) Chrysene-d12	21.345	240	562055	20.000	ng	# 0.00
86) Perylene-d12	23.739	264	668271	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.446	112	1382705	154.105	ng	-0.01
7) Phenol-d6	7.052	99	1596361	134.508	ng	-0.01
23) Nitrobenzene-d5	9.040	82	893704	106.070	ng	0.00
42) 2,4,6-Tribromophenol	16.004	330	501576	137.403	ng	0.00
45) 2-Fluorobiphenyl	13.134	172	1892372	91.241	ng	0.00
79) Terphenyl-d14	19.816	244	2778501	97.467	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP071021\
Data File : BP006180.D
Acq On : 10 Jul 2021 15:16
Operator : CG/JU
Sample : PB137592BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB137592BL

Quant Time: Jul 11 05:47:28 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP070721.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jul 07 16:08:13 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.869 min Scan# 813
Delta R.T. -0.006 min
Lab File: BP006180.D
Acq: 10 Jul 2021 15:16




Instrument :
BNA_P
ClientSampleId :
PB137592BL


Tgt Ion:152 Resp: 154384
Ion Ratio Lower Upper
152 100
150 152.9 125.6 188.4
115 59.1 48.5 72.7



#5
2-Fluorophenol
Concen: 154.105 ng
RT: 5.446 min Scan# 401
Delta R.T. -0.012 min
Lab File: BP006180.D
Acq: 10 Jul 2021 15:16

Tgt Ion:112 Resp: 1382705
Ion Ratio Lower Upper
112 100
64 49.6 41.4 62.2
63 25.8 23.8 35.8









#7
Phenol-d6
Concen: 134.508 ng
RT: 7.052 min Scan# 674
Delta R.T. -0.012 min
Lab File: BP006180.D
Acq: 10 Jul 2021 15:16

Instrument :
BNA_P
ClientSampleId :
PB137592BL

Tgt Ion: 99 Resp: 1596361




Ion	Ratio	Lower	Upper
99	100		
42	15.6	13.4	20.0
71	32.5	30.6	46.0




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.675 min Scan# 1290
Delta R.T. -0.006 min
Lab File: BP006180.D
Acq: 10 Jul 2021 15:16

Tgt Ion: 136 Resp: 532204

Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.6	12.8
54	6.8	4.6	6.8
68	4.8	3.6	5.4





#23

Nitrobenzene-d5

Concen: 106.070 ng

RT: 9.040 min Scan# 1012

Delta R.T. -0.006 min

Lab File: BP006180.D

Acq: 10 Jul 2021 15:16

Instrument :

BNA_P

ClientSampleId :

PB137592BL





Tgt Ion: 82 Resp: 893704

Ion Ratio Lower Upper

82 100

128 49.8 35.7 53.5

54 46.1 35.0 52.4



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.510 min Scan# 1942

Delta R.T. -0.006 min

Lab File: BP006180.D

Acq: 10 Jul 2021 15:16




Tgt Ion:164 Resp: 306612


Ion Ratio Lower Upper

164 100

162 103.0 80.2 120.2

160 45.1 34.5 51.7









#42
2,4,6-Tribromophenol
Concen: 137.403 ng
RT: 16.004 min Scan# 2196
Delta R.T. -0.006 min
Lab File: BP006180.D
Acq: 10 Jul 2021 15:16




Instrument :
BNA_P
ClientSampleId :
PB137592BL


Tgt Ion:330 Resp: 501576
Ion Ratio Lower Upper
330 100
332 97.8 77.8 116.8
141 39.6 25.4 38.2#



#45
2-Fluorobiphenyl
Concen: 91.241 ng
RT: 13.134 min Scan# 1708
Delta R.T. -0.006 min
Lab File: BP006180.D
Acq: 10 Jul 2021 15:16

Tgt Ion:172 Resp: 1892372
Ion Ratio Lower Upper
172 100
171 35.2 27.9 41.9
170 23.5 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.263 min Scan# 2410
Delta R.T. -0.000 min
Lab File: BP006180.D
Acq: 10 Jul 2021 15:16




Instrument :
BNA_P
ClientSampleId :
PB137592BL


Tgt Ion:188 Resp: 593203
Ion Ratio Lower Upper
188 100
94 9.2 5.6 8.4#
80 10.7 6.3 9.5#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.345 min Scan# 3104
Delta R.T. -0.000 min
Lab File: BP006180.D
Acq: 10 Jul 2021 15:16

Tgt Ion:240 Resp: 562055
Ion Ratio Lower Upper
240 100
120 13.6 6.5 9.7#
236 25.9 20.6 31.0









#79
Terphenyl-d14
Concen: 97.467 ng
RT: 19.816 min Scan# 2844
Delta R.T. -0.000 min
Lab File: BP006180.D
Acq: 10 Jul 2021 15:16

Instrument :
BNA_P
ClientSampleId :
PB137592BL

Tgt Ion:244 Resp: 2778501
Ion Ratio Lower Upper
244 100
212 7.3 6.0 9.0
122 12.3 7.1 10.7#



#86
Perylene-d12
Concen: 20.000 ng
RT: 23.739 min Scan# 3511
Delta R.T. -0.000 min
Lab File: BP006180.D
Acq: 10 Jul 2021 15:16

Tgt Ion:264 Resp: 668271
Ion Ratio Lower Upper
264 100
260 23.4 18.6 28.0
265 22.0 17.6 26.4

