

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP071521\
 Data File : BP006244.D
 Acq On : 15 Jul 2021 18:21
 Operator : CG/JU
 Sample : M3039-06
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SB-02-COMP

Quant Time: Jul 16 03:20:36 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP070721.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 15 13:37:02 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.840	152	163265	20.000	ng	0.00
21) Naphthalene-d8	10.646	136	664505	20.000	ng	0.00
39) Acenaphthene-d10	14.481	164	399012	20.000	ng	0.00
64) Phenanthrene-d10	17.233	188	782075	20.000	ng	# 0.00
76) Chrysene-d12	21.310	240	772647	20.000	ng	# 0.00
86) Perylene-d12	23.686	264	842996	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.422	112	1090422	114.919	ng	0.00
7) Phenol-d6	7.034	99	1366219	108.855	ng	0.00
23) Nitrobenzene-d5	9.010	82	770856	73.274	ng	0.00
42) 2,4,6-Tribromophenol	15.975	330	529062	111.370	ng	0.00
45) 2-Fluorobiphenyl	13.104	172	1727096	63.989	ng	0.00
79) Terphenyl-d14	19.780	244	2444769	62.385	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP071521\
Data File : BP006244.D
Acq On : 15 Jul 2021 18:21
Operator : CG/JU
Sample : M3039-06
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SB-02-COMP

Quant Time: Jul 16 03:20:36 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP070721.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 15 13:37:02 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.840 min Scan# 808
Delta R.T. -0.000 min
Lab File: BP006244.D
Acq: 15 Jul 2021 18:21




Instrument :
BNA_P
ClientSampleId :
SB-02-COMP


Tgt Ion:152 Resp: 163265
Ion Ratio Lower Upper
152 100
150 158.6 125.6 188.4
115 59.6 48.5 72.7



#5
2-Fluorophenol
Concen: 114.919 ng
RT: 5.422 min Scan# 397
Delta R.T. 0.000 min
Lab File: BP006244.D
Acq: 15 Jul 2021 18:21

Tgt Ion:112 Resp: 1090422
Ion Ratio Lower Upper
112 100
64 50.7 41.4 62.2
63 25.7 23.8 35.8









#7
Phenol-d6
Concen: 108.855 ng
RT: 7.034 min Scan# 671
Delta R.T. 0.000 min
Lab File: BP006244.D
Acq: 15 Jul 2021 18:21




Instrument :
BNA_P
ClientSampleId :
SB-02-COMP


Tgt Ion: 99 Resp: 1366219
Ion Ratio Lower Upper
99 100
42 15.0 13.4 20.0
71 32.1 30.6 46.0



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.646 min Scan# 1285
Delta R.T. 0.006 min
Lab File: BP006244.D
Acq: 15 Jul 2021 18:21

Tgt Ion: 136 Resp: 664505
Ion Ratio Lower Upper
136 100
137 10.7 8.6 12.8
54 6.3 4.6 6.8
68 5.0 3.6 5.4









#23
Nitrobenzene-d5
Concen: 73.274 ng
RT: 9.010 min Scan# 1007
Delta R.T. 0.000 min
Lab File: BP006244.D
Acq: 15 Jul 2021 18:21




Instrument :
BNA_P
ClientSampleId :
SB-02-COMP


Tgt Ion: 82 Resp: 770856
Ion Ratio Lower Upper
82 100
128 49.9 35.7 53.5
54 46.8 35.0 52.4



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.481 min Scan# 1937
Delta R.T. 0.000 min
Lab File: BP006244.D
Acq: 15 Jul 2021 18:21

Tgt Ion:164 Resp: 399012
Ion Ratio Lower Upper
164 100
162 102.6 80.2 120.2
160 45.7 34.5 51.7









#42
2,4,6-Tribromophenol
Concen: 111.370 ng
RT: 15.975 min Scan# 2191
Delta R.T. 0.000 min
Lab File: BP006244.D
Acq: 15 Jul 2021 18:21




Instrument :
BNA_P
ClientSampleId :
SB-02-COMP


Tgt Ion:330 Resp: 529062
Ion Ratio Lower Upper
330 100
332 97.4 77.8 116.8
141 37.0 25.4 38.2



#45
2-Fluorobiphenyl
Concen: 63.989 ng
RT: 13.104 min Scan# 1703
Delta R.T. 0.000 min
Lab File: BP006244.D
Acq: 15 Jul 2021 18:21

Tgt Ion:172 Resp: 1727096
Ion Ratio Lower Upper
172 100
171 36.1 27.9 41.9
170 23.6 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.233 min Scan# 2405
Delta R.T. 0.006 min
Lab File: BP006244.D
Acq: 15 Jul 2021 18:21




Instrument :
BNA_P
ClientSampleId :
SB-02-COMP


Tgt Ion:188 Resp: 782075
Ion Ratio Lower Upper
188 100
94 9.7 5.6 8.4#
80 10.3 6.3 9.5#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.310 min Scan# 3098
Delta R.T. 0.000 min
Lab File: BP006244.D
Acq: 15 Jul 2021 18:21

Tgt Ion:240 Resp: 772647
Ion Ratio Lower Upper
240 100
120 14.2 6.5 9.7#
236 25.3 20.6 31.0









#79
Terphenyl-d14
Concen: 62.385 ng
RT: 19.780 min Scan# 2838
Delta R.T. 0.000 min
Lab File: BP006244.D
Acq: 15 Jul 2021 18:21

Instrument :
BNA_P
ClientSampleId :
SB-02-COMP

Tgt Ion:244 Resp: 2444769
Ion Ratio Lower Upper
244 100
212 7.3 6.0 9.0
122 12.9 7.1 10.7#



#86
Perylene-d12
Concen: 20.000 ng
RT: 23.686 min Scan# 3502
Delta R.T. -0.006 min
Lab File: BP006244.D
Acq: 15 Jul 2021 18:21

Tgt Ion:264 Resp: 842996
Ion Ratio Lower Upper
264 100
260 23.5 18.6 28.0
265 22.1 17.6 26.4

