

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP071620\
 Data File : BP002771.D
 Acq On : 16 Jul 2020 14:26
 Operator : CG/JU
 Sample : PB130239BL
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB130239BL

Quant Time: Jul 16 15:28:23 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA P\METHODS\8270-BP071020.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jul 13 10:54:03 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.56	152	182648	20.00	ng	0.00
21) Naphthalene-d8	10.33	136	696602	20.00	ng	0.00
39) Acenaphthene-d10	14.21	164	384450	20.00	ng	0.00
64) Phenanthrene-d10	16.97	188	705141	20.00	ng	0.00
76) Chrysene-d12	21.08	240	514688	20.00	ng	0.00
86) Perylene-d12	23.27	264	470907	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.19	112	1189390	109.87	ng	0.00
7) Phenol-d6	6.76	99	1495367	96.79	ng	0.00
23) Nitrobenzene-d5	8.70	82	997664	76.60	ng	0.00
42) 2,4,6-Tribromophenol	15.72	330	395649	98.59	ng	0.00
45) 2-Fluorobiphenyl	12.82	172	1824893	73.43	ng	0.00
79) Terphenyl-d14	19.56	244	1744361	77.70	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP071620\
Data File : BP002771.D
Acq On : 16 Jul 2020 14:26
Operator : CG/JU
Sample : PB130239BL
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB130239BL

Quant Time: Jul 16 15:28:23 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA P\METHODS\8270-BP071020.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jul 13 10:54:03 2020
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.56 min Scan# 794
Delta R.T. 0.01 min
Lab File: BP002771.D
Acq: 16 Jul 2020 14:26

Instrument :
BNA_P
ClientSampleId :
PB130239BL

Tot Ion	152	Resp	182648
Ion Ratio	Lower	Upper	
152	100		
150	154.0	123.7	185.5
115	58.9	47.2	70.8




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 109.868 ng
RT: 5.19 min Scan# 391
Delta R.T. 0.01 min
Lab File: BP002771.D
Acq: 16 Jul 2020 14:26

Tgt Ion	112	Resp	1189390
Ion Ratio	Lower	Upper	
112	100		
64	59.5	45.6	68.4
63	31.2	23.5	35.3



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BP0
Ion 63.00 (62.70 to 63.70): BP0





#7

Phenol-d6

Concen: 96.788 ng

RT: 6.76 min Scan# 659

Delta R.T. 0.01 min

Lab File: BP002771.D

Acq: 16 Jul 2020 14:26

Instrument :


BNA_P

ClientSampleId :

PB130239BL

Tot Ion: 99 Resp: 1495367

Ion	Ratio	Lower	Upper
99	100		
42	18.0	13.4	20.2
71	33.7	24.6	36.8






Abundance

Ion 99.00 (98.70 to 99.70): BP0

Ion 42.00 (41.70 to 42.70): BP0

Ion 71.00 (70.70 to 71.70): BP0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.33 min Scan# 1266


Delta R.T. 0.01 min

Lab File: BP002771.D

Acq: 16 Jul 2020 14:26

Tgt Ion: 136 Resp: 696602

Ion	Ratio	Lower	Upper
136	100		
137	10.6	8.6	13.0
54	8.6	6.9	10.3
68	7.4	5.7	8.5





Abundance


Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BP0

Ion 68.00 (67.70 to 68.70): BP0









#23
 Nitrobenzene-d5
 Concen: 76.598 ng
 RT: 8.70 min Scan# 989
 Delta R.T. 0.00 min
 Lab File: BP002771.D
 Acq: 16 Jul 2020 14:26




Instrument :
 BNA_P
 ClientSampleId :
 PB130239BL


Tot Ion	82	Resp	997664
Ion Ratio	Lower	Upper	
82	100		
128	40.9	33.8	50.8
54	49.1	38.8	58.2



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.21 min Scan# 1925
 Delta R.T. 0.00 min
 Lab File: BP002771.D
 Acq: 16 Jul 2020 14:26

Tgt Ion	164	Resp	384450
Ion Ratio	Lower	Upper	
164	100		
162	100.2	80.6	121.0
160	44.6	36.4	54.6









#42
2,4,6-Tribromophenol
Concen: 98.591 ng
RT: 15.72 min Scan# 2181
Delta R.T. 0.01 min
Lab File: BP002771.D
Acq: 16 Jul 2020 14:26




Instrument :
BNA_P
ClientSampleId :
PB130239BL


Tot Ion:330 Resp: 395649
Ion Ratio Lower Upper
330 100
332 95.7 76.5 114.7
141 35.5 28.8 43.2



#45
2-Fluorobiphenyl
Concen: 73.431 ng
RT: 12.82 min Scan# 1689
Delta R.T. 0.00 min
Lab File: BP002771.D
Acq: 16 Jul 2020 14:26

Tgt Ion:172 Resp: 1824893
Ion Ratio Lower Upper
172 100
171 34.2 28.1 42.1
170 24.2 19.3 28.9





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 16.97 min Scan# 2394

Delta R.T. 0.00 min

Lab File: BP002771.D

Acq: 16 Jul 2020 14:26

Instrument :

BNA_P

ClientSampleId :

PB130239BL


Tot Ion:188 Resp: 705141

Ion Ratio Lower Upper

188 100

94 10.6 8.1 12.1




80 12.0 8.9 13.3



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BP0

Ion 80.00 (79.70 to 80.70): BP0



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.08 min Scan# 3093

Delta R.T. 0.01 min

Lab File: BP002771.D

Acq: 16 Jul 2020 14:26


Tgt Ion:240 Resp: 514688

Ion Ratio Lower Upper

240 100

120 11.4 9.4 14.2



236 27.5 21.3 31.9




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#79
 Terphenyl-d14
 Concen: 77.704 ng
 RT: 19.56 min Scan# 2834
 Delta R.T. 0.00 min
 Lab File: BP002771.D
 Acq: 16 Jul 2020 14:26

Instrument :
 BNA_P
 ClientSampleId :
 PB130239BL

Tot Ion:244 Resp: 1744361
 Ion Ratio Lower Upper
 244 100
 212 7.5 6.0 9.0
 122 11.4 8.9 13.3



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.27 min Scan# 3465
 Delta R.T. 0.01 min
 Lab File: BP002771.D
 Acq: 16 Jul 2020 14:26

Tgt Ion:264 Resp: 470907
 Ion Ratio Lower Upper
 264 100
 260 26.0 19.3 28.9
 265 22.2 16.8 25.2

