

Data Path : Z:\svoasrv\HPCHEM1\BNA\_P\Data\BP071922\  
 Data File : BP011031.D  
 Acq On : 19 Jul 2022 14:23  
 Operator : CG/JU  
 Sample : PB146296BL  
 Misc :  
 ALS Vial : 3 Sample Multiplier: 1

Instrument :  
 BNA\_P  
 ClientSampleId :  
 SBLK296

Quant Time: Jul 19 23:40:19 2022  
 Quant Method : Z:\svoasrv\HPCHEM1\BNA\_P\Methods\SFAM-EPA-BP071422.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Tue Jul 19 03:25:54 2022  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|-------------------------------|--------|------|----------|--------|-------|----------|
| -----                         |        |      |          |        |       |          |
| Internal Standards            |        |      |          |        |       |          |
| 1) 1,4-Dichlorobenzene-d4     | 7.675  | 152  | 356025   | 20.000 | ng/ul | 0.00     |
| 20) Naphthalene-d8            | 10.469 | 136  | 1435819  | 20.000 | ng/ul | # 0.00   |
| 38) Acenaphthene-d10          | 14.340 | 164  | 799162   | 20.000 | ng/ul | 0.00     |
| 64) Phenanthrene-d10          | 17.110 | 188  | 1630487  | 20.000 | ng/ul | # 0.00   |
| 79) Chrysene-d12              | 21.228 | 240  | 1571161  | 20.000 | ng/ul | # 0.00   |
| 88) Perylene-d12              | 23.586 | 264  | 1581351  | 20.000 | ng/ul | 0.00     |
| System Monitoring Compounds   |        |      |          |        |       |          |
| 3) 1,4-Dioxane-d8             | 3.181  | 96   | 62151    | 6.293  | ng/uL | 0.00     |
| 4) Pyridine-d5                | 3.587  | 84   | 773438   | 30.300 | ng/ul | 0.00     |
| 7) Phenol-d5                  | 6.858  | 99   | 876056   | 29.976 | ng/ul | 0.00     |
| 9) Bis-(2-Chloroethyl)eth...  | 7.022  | 67   | 586880   | 31.229 | ng/ul | 0.00     |
| 11) 2-Chlorophenol-d4         | 7.211  | 132  | 743530   | 31.486 | ng/ul | 0.00     |
| 15) 4-Methylphenol-d8         | 8.393  | 113  | 698756   | 29.866 | ng/ul | 0.00     |
| 21) Nitrobenzene-d5           | 8.840  | 128  | 337921   | 32.295 | ng/ul | 0.00     |
| 24) 2-Nitrophenol-d4          | 9.558  | 143  | 333812   | 32.241 | ng/ul | 0.00     |
| 28) 2,4-Dichlorophenol-d3     | 10.093 | 165  | 576743   | 30.460 | ng/ul | 0.00     |
| 31) 4-Chloroaniline-d4        | 10.616 | 131  | 959491   | 30.738 | ng/ul | 0.00     |
| 46) Dimethylphthalate-d6      | 13.757 | 166  | 1856743  | 33.994 | ng/ul | 0.00     |
| 49) Acenaphthylene-d8         | 14.028 | 160  | 2243087  | 34.806 | ng/ul | 0.00     |
| 54) 4-Nitrophenol-d4          | 14.557 | 143  | 278089   | 25.156 | ng/ul | 0.00     |
| 60) Fluorene-d10              | 15.340 | 176  | 1560514  | 33.612 | ng/ul | 0.00     |
| 65) 4,6-Dinitro-2-methylph... | 15.463 | 200  | 189539   | 23.492 | ng/ul | 0.00     |
| 73) Anthracene-d10            | 17.204 | 188  | 2364062  | 34.106 | ng/ul | 0.00     |
| 81) Pyrene-d10                | 19.463 | 212  | 2686972  | 32.562 | ng/ul | 0.00     |
| 92) Benzo(a)pyrene-d12        | 23.433 | 264  | 2563584  | 33.753 | ng/ul | 0.00     |

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA\_P\Data\BP071922\  
Data File : BP011031.D  
Acq On : 19 Jul 2022 14:23  
Operator : CG/JU  
Sample : PB146296BL  
Misc :  
ALS Vial : 3 Sample Multiplier: 1

Instrument :  
BNA\_P  
ClientSampleId :  
SBLK296

Quant Time: Jul 19 23:40:19 2022  
Quant Method : Z:\svoasrv\HPCHEM1\BNA\_P\Methods\SFAM-EPA-BP071422.M  
Quant Title : SVOA CALIBRATION  
QLast Update : Tue Jul 19 03:25:54 2022  
Response via : Initial Calibration

