

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP072020\
 Data File : BP002799.D
 Acq On : 20 Jul 2020 14:21
 Operator : CG/JU
 Sample : L3188-16
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 TR-04-071620

Quant Time: Jul 21 01:46:13 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA P\METHODS\8270-BP071020.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jul 13 10:54:03 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.55	152	150980	20.00	ng	0.00
21) Naphthalene-d8	10.32	136	620629	20.00	ng	0.00
39) Acenaphthene-d10	14.20	164	384553	20.00	ng	-0.01
64) Phenanthrene-d10	16.96	188	790437	20.00	ng	0.00
76) Chrysene-d12	21.07	240	719348	20.00	ng	0.00
86) Perylene-d12	23.26	264	616087	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.18	112	1060102	118.47	ng	0.00
7) Phenol-d6	6.76	99	1279068	100.15	ng	0.00
23) Nitrobenzene-d5	8.70	82	1006730	86.76	ng	0.00
42) 2,4,6-Tribromophenol	15.71	330	528001	131.54	ng	0.00
45) 2-Fluorobiphenyl	12.82	172	1787771	71.92	ng	0.00
79) Terphenyl-d14	19.56	244	2403699	76.61	ng	0.00
Target Compounds						
50) Dimethylphthalate	13.66	163	171140	5.835	ng	Qvalue 100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP072020\
Data File : BP002799.D
Acq On : 20 Jul 2020 14:21
Operator : CG/JU
Sample : L3188-16
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TR-04-071620

Quant Time: Jul 21 01:46:13 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA P\METHODS\8270-BP071020.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jul 13 10:54:03 2020
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.55 min Scan# 792
Delta R.T. -0.01 min
Lab File: BP002799.D
Acq: 20 Jul 2020 14:21

Instrument :
BNA_P
ClientSampleId :
TR-04-071620




Tot Ion	Ratio	Lower	Upper
152	100		
150	156.3	123.7	185.5
115	59.9	47.2	70.8




#5

2-Fluorophenol
Concen: 118.465 ng
RT: 5.18 min Scan# 390
Delta R.T. 0.00 min
Lab File: BP002799.D
Acq: 20 Jul 2020 14:21

Tgt Ion	Ratio	Lower	Upper
112	100		
64	58.1	45.6	68.4
63	30.7	23.5	35.3





#7

Phenol-d6

Concen: 100.153 ng

RT: 6.76 min Scan# 658

Delta R.T. 0.00 min

Lab File: BP002799.D

Acq: 20 Jul 2020 14:21

Instrument :

BNA_P

ClientSampleId :

TR-04-071620


Tot Ion: 99 Resp: 1279068

Ion Ratio Lower Upper

99 100

42 17.4 13.4 20.2




71 32.5 24.6 36.8



Abundance Ion 99.00 (98.70 to 99.70): BP0

Ion 42.00 (41.70 to 42.70): BP0

Ion 71.00 (70.70 to 71.70): BP0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.32 min Scan# 1264

Delta R.T. -0.01 min

Lab File: BP002799.D

Acq: 20 Jul 2020 14:21

Tgt Ion: 136 Resp: 620629


Ion Ratio Lower Upper

136 100

137 10.8 8.6 13.0

54 8.6 6.9 10.3

68 7.3 5.7 8.5





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BP0

Ion 68.00 (67.70 to 68.70): BP0









#23
Nitrobenzene-d5
Concen: 86.756 ng
RT: 8.70 min Scan# 988
Delta R.T. -0.01 min
Lab File: BP002799.D
Acq: 20 Jul 2020 14:21




Instrument :
BNA_P
ClientSampleId :
TR-04-071620


Tot Ion: 82 Resp: 1006730
Ion Ratio Lower Upper
82 100
128 41.5 33.8 50.8
54 48.3 38.8 58.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.20 min Scan# 1923
Delta R.T. -0.01 min
Lab File: BP002799.D
Acq: 20 Jul 2020 14:21

Tgt Ion:164 Resp: 384553
Ion Ratio Lower Upper
164 100
162 98.5 80.6 121.0
160 44.7 36.4 54.6









#42
 2,4,6-Tribromophenol
 Concen: 131.536 ng
 RT: 15.71 min Scan# 2180
 Delta R.T. 0.00 min
 Lab File: BP002799.D
 Acq: 20 Jul 2020 14:21




Instrument :
 BNA_P
 ClientSampleId :
 TR-04-071620


Tot Ion	Ratio	Lower	Upper
330	100		
332	96.1	76.5	114.7
141	34.1	28.8	43.2



#45
 2-Fluorobiphenyl
 Concen: 71.918 ng
 RT: 12.82 min Scan# 1688
 Delta R.T. -0.01 min
 Lab File: BP002799.D
 Acq: 20 Jul 2020 14:21

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.4	28.1	42.1
170	24.4	19.3	28.9





#50

Dimethylphthalate

Concen: 5.835 ng

RT: 13.66 min Scan# 1832

Delta R.T. -0.01 min

Lab File: BP002799.D

Acq: 20 Jul 2020 14:21

Instrument :

BNA_P

ClientSampleId :

TR-04-071620


Tot Ion:163 Resp: 171140

Ion Ratio Lower Upper

163 100

194 4.3 3.4 5.2




164 9.9 7.8 11.8



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 16.96 min Scan# 2393

Delta R.T. -0.01 min

Lab File: BP002799.D

Acq: 20 Jul 2020 14:21


Tgt Ion:188 Resp: 790437

Ion Ratio Lower Upper

188 100

94 11.2 8.1 12.1



80 11.4 8.9 13.3




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BP0

Ion 80.00 (79.70 to 80.70): BP0









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.07 min Scan# 3092
Delta R.T. 0.00 min
Lab File: BP002799.D
Acq: 20 Jul 2020 14:21




Instrument :
BNA_P
ClientSampleId :
TR-04-071620


Tot Ion	Ratio	Lower	Upper
240	100		
120	11.6	9.4	14.2
236	26.6	21.3	31.9



#79
Terphenyl-d14
Concen: 76.611 ng
RT: 19.56 min Scan# 2834
Delta R.T. 0.00 min
Lab File: BP002799.D
Acq: 20 Jul 2020 14:21

Tgt Ion	Ratio	Lower	Upper
244	100		
212	8.2	6.0	9.0
122	9.9	8.9	13.3





#86
Pervlene-d12
Concen: 20.000 ng
RT: 23.26 min Scan# 3464
Delta R.T. 0.00 min
Lab File: BP002799.D
Acq: 20 Jul 2020 14:21

Instrument :
BNA_P
ClientSampleId :
TR-04-071620

Tot Ion:	264	Resp:	616087
Ion	Ratio	Lower	Upper
264	100		
260	24.8	19.3	28.9
265	21.6	16.8	25.2

