

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP072221\
 Data File : BP006277.D
 Acq On : 22 Jul 2021 12:45
 Operator : CG/JU
 Sample : SSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SSTDICC050

Quant Time: Jul 22 14:17:12 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP072221.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 22 12:49:34 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.799	152	340215	20.000	ng	0.00
21) Naphthalene-d8	10.587	136	1376807	20.000	ng	# 0.00
39) Acenaphthene-d10	14.428	164	807480	20.000	ng	0.00
64) Phenanthrene-d10	17.175	188	1579654	20.000	ng	# 0.00
76) Chrysene-d12	21.274	240	1504868	20.000	ng	# 0.00
86) Perylene-d12	23.627	264	1536255	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.393	112	2064283	101.089	ng	0.00
7) Phenol-d6	6.975	99	2908818	104.189	ng	0.00
23) Nitrobenzene-d5	8.957	82	2644073	115.643	ng	0.00
42) 2,4,6-Tribromophenol	15.916	330	795500	95.708	ng	0.00
45) 2-Fluorobiphenyl	13.057	172	5235173	98.685	ng	0.00
79) Terphenyl-d14	19.751	244	7397844	98.339	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.340	88	426186	49.912	ng	93
3) Pyridine	3.728	79	1244544	52.360	ng	95
4) n-Nitrosodimethylamine	3.646	42	440518	54.656	ng	# 74
6) Aniline	7.134	93	1594333	51.583	ng	97
8) 2-Chlorophenol	7.363	128	1139762	50.548	ng	94
9) Benzaldehyde	6.946	77	780268	48.542	ng	96
10) Phenol	7.005	94	1443559	52.117	ng	94
11) bis(2-Chloroethyl)ether	7.234	93	1114416	51.948	ng	94
12) 1,3-Dichlorobenzene	7.687	146	1197732	48.485	ng	99
13) 1,4-Dichlorobenzene	7.834	146	1219169	48.681	ng	98
14) 1,2-Dichlorobenzene	8.146	146	1162300	48.455	ng	98
15) Benzyl Alcohol	8.046	79	1078605	53.665	ng	96
16) 2,2'-oxybis(1-Chloropr...	8.340	45	1206822	55.838	ng	95
17) 2-Methylphenol	8.240	107	953426	51.898	ng	98
18) Hexachloroethane	8.869	117	452037	50.772	ng	92
19) n-Nitroso-di-n-propyla...	8.616	70	937434	54.813	ng	93
20) 3+4-Methylphenols	8.575	107	1301276	52.588	ng	97
22) Acetophenone	8.622	105	1709558	51.448	ng	# 98
24) Nitrobenzene	8.999	77	1366094	56.197	ng	94
25) Isophorone	9.534	82	2483936	53.251	ng	96
26) 2-Nitrophenol	9.704	139	556077	60.904	ng	96
27) 2,4-Dimethylphenol	9.769	122	947703	51.351	ng	99
28) bis(2-Chloroethoxy)met...	10.010	93	1367551	51.935	ng	99
29) 2,4-Dichlorophenol	10.234	162	984234	51.660	ng	96
30) 1,2,4-Trichlorobenzene	10.446	180	1041994	48.373	ng	97
31) Naphthalene	10.634	128	3585409	49.614	ng	99
32) Benzoic acid	9.928	122	711282	62.106	ng	97
33) 4-Chloroaniline	10.746	127	1475832	50.170	ng	97
34) Hexachlorobutadiene	10.922	225	616415	48.267	ng	98
35) Caprolactam	11.563	113	328797	57.350	ng	84
36) 4-Chloro-3-methylphenol	11.875	107	1178753	53.158	ng	95
37) 2-Methylnaphthalene	12.245	142	2505391	49.643	ng	98
38) 1-Methylnaphthalene	12.463	142	2364460	49.538	ng	99
40) 1,2,4,5-Tetrachloroben...	12.610	216	1070236	48.934	ng	97
41) Hexachlorocyclopentadiene	12.593	237	617500	51.567	ng	99
43) 2,4,6-Trichlorophenol	12.857	196	747107	54.462	ng	97


Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP072221\
 Data File : BP006277.D
 Acq On : 22 Jul 2021 12:45
 Operator : CG/JU
 Sample : SSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SSTDICC050

Quant Time: Jul 22 14:17:12 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP072221.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 22 12:49:34 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.928	196	809941	54.953	ng	# 93
46) 1,1'-Biphenyl	13.263	154	2958207	49.703	ng	97
47) 2-Chloronaphthalene	13.298	162	2285897	49.884	ng	96
48) 2-Nitroaniline	13.510	65	725686	67.389	ng	95
49) Acenaphthylene	14.145	152	3699007	50.706	ng	100
50) Dimethylphthalate	13.898	163	2833616	50.012	ng	99
51) 2,6-Dinitrotoluene	14.010	165	644683	57.972	ng	93
52) Acenaphthene	14.492	154	2249693	49.887	ng	99
53) 3-Nitroaniline	14.339	138	704928	59.835	ng	91
54) 2,4-Dinitrophenol	14.539	184	329382	69.826	ng	94
55) Dibenzofuran	14.828	168	3500770	49.168	ng	98
56) 4-Nitrophenol	14.645	139	607773	58.138	ng	89
57) 2,4-Dinitrotoluene	14.798	165	871507	60.746	ng	96
58) Fluorene	15.475	166	2829875	49.617	ng	99
59) 2,3,4,6-Tetrachlorophenol	14.969	232	680800	53.347	ng	90
60) Diethylphthalate	15.269	149	2946525	50.387	ng	99
61) 4-Chlorophenyl-phenyle...	15.481	204	1322816	49.034	ng	97
62) 4-Nitroaniline	15.504	138	733810	59.631	ng	# 85
63) Azobenzene	15.769	77	3179787	54.002	ng	93
65) 4,6-Dinitro-2-methylph...	15.557	198	464929	63.263	ng	86
66) n-Nitrosodiphenylamine	15.692	169	2445433	50.455	ng	99
67) 4-Bromophenyl-phenylether	16.375	248	710440	44.641	ng	94
68) Hexachlorobenzene	16.475	284	885598	48.528	ng	# 92
69) Atrazine	16.657	200	790609	49.944	ng	97
70) Pentachlorophenol	16.822	266	572795	56.046	ng	99
71) Phenanthrene	17.222	178	4276942	49.432	ng	99
72) Anthracene	17.310	178	4232353	50.148	ng	99
73) Carbazole	17.586	167	4223337	49.923	ng	98
74) Di-n-butylphthalate	18.157	149	5032366	52.115	ng	99
75) Fluoranthene	19.192	202	4865596	49.001	ng	94
77) Benzidine	19.380	184	1750010	39.955	ng	99
78) Pyrene	19.545	202	4954591	49.860	ng	99
80) Butylbenzylphthalate	20.439	149	2277773	54.107	ng	92
81) Benzo(a)anthracene	21.263	228	4777094	49.469	ng	99
82) 3,3'-Dichlorobenzidine	21.198	252	1324238	49.523	ng	# 98
83) Chrysene	21.316	228	4602491	49.225	ng	98
84) Bis(2-ethylhexyl)phtha...	21.210	149	3400365	53.592	ng	99
85) Di-n-octyl phthalate	22.121	149	5728328	53.814	ng	97
87) Indeno(1,2,3-cd)pyrene	26.068	276	5496556	50.504	ng	# 89
88) Benzo(b)fluoranthene	22.916	252	5022796	50.672	ng	# 96
89) Benzo(k)fluoranthene	22.963	252	4665837	50.552	ng	# 96
90) Benzo(a)pyrene	23.521	252	4506975	50.675	ng	# 95
91) Dibenzo(a,h)anthracene	26.092	278	4738008	50.327	ng	# 92
92) Benzo(g,h,i)perylene	26.821	276	4585171	50.036	ng	# 90





(#) = qualifier out of range (m) = manual integration (+) = signals summed



#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.799 min Scan# 801
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45




Instrument :
BNA_P
ClientSampleId :
SSTDIC050


Tgt Ion:152 Resp: 340215
Ion Ratio Lower Upper
152 100
150 157.5 125.6 188.4
115 64.0 48.5 72.7



#2
1,4-Dioxane
Concen: 49.912 ng
RT: 3.340 min Scan# 43
Delta R.T. -0.006 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion: 88 Resp: 426186
Ion Ratio Lower Upper
88 100
58 64.7 46.7 70.1
43 23.7 20.3 30.5









#3
Pyridine
Concen: 52.360 ng
RT: 3.728 min Scan# 109
Delta R.T. -0.012 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45




Instrument :
BNA_P
ClientSampleId :
SSTDIC050


Tgt Ion: 79 Resp: 1244544
Ion Ratio Lower Upper
79 100
52 55.8 41.7 62.5
51 27.9 24.1 36.1



#4
n-Nitrosodimethylamine
Concen: 54.656 ng
RT: 3.646 min Scan# 95
Delta R.T. -0.006 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion: 42 Resp: 440518
Ion Ratio Lower Upper
42 100
74 163.5 105.4 158.0#
44 6.6 4.2 6.4#









#5
2-Fluorophenol
Concen: 101.089 ng
RT: 5.393 min Scan# 392
Delta R.T. -0.006 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45




Instrument :
BNA_P
ClientSampleId :
SSTDIC050


Tgt Ion:112 Resp: 2064283
Ion Ratio Lower Upper
112 100
64 57.8 41.4 62.2
63 29.0 23.8 35.8



#6
Aniline
Concen: 51.583 ng
RT: 7.134 min Scan# 688
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion: 93 Resp: 1594333
Ion Ratio Lower Upper
93 100
66 39.5 29.7 44.5
65 19.6 15.3 22.9









#7
Phenol-d6
Concen: 104.189 ng
RT: 6.975 min Scan# 661
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Instrument :
BNA_P
ClientSampleId :
SSTDIC050

Tgt Ion: 99 Resp: 2908818




Ion	Ratio	Lower	Upper
99	100		
42	15.2	13.4	20.0
71	34.3	30.6	46.0




#8
2-Chlorophenol
Concen: 50.548 ng
RT: 7.363 min Scan# 727
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion: 128 Resp: 1139762

Ion	Ratio	Lower	Upper
128	100		
130	32.6	12.4	52.4
64	47.2	20.3	60.3









#9
Benzaldehyde
Concen: 48.542 ng
RT: 6.946 min Scan# 656
Delta R.T. -0.006 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45




Instrument :
BNA_P
ClientSampleId :
SSTDIC050


Tgt Ion: 77 Resp: 780268
Ion Ratio Lower Upper
77 100
105 94.5 76.7 116.7
106 90.0 76.2 116.2



#10
Phenol
Concen: 52.117 ng
RT: 7.005 min Scan# 666
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45


Tgt Ion: 94 Resp: 1443559
Ion Ratio Lower Upper
94 100
65 27.4 8.8 48.8
66 35.8 20.7 60.7








#11
bis(2-Chloroethyl)ether
Concen: 51.948 ng
RT: 7.234 min Scan# 705
Delta R.T. -0.006 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Instrument :
BNA_P
ClientSampleId :
SSTDIC050



Tgt Ion: 93 Resp: 1114416




Ion	Ratio	Lower	Upper
93	100		
63	72.7	46.2	86.2
95	32.1	12.2	52.2




#12
1,3-Dichlorobenzene
Concen: 48.485 ng
RT: 7.687 min Scan# 782
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion:146 Resp: 1197732

Ion	Ratio	Lower	Upper
146	100		
148	63.5	51.5	77.3
75	32.8	25.7	38.5









#13
1,4-Dichlorobenzene
Concen: 48.681 ng
RT: 7.834 min Scan# 807
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45




Instrument :
BNA_P
ClientSampleId :
SSTDIC050


Tgt Ion:146 Resp: 1219169
Ion Ratio Lower Upper
146 100
148 64.1 51.3 76.9
111 43.9 33.0 49.6



#14
1,2-Dichlorobenzene
Concen: 48.455 ng
RT: 8.146 min Scan# 860
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion:146 Resp: 1162300
Ion Ratio Lower Upper
146 100
148 63.4 50.3 75.5
111 45.2 33.7 50.5









#15
Benzyl Alcohol
Concen: 53.665 ng
RT: 8.046 min Scan# 843
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45




Instrument :
BNA_P
ClientSampleId :
SSTDIC050


Tgt Ion: 79 Resp: 1078605
Ion Ratio Lower Upper
79 100
108 74.2 62.5 93.7
77 63.3 52.9 79.3



#16
2,2'-oxybis(1-Chloropropane)
Concen: 55.838 ng
RT: 8.340 min Scan# 893
Delta R.T. 0.012 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion: 45 Resp: 1206822
Ion Ratio Lower Upper
45 100
77 19.1 2.0 42.0
79 15.0 0.0 36.7









#17
2-Methylphenol
Concen: 51.898 ng
RT: 8.240 min Scan# 876
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45




Instrument :
BNA_P
ClientSampleId :
SSTDIC050


Tgt Ion:	107	Resp:	953426
Ion	Ratio	Lower	Upper
107	100		
108	110.1	87.7	131.5
77	47.8	40.2	60.2
79	46.5	39.0	58.4



#18
Hexachloroethane
Concen: 50.772 ng
RT: 8.869 min Scan# 983
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion:	117	Resp:	452037
Ion	Ratio	Lower	Upper
117	100		
119	95.6	76.2	114.2
201	88.0	83.4	125.0









#19
n-Nitroso-di-n-propylamine
Concen: 54.813 ng
RT: 8.616 min Scan# 940
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45




Instrument :
BNA_P
ClientSampleId :
SSTDIC050


Tgt Ion:	70	Resp:	937434
Ion	Ratio	Lower	Upper
70	100		
42	45.7	40.8	61.2
101	9.8	8.8	13.2
130	20.5	18.9	28.3



#20
3+4-Methylphenols
Concen: 52.588 ng
RT: 8.575 min Scan# 933
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion:	107	Resp:	1301276
Ion	Ratio	Lower	Upper
107	100		
108	88.9	71.0	111.0
77	34.2	16.6	56.6
79	29.3	12.7	52.7









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.587 min Scan# 1275
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Instrument :
BNA_P
ClientSampleId :
SSTDIC050

Tgt Ion:136 Resp: 1376807




Ion	Ratio	Lower	Upper
136	100		
137	11.1	8.6	12.8
54	7.0	4.6	6.8#
68	6.7	3.6	5.4#




#22
Acetophenone
Concen: 51.448 ng
RT: 8.622 min Scan# 941
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion:105 Resp: 1709558

Ion	Ratio	Lower	Upper
105	100		
71	8.0	1.9	2.9#
51	21.4	18.4	27.6
120	22.4	17.9	26.9









#23
Nitrobenzene-d5
Concen: 115.643 ng
RT: 8.957 min Scan# 998
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Instrument :
BNA_P
ClientSampleId :
SSTDICC050

Tgt Ion: 82 Resp: 2644073




Ion	Ratio	Lower	Upper
82	100		
128	41.5	35.7	53.5
54	39.9	35.0	52.4




#24
Nitrobenzene
Concen: 56.197 ng
RT: 8.999 min Scan# 1005
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion: 77 Resp: 1366094

Ion	Ratio	Lower	Upper
77	100		
123	43.0	38.2	57.2
65	12.9	11.4	17.2









#25
Isophorone
Concen: 53.251 ng
RT: 9.534 min Scan# 1096
Delta R.T. 0.006 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45




Instrument :
BNA_P
ClientSampleId :
SSTDIC050


Tgt Ion: 82 Resp: 2483936
Ion Ratio Lower Upper
82 100
95 6.9 6.5 9.7
138 17.1 15.0 22.4



#26
2-Nitrophenol
Concen: 60.904 ng
RT: 9.704 min Scan# 1125
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion: 139 Resp: 556077
Ion Ratio Lower Upper
139 100
109 30.5 28.8 43.2
65 51.7 41.0 61.6









#27
2,4-Dimethylphenol
Concen: 51.351 ng
RT: 9.769 min Scan# 1136
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45




Instrument :
BNA_P
ClientSampleId :
SSTDIC050


Tgt Ion:122 Resp: 947703
Ion Ratio Lower Upper
122 100
107 118.4 94.5 141.7
121 60.5 47.4 71.2



#28
bis(2-Chloroethoxy)methane
Concen: 51.935 ng
RT: 10.010 min Scan# 1177
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion: 93 Resp: 1367551
Ion Ratio Lower Upper
93 100
95 32.4 25.9 38.9
123 10.9 10.2 15.2









#29
2,4-Dichlorophenol
Concen: 51.660 ng
RT: 10.234 min Scan# 1215
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45




Instrument :
BNA_P
ClientSampleId :
SSTDIC050


Tgt Ion:162 Resp: 984234
Ion Ratio Lower Upper
162 100
164 63.7 44.9 84.9
98 39.8 14.3 54.3



#30
1,2,4-Trichlorobenzene
Concen: 48.373 ng
RT: 10.446 min Scan# 1251
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion:180 Resp: 1041994
Ion Ratio Lower Upper
180 100
182 95.2 77.9 116.9
145 33.3 24.7 37.1









#31
Naphthalene
Concen: 49.614 ng
RT: 10.634 min Scan# 1283
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45




Instrument :
BNA_P
ClientSampleId :
SSTDIC050


Tgt Ion:128 Resp: 3585409
Ion Ratio Lower Upper
128 100
129 10.9 9.0 13.6
127 13.4 10.7 16.1



#32
Benzoic acid
Concen: 62.106 ng
RT: 9.928 min Scan# 1163
Delta R.T. 0.018 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion:122 Resp: 711282
Ion Ratio Lower Upper
122 100
105 128.3 103.2 143.2
77 97.9 76.2 116.2









#33
4-Chloroaniline
Concen: 50.170 ng
RT: 10.746 min Scan# 1302
Delta R.T. -0.006 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Instrument :
BNA_P
ClientSampleId :
SSTDIC050

Tgt Ion:127 Resp: 1475832




Ion	Ratio	Lower	Upper
127	100		
129	32.1	26.1	39.1
65	30.5	22.5	33.7
92	20.2	15.0	22.6




#34
Hexachlorobutadiene
Concen: 48.267 ng
RT: 10.922 min Scan# 1332
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion:225 Resp: 616415

Ion	Ratio	Lower	Upper
225	100		
223	61.5	51.0	76.6
227	62.8	51.4	77.2









#35
Caprolactam
Concen: 57.350 ng
RT: 11.563 min Scan# 1441
Delta R.T. 0.012 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45




Instrument :
BNA_P
ClientSampleId :
SSTDIC050


Tgt Ion:113 Resp: 328797
Ion Ratio Lower Upper
113 100
55 138.7 98.9 138.9
56 104.2 71.7 111.7



#36
4-Chloro-3-methylphenol
Concen: 53.158 ng
RT: 11.875 min Scan# 1494
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion:107 Resp: 1178753
Ion Ratio Lower Upper
107 100
144 24.8 21.1 31.7
142 77.8 66.0 99.0









#37
2-Methylnaphthalene
Concen: 49.643 ng
RT: 12.245 min Scan# 1557
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45




Instrument :
BNA_P
ClientSampleId :
SSTDIC050


Tgt Ion:142 Resp: 2505391
Ion Ratio Lower Upper
142 100
141 89.9 71.8 107.6
115 36.5 31.6 47.4



#38
1-Methylnaphthalene
Concen: 49.538 ng
RT: 12.463 min Scan# 1594
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion:142 Resp: 2364460
Ion Ratio Lower Upper
142 100
141 93.0 73.3 109.9
116 4.0 3.5 5.3









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.428 min Scan# 1928
Delta R.T. 0.006 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45




Instrument :
BNA_P
ClientSampleId :
SSTDIC050


Tgt Ion:164 Resp: 807480
Ion Ratio Lower Upper
164 100
162 102.0 80.2 120.2
160 45.0 34.5 51.7



#40
1,2,4,5-Tetrachlorobenzene
Concen: 48.934 ng
RT: 12.610 min Scan# 1619
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion:216 Resp: 1070236
Ion Ratio Lower Upper
216 100
214 78.5 61.9 92.9
179 22.8 16.8 25.2
108 22.2 14.9 22.3









#41
Hexachlorocyclopentadiene
Concen: 51.567 ng
RT: 12.593 min Scan# 1616
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45




Instrument :
BNA_P
ClientSampleId :
SSTDIC050


Tgt Ion:237 Resp: 617500
Ion Ratio Lower Upper
237 100
235 63.3 44.5 84.5
272 12.5 0.0 32.5



#42
2,4,6-Tribromophenol
Concen: 95.708 ng
RT: 15.916 min Scan# 2181
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion:330 Resp: 795500
Ion Ratio Lower Upper
330 100
332 96.1 77.8 116.8
141 40.5 25.4 38.2#









#43
2,4,6-Trichlorophenol
Concen: 54.462 ng
RT: 12.857 min Scan# 1661
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45




Instrument :
BNA_P
ClientSampleId :
SSTDIC050


Tgt Ion:196 Resp: 747107
Ion Ratio Lower Upper
196 100
198 95.0 79.5 119.3
200 31.0 25.0 37.6



#44
2,4,5-Trichlorophenol
Concen: 54.953 ng
RT: 12.928 min Scan# 1673
Delta R.T. 0.006 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion:196 Resp: 809941
Ion Ratio Lower Upper
196 100
198 95.8 74.7 112.1
97 54.8 37.4 56.0
132 30.9 20.0 30.0#









#45
2-Fluorobiphenyl
Concen: 98.685 ng
RT: 13.057 min Scan# 1695
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45




Instrument :
BNA_P
ClientSampleId :
SSTDIC050


Tgt Ion:172 Resp: 5235173
Ion Ratio Lower Upper
172 100
171 36.3 27.9 41.9
170 23.9 18.6 27.8



#46
1,1'-Biphenyl
Concen: 49.703 ng
RT: 13.263 min Scan# 1730
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion:154 Resp: 2958207
Ion Ratio Lower Upper
154 100
153 41.0 20.4 60.4
76 15.0 0.0 30.8









#47
2-Chloronaphthalene
Concen: 49.884 ng
RT: 13.298 min Scan# 1736
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45




Instrument :
BNA_P
ClientSampleId :
SSTDICC050


Tgt Ion:162 Resp: 2285897
Ion Ratio Lower Upper
162 100
127 43.4 31.4 47.0
164 32.4 26.6 39.8



#48
2-Nitroaniline
Concen: 67.389 ng
RT: 13.510 min Scan# 1772
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion: 65 Resp: 725686
Ion Ratio Lower Upper
65 100
92 72.0 57.7 86.5
138 106.7 92.1 138.1









#49
Acenaphthylene
Concen: 50.706 ng
RT: 14.145 min Scan# 1880
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45




Instrument :
BNA_P
ClientSampleId :
SSTDIC050


Tgt Ion:152 Resp: 3699007
Ion Ratio Lower Upper
152 100
151 20.3 16.2 24.2
153 13.2 10.6 16.0



#50
Dimethylphthalate
Concen: 50.012 ng
RT: 13.898 min Scan# 1838
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion:163 Resp: 2833616
Ion Ratio Lower Upper
163 100
194 3.8 3.4 5.2
164 10.5 8.2 12.2









#51
2,6-Dinitrotoluene
Concen: 57.972 ng
RT: 14.010 min Scan# 1857
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45




Instrument :
BNA_P
ClientSampleId :
SSTDIC050


Tgt Ion:165 Resp: 644683
Ion Ratio Lower Upper
165 100
63 56.1 41.3 61.9
89 61.6 44.8 67.2



#52
Acenaphthene
Concen: 49.887 ng
RT: 14.492 min Scan# 1939
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion:154 Resp: 2249693
Ion Ratio Lower Upper
154 100
153 113.7 89.4 134.2
152 53.8 43.0 64.4









#53
3-Nitroaniline
Concen: 59.835 ng
RT: 14.339 min Scan# 1913
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45




Instrument :
BNA_P
ClientSampleId :
SSTDIC050


Tgt Ion:138 Resp: 704928
Ion Ratio Lower Upper
138 100
108 11.4 8.4 12.6
92 119.8 87.8 131.8



#54
2,4-Dinitrophenol
Concen: 69.826 ng
RT: 14.539 min Scan# 1947
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion:184 Resp: 329382
Ion Ratio Lower Upper
184 100
63 67.3 47.0 70.6
154 64.4 52.3 78.5









#55
Dibenzofuran
Concen: 49.168 ng
RT: 14.828 min Scan# 1996
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45




Instrument :
BNA_P
ClientSampleId :
SSTDIC050


Tgt Ion:168 Resp: 3500770
Ion Ratio Lower Upper
168 100
139 40.6 31.0 46.6
169 13.5 10.8 16.2



#56
4-Nitrophenol
Concen: 58.138 ng
RT: 14.645 min Scan# 1965
Delta R.T. 0.006 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion:139 Resp: 607773
Ion Ratio Lower Upper
139 100
109 73.2 72.3 112.3
65 94.3 72.5 112.5









#57
2,4-Dinitrotoluene
Concen: 60.746 ng
RT: 14.798 min Scan# 1991
Delta R.T. 0.006 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45




Instrument :
BNA_P
ClientSampleId :
SSTDIC050


Tgt Ion:	165	Resp:	871507
Ion	Ratio	Lower	Upper
165	100		
63	41.3	32.3	48.5
89	74.0	55.9	83.9
182	2.8	2.2	3.4



#58
Fluorene
Concen: 49.617 ng
RT: 15.475 min Scan# 2106
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion:	166	Resp:	2829875
Ion	Ratio	Lower	Upper
166	100		
165	98.2	78.0	117.0
167	13.6	10.5	15.7









#59
2,3,4,6-Tetrachlorophenol
Concen: 53.347 ng
RT: 14.969 min Scan# 2020
Delta R.T. -0.082 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45




Instrument :
BNA_P
ClientSampleId :
SSTDIC050


Tgt Ion:232	Resp: 680800
Ion Ratio	Lower Upper
232 100	
131 47.7	32.2 48.4
130 2.7	2.0 3.0
166 28.4	19.4 29.2



#60
Diethylphthalate
Concen: 50.387 ng
RT: 15.269 min Scan# 2071
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion:149	Resp: 2946525
Ion Ratio	Lower Upper
149 100	
177 21.5	17.5 26.3
150 12.5	9.9 14.9









#61
4-Chlorophenyl-phenylether
Concen: 49.034 ng
RT: 15.481 min Scan# 2107
Delta R.T. 0.006 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45




Instrument :
BNA_P
ClientSampleId :
SSTDIC050


Tgt Ion:204 Resp: 1322816
Ion Ratio Lower Upper
204 100
206 33.1 26.6 40.0
141 63.9 48.6 73.0



#62
4-Nitroaniline
Concen: 59.631 ng
RT: 15.504 min Scan# 2111
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion:138 Resp: 733810
Ion Ratio Lower Upper
138 100
92 54.8 31.2 71.2
108 78.3 78.6 118.6#









#63
Azobenzene
Concen: 54.002 ng
RT: 15.769 min Scan# 2156
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Instrument :
BNA_P
ClientSampleId :
SSTDIC050

Tgt Ion: 77 Resp: 3179787




Ion	Ratio	Lower	Upper
77	100		
182	22.2	6.0	46.0
105	19.8	0.0	38.8
51	23.1	8.8	48.8




#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.175 min Scan# 2395
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion: 188 Resp: 1579654

Ion	Ratio	Lower	Upper
188	100		
94	11.8	5.6	8.4#
80	13.5	6.3	9.5#









#65
4,6-Dinitro-2-methylphenol
Concen: 63.263 ng
RT: 15.557 min Scan# 2120
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45




Instrument :
BNA_P
ClientSampleId :
SSTDIC050


Tgt Ion:198 Resp: 464929
Ion Ratio Lower Upper
198 100
51 39.8 14.0 54.0
105 50.2 19.5 59.5



#66
n-Nitrosodiphenylamine
Concen: 50.455 ng
RT: 15.692 min Scan# 2143
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion:169 Resp: 2445433
Ion Ratio Lower Upper
169 100
168 66.8 54.4 81.6
167 36.2 29.0 43.6









#67
4-Bromophenyl-phenylether
Concen: 44.641 ng
RT: 16.375 min Scan# 2259
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45




Instrument :
BNA_P
ClientSampleId :
SSTDIC050


Tgt Ion:248 Resp: 710440
Ion Ratio Lower Upper
248 100
250 97.4 79.8 119.8
141 82.0 57.8 86.6



#68
Hexachlorobenzene
Concen: 48.528 ng
RT: 16.475 min Scan# 2276
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion:284 Resp: 885598
Ion Ratio Lower Upper
284 100
142 40.4 26.9 40.3#
249 32.2 24.5 36.7





#69

Atrazine

Concen: 49.944 ng

RT: 16.657 min Scan# 2307

Delta R.T. -0.000 min

Lab File: BP006277.D

Acq: 22 Jul 2021 12:45

Instrument :

BNA_P

ClientSampleId :

SSTDIC050





Tgt Ion:200 Resp: 790609

Ion Ratio Lower Upper

200 100

173 26.5 4.1 44.1

215 46.6 27.7 67.7



#70

Pentachlorophenol

Concen: 56.046 ng

RT: 16.822 min Scan# 2335

Delta R.T. -0.000 min

Lab File: BP006277.D

Acq: 22 Jul 2021 12:45




Tgt Ion:266 Resp: 572795


Ion Ratio Lower Upper

266 100

268 63.8 51.6 77.4

264 62.1 50.3 75.5









#71
Phenanthrene
Concen: 49.432 ng
RT: 17.222 min Scan# 2403
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45




Instrument :
BNA_P
ClientSampleId :
SSTDIC050


Tgt Ion:178 Resp: 4276942
Ion Ratio Lower Upper
178 100
176 19.4 15.1 22.7
179 15.7 12.4 18.6



#72
Anthracene
Concen: 50.148 ng
RT: 17.310 min Scan# 2418
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion:178 Resp: 4232353
Ion Ratio Lower Upper
178 100
176 18.9 14.9 22.3
179 15.6 12.2 18.2









#73
 Carbazole
 Concen: 49.923 ng
 RT: 17.586 min Scan# 2465
 Delta R.T. -0.000 min
 Lab File: BP006277.D
 Acq: 22 Jul 2021 12:45




Instrument :
 BNA_P
 ClientSampleId :
 SSTDICC050


Tgt Ion:167 Resp: 4223337
 Ion Ratio Lower Upper
 167 100
 166 22.1 17.1 25.7
 139 14.2 10.7 16.1



#74
 Di-n-butylphthalate
 Concen: 52.115 ng
 RT: 18.157 min Scan# 2562
 Delta R.T. -0.000 min
 Lab File: BP006277.D
 Acq: 22 Jul 2021 12:45

Tgt Ion:149 Resp: 5032366
 Ion Ratio Lower Upper
 149 100
 150 9.4 7.3 10.9
 104 5.3 4.5 6.7









#75
Fluoranthene
Concen: 49.001 ng
RT: 19.192 min Scan# 2738
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45




Instrument :
BNA_P
ClientSampleId :
SSTDIC050


Tgt Ion:202 Resp: 4865596
Ion Ratio Lower Upper
202 100
101 14.4 0.0 27.6
203 17.9 0.0 37.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.274 min Scan# 3092
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion:240 Resp: 1504868
Ion Ratio Lower Upper
240 100
120 13.9 6.5 9.7#
236 25.5 20.6 31.0









#77
Benzidine
Concen: 39.955 ng
RT: 19.380 min Scan# 2770
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45




Instrument :
BNA_P
ClientSampleId :
SSTDIC050


Tgt Ion:184 Resp: 1750010
Ion Ratio Lower Upper
184 100
185 14.1 11.0 16.4
183 12.4 9.5 14.3



#78
Pyrene
Concen: 49.860 ng
RT: 19.545 min Scan# 2798
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion:202 Resp: 4954591
Ion Ratio Lower Upper
202 100
200 21.5 16.3 24.5
203 17.9 14.2 21.2









#79
 Terphenyl-d14
 Concen: 98.339 ng
 RT: 19.751 min Scan# 2833
 Delta R.T. -0.000 min
 Lab File: BP006277.D
 Acq: 22 Jul 2021 12:45




Instrument :
 BNA_P
 ClientSampleId :
 SSTDICC050


Tgt Ion:244 Resp: 7397844
 Ion Ratio Lower Upper
 244 100
 212 7.7 6.0 9.0
 122 14.3 7.1 10.7#



#80
 Butylbenzylphthalate
 Concen: 54.107 ng
 RT: 20.439 min Scan# 2950
 Delta R.T. -0.000 min
 Lab File: BP006277.D
 Acq: 22 Jul 2021 12:45

Tgt Ion:149 Resp: 2277773
 Ion Ratio Lower Upper
 149 100
 91 75.3 54.6 81.8
 206 19.2 16.7 25.1





#81

Benzo(a)anthracene

Concen: 49.469 ng

RT: 21.263 min Scan# 3090

Delta R.T. 0.006 min

Lab File: BP006277.D

Acq: 22 Jul 2021 12:45

Instrument :

BNA_P

ClientSampleId :

SSTDIC050





Tgt Ion:228 Resp: 4777094

Ion Ratio Lower Upper

228 100

226 27.8 21.6 32.4

229 20.1 15.8 23.6



#82

3,3'-Dichlorobenzidine

Concen: 49.523 ng

RT: 21.198 min Scan# 3079

Delta R.T. -0.000 min

Lab File: BP006277.D

Acq: 22 Jul 2021 12:45




Tgt Ion:252 Resp: 1324238


Ion Ratio Lower Upper

252 100

254 63.8 50.6 76.0

126 13.9 7.0 10.6#









#83
Chrysene
Concen: 49.225 ng
RT: 21.316 min Scan# 3099
Delta R.T. 0.006 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45




Instrument :
BNA_P
ClientSampleId :
SSTDIC050


Tgt Ion:228 Resp: 4602491
Ion Ratio Lower Upper
228 100
226 30.7 23.8 35.6
229 19.8 15.4 23.2



#84
Bis(2-ethylhexyl)phthalate
Concen: 53.592 ng
RT: 21.210 min Scan# 3081
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion:149 Resp: 3400365
Ion Ratio Lower Upper
149 100
167 27.1 21.9 32.9
279 4.4 4.3 6.5









#85
Di-n-octyl phthalate
Concen: 53.814 ng
RT: 22.121 min Scan# 3236
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45




Instrument :
BNA_P
ClientSampleId :
SSTDIC050


Tgt Ion:149 Resp: 5728328
Ion Ratio Lower Upper
149 100
167 1.5 1.4 2.0
43 8.3 5.6 8.4



#86
Perylene-d12
Concen: 20.000 ng
RT: 23.627 min Scan# 3492
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion:264 Resp: 1536255
Ion Ratio Lower Upper
264 100
260 24.0 18.6 28.0
265 21.4 17.6 26.4









#87
Indeno(1,2,3-cd)pyrene
Concen: 50.504 ng
RT: 26.068 min Scan# 3907
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45




Instrument :
BNA_P
ClientSampleId :
SSTDIC050


Tgt Ion:276 Resp: 5496556
Ion Ratio Lower Upper
276 100
138 30.9 15.3 22.9#
277 25.7 20.4 30.6



#88
Benzo(b)fluoranthene
Concen: 50.672 ng
RT: 22.916 min Scan# 3371
Delta R.T. 0.006 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion:252 Resp: 5022796
Ion Ratio Lower Upper
252 100
253 22.2 17.5 26.3
125 12.5 6.2 9.4#









#89
Benzo(k)fluoranthene
Concen: 50.552 ng
RT: 22.963 min Scan# 3379
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45




Instrument :
BNA_P
ClientSampleId :
SSTDIC050


Tgt Ion:252 Resp: 4665837
Ion Ratio Lower Upper
252 100
253 22.1 17.6 26.4
125 12.8 6.0 9.0#



#90
Benzo(a)pyrene
Concen: 50.675 ng
RT: 23.521 min Scan# 3474
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion:252 Resp: 4506975
Ion Ratio Lower Upper
252 100
253 22.1 17.9 26.9
125 14.3 6.5 9.7#









#91
Dibenzo(a,h)anthracene
Concen: 50.327 ng
RT: 26.092 min Scan# 3911
Delta R.T. -0.000 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Instrument :
BNA_P
ClientSampleId :
SSTDIC050

Tgt Ion:278 Resp: 4738008
Ion Ratio Lower Upper
278 100
139 19.8 9.3 13.9#
279 24.2 18.8 28.2



#92
Benzo(g,h,i)perylene
Concen: 50.036 ng
RT: 26.821 min Scan# 4035
Delta R.T. 0.006 min
Lab File: BP006277.D
Acq: 22 Jul 2021 12:45

Tgt Ion:276 Resp: 4585171
Ion Ratio Lower Upper
276 100
277 24.2 18.9 28.3
138 25.6 12.6 18.8#

