

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP073120\
 Data File : BP002903.D
 Acq On : 31 Jul 2020 21:07
 Operator : CG/JU
 Sample : L3518-48
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 TP-13

Quant Time: Aug 01 04:01:46 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA P\METHODS\8270-BP073020.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 30 15:30:34 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.72	152	560755	20.00	ng	0.00
21) Naphthalene-d8	10.49	136	2113593	20.00	ng	0.00
39) Acenaphthene-d10	14.35	164	1187530	20.00	ng	0.00
64) Phenanthrene-d10	17.10	188	2322255	20.00	ng	0.00
76) Chrysene-d12	21.19	240	1649960	20.00	ng	0.00
86) Perylene-d12	23.46	264	1717216	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.32	112	3870115	105.63	ng	0.00
7) Phenol-d6	6.89	99	4387065	86.24	ng	0.00
23) Nitrobenzene-d5	8.86	82	3355663	85.99	ng	0.00
42) 2,4,6-Tribromophenol	15.85	330	1792508	121.45	ng	0.00
45) 2-Fluorobiphenyl	12.97	172	6752940	77.70	ng	0.00
79) Terphenyl-d14	19.68	244	8070327	97.92	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP073120\
Data File : BP002903.D
Acq On : 31 Jul 2020 21:07
Operator : CG/JU
Sample : L3518-48
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TP-13

Quant Time: Aug 01 04:01:46 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA P\METHODS\8270-BP073020.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 30 15:30:34 2020
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.72 min Scan# 821
Delta R.T. -0.00 min
Lab File: BP002903.D
Acq: 31 Jul 2020 21:07

Instrument :
BNA_P
ClientSampled :
TP-13




Tot Ion	Ratio	Lower	Upper
152	100		
150	157.9	124.8	187.2
115	58.4	47.4	71.2




#5

2-Fluorophenol
Concen: 105.629 ng
RT: 5.32 min Scan# 414
Delta R.T. -0.00 min
Lab File: BP002903.D
Acq: 31 Jul 2020 21:07

Tgt Ion	Ratio	Lower	Upper
112	100		
64	51.3	41.0	61.6
63	26.1	20.7	31.1





#7

Phenol-d6

Concen: 86.244 ng

RT: 6.89 min Scan# 681

Delta R.T. -0.00 min

Lab File: BP002903.D

Acq: 31 Jul 2020 21:07

Instrument :


BNA_P

ClientSampleId :

TP-13

Tot Ion: 99 Resp: 4387065

Ion	Ratio	Lower	Upper
99	100		
42	11.8	9.3	13.9
71	29.9	23.5	35.3






Abundance

Ion 99.00 (98.70 to 99.70): BP0

Ion 42.00 (41.70 to 42.70): BP0

Ion 71.00 (70.70 to 71.70): BP0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.49 min Scan# 1293


Delta R.T. -0.01 min

Lab File: BP002903.D

Acq: 31 Jul 2020 21:07

Tgt Ion: 136 Resp: 2113593

Ion	Ratio	Lower	Upper
136	100		
137	11.1	8.6	13.0
54	6.1	5.1	7.7
68	6.1	5.3	7.9





Abundance


Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BP0

Ion 68.00 (67.70 to 68.70): BP0









#23
 Nitrobenzene-d5
 Concen: 85.991 ng
 RT: 8.86 min Scan# 1015
 Delta R.T. -0.01 min
 Lab File: BP002903.D
 Acq: 31 Jul 2020 21:07




Instrument :
 BNA_P
 ClientSampleId :
 TP-13


Tot Ion: 82 Resp: 3355663
 Ion Ratio Lower Upper
 82 100
 128 44.3 34.6 52.0
 54 37.5 29.5 44.3



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.35 min Scan# 1949
 Delta R.T. -0.01 min
 Lab File: BP002903.D
 Acq: 31 Jul 2020 21:07

Tgt Ion:164 Resp: 1187530
 Ion Ratio Lower Upper
 164 100
 162 100.0 81.0 121.6
 160 44.5 36.2 54.4









#42
2,4,6-Tribromophenol
Concen: 121.447 ng
RT: 15.85 min Scan# 2203
Delta R.T. -0.00 min
Lab File: BP002903.D
Acq: 31 Jul 2020 21:07




Instrument :
BNA_P
ClientSampleId :
TP-13


Tot Ion:330 Resp: 1792508
Ion Ratio Lower Upper
330 100
332 97.6 77.1 115.7
141 30.0 24.6 37.0



#45
2-Fluorobiphenyl
Concen: 77.695 ng
RT: 12.97 min Scan# 1715
Delta R.T. -0.01 min
Lab File: BP002903.D
Acq: 31 Jul 2020 21:07

Tgt Ion:172 Resp: 6752940
Ion Ratio Lower Upper
172 100
171 36.6 29.1 43.7
170 24.5 19.6 29.4





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.10 min Scan# 2417

Delta R.T. -0.01 min

Lab File: BP002903.D

Acq: 31 Jul 2020 21:07

Instrument :

BNA_P

ClientSampleId :

TP-13


Tot Ion:188 Resp: 2322255

Ion Ratio Lower Upper

188 100

94 9.3 7.8 11.6




80 9.9 8.0 12.0



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BP0

Ion 80.00 (79.70 to 80.70): BP0



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.19 min Scan# 3112

Delta R.T. -0.01 min

Lab File: BP002903.D

Acq: 31 Jul 2020 21:07


Tgt Ion:240 Resp: 1649960

Ion Ratio Lower Upper

240 100

120 11.3 8.9 13.3



236 26.2 20.3 30.5




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 97.920 ng

RT: 19.68 min Scan# 2856

Delta R.T. -0.01 min

Lab File: BP002903.D

Acq: 31 Jul 2020 21:07

Instrument :

BNA_P

ClientSampleId :

TP-13


Tot Ion:244 Resp: 8070327

Ion Ratio Lower Upper

244 100

212 8.0 6.4 9.6




122 11.8 9.4 14.2



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 23.46 min Scan# 3498

Delta R.T. -0.01 min

Lab File: BP002903.D

Acq: 31 Jul 2020 21:07


Tgt Ion:264 Resp: 1717216

Ion Ratio Lower Upper

264 100

260 23.8 19.0 28.6

265 21.4 17.0 25.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

