

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP080122\
 Data File : BP011201.D
 Acq On : 01 Aug 2022 15:54
 Operator : CG/JU
 Sample : N3790-09MS
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 DBUK4MS

Manual Integrations
 APPROVED

Reviewed By :Jagrut Upadhyay 08/02/2022
 Supervised By :mohammad ahmed 08/03/2022

Quant Time: Aug 01 23:00:24 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP072822.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Jul 28 16:05:22 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.646	152	231298	20.000	ng/u1	0.00
20) Naphthalene-d8	10.440	136	908989	20.000	ng/u1	# 0.00
38) Acenaphthene-d10	14.316	164	446777	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.086	188	893069	20.000	ng/u1	# 0.00
79) Chrysene-d12	21.216	240	830069	20.000	ng/u1	# 0.00
88) Perylene-d12	23.563	264	944598	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.152	96	17698m	3.504	ng/uL	0.00
4) Pyridine-d5	3.558	84	185267	12.966	ng/u1	0.00
7) Phenol-d5	6.828	99	498398	24.687	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	6.993	67	358653	25.124	ng/u1	0.00
11) 2-Chlorophenol-d4	7.181	132	406937	25.578	ng/u1	0.00
15) 4-Methylphenol-d8	8.369	113	380326	23.029	ng/u1	0.00
21) Nitrobenzene-d5	8.810	128	193894	27.447	ng/u1	0.00
24) 2-Nitrophenol-d4	9.528	143	180672	26.700	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.069	165	324454	27.207	ng/u1	0.00
31) 4-Chloroaniline-d4	10.593	131	412069	21.315	ng/u1	0.00
46) Dimethylphthalate-d6	13.740	166	942432	30.961	ng/u1	0.00
49) Acenaphthylene-d8	14.004	160	1158922	30.297	ng/u1	0.00
54) 4-Nitrophenol-d4	14.540	143	186447	34.052	ng/u1	0.00
60) Fluorene-d10	15.316	176	812372	31.760	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.451	200	131709	29.256	ng/u1	0.00
73) Anthracene-d10	17.186	188	1282557	32.593	ng/u1	0.00
81) Pyrene-d10	19.445	212	1522245	34.129	ng/u1	0.00
92) Benzo(a)pyrene-d12	23.410	264	1603853	34.185	ng/u1	0.00
Target Compounds					Qvalue	
2) 1,4-Dioxane	3.181	88	42218	8.075	ng/uL#	82
5) Pyridine	3.581	79	248898	16.887	ng/u1#	72
6) Benzaldehyde	6.799	77	459527	47.187	ng/u1	97
8) Phenol	6.858	94	629573	29.067	ng/u1	93
10) Bis(2-Chloroethyl)ether	7.087	93	533480	30.378	ng/u1	94
12) 2-Chlorophenol	7.210	128	507306	30.670	ng/u1	98
13) 2-Methylphenol	8.099	108	454905	28.337	ng/u1	98
14) 2,2'-oxybis(1-Chloropr...	8.175	45	883247m	30.029	ng/u1	
16) Acetophenone	8.475	105	764041	29.742	ng/u1	96
17) N-Nitroso-di-n-propyla...	8.463	70	386720	28.478	ng/u1	98
18) 4-Methylphenol	8.434	108	483131	27.945	ng/u1	99
19) Hexachloroethane	8.716	117	235591	31.707	ng/u1#	74
22) Nitrobenzene	8.852	77	597403	32.892	ng/u1	98
23) Isophorone	9.381	82	1057029	32.166	ng/u1	96
25) 2-Nitrophenol	9.563	139	242744	31.925	ng/u1	91
26) 2,4-Dimethylphenol	9.628	107	475529	29.112	ng/u1	99
27) Bis(2-Chloroethoxy)met...	9.869	93	643831	31.182	ng/u1	98
29) 2,4-Dichlorophenol	10.093	162	388379	31.490	ng/u1	98
30) Naphthalene	10.493	128	1624236	33.964	ng/u1	99
32) 4-Chloroaniline	10.616	127	511743	26.640	ng/u1	99
33) Hexachlorobutadiene	10.769	225	248017	32.926	ng/u1	96
34) Caprolactam	11.410	113	135311	32.989	ng/u1	90
35) 4-Chloro-3-methylphenol	11.751	107	473800	34.262	ng/u1	99
36) 2-Methylnaphthalene	12.116	142	983911	32.512	ng/u1	98

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP080122\
 Data File : BP011201.D
 Acq On : 01 Aug 2022 15:54
 Operator : CG/JU
 Sample : N3790-09MS
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 DBUK4MS


Quant Time: Aug 01 23:00:24 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP072822.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Jul 28 16:05:22 2022
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By :Jagrut Upadhyay 08/02/2022
 Supervised By :mohammad ahmed 08/03/2022


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
37) 1-Methylnaphthalene	12.334	142	987081	32.558	ng/ul#	98
39) 1,2,4,5-Tetrachloroben...	12.487	216	404264	32.523	ng/ul#	97
40) Hexachlorocyclopentadiene	12.463	237	163042	19.895	ng/ul	96
41) 2,4,6-Trichlorophenol	12.740	196	281783	36.101	ng/ul	99
42) 2,4,5-Trichlorophenol	12.810	196	313772	37.974	ng/ul	99
43) 1,1'-Biphenyl	13.145	154	1180967	33.083	ng/ul#	97
44) 2-Chloronaphthalene	13.181	162	876602	32.847	ng/ul	95
45) 2-Nitroaniline	13.398	65	295561	38.106	ng/ul	98
47) Dimethylphthalate	13.787	163	1113091	36.309	ng/ul	99
48) 2,6-Dinitrotoluene	13.904	165	212510	39.673	ng/ul	89
50) Acenaphthylene	14.034	152	1497636	35.047	ng/ul	98
51) 3-Nitroaniline	14.234	138	242765	41.964	ng/ul	98
52) Acenaphthene	14.381	153	1152454	41.288	ng/ul	98
53) 2,4-Dinitrophenol	14.445	184	102800	34.029	ng/ul	95
55) 4-Nitrophenol	14.557	109	202354	43.011	ng/ul#	78
56) Dibenzofuran	14.722	168	1504373	39.651	ng/ul	99
57) 2,4-Dinitrotoluene	14.698	165	341043	45.632	ng/ul	93
58) 2,3,4,6-Tetrachlorophenol	14.951	232	244776	40.740	ng/ul#	80
59) Diethylphthalate	15.163	149	1238715	40.429	ng/ul	97
61) Fluorene	15.375	166	1347842	45.686	ng/ul	99
62) 4-Chlorophenyl-phenyle...	15.375	204	482862	35.962	ng/ul	89
63) 4-Nitroaniline	15.410	138	275246m	55.964	ng/ul	
66) 4,6-Dinitro-2-methylph...	15.469	198	164758	36.035	ng/ul	94
67) N-Nitrosodiphenylamine	15.592	169	980706	35.733	ng/ul	97
68) 4-Bromophenyl-phenylether	16.275	248	298909	34.879	ng/ul#	88
69) Hexachlorobenzene	16.381	284	358800	36.599	ng/ul#	87
70) Atrazine	16.563	200	337936	39.155	ng/ul	96
71) Pentachlorophenol	16.733	266	203465	36.149	ng/ul	96
72) Phenanthrene	17.133	178	5154968	105.471	ng/ul	98
74) Anthracene	17.222	178	2599050	53.751	ng/ul	99
75) 1,2,3,4-Tetrachloroben...	13.104	216	404998	26.305	ng/uL	97
76) Pentachlorobenzene	14.634	250	401559	31.646	ng/uL	99
77) Carbazole	17.504	167	2508646	58.560	ng/ul	97
78) Di-n-butylphthalate	18.069	149	2338327	45.645	ng/ul	99
80) Fluoranthene	19.122	202	6635469	120.433	ng/ul#	84
82) Pyrene	19.480	202	5623924	99.331	ng/ul#	84
83) Butylbenzylphthalate	20.369	149	1106639	48.812	ng/ul	93
84) 3,3'-Dichlorobenzidine	21.139	252	457090	31.571	ng/ul#	98
85) Benzo(a)anthracene	21.198	228	4441782	86.080	ng/ul	95
86) Bis(2-ethylhexyl)phtha...	21.139	149	1748156	51.019	ng/ul#	95
87) Chrysene	21.257	228	4276983	83.376	ng/ul	97
89) Di-n-octyl phthalate	22.045	149	3049900	46.978	ng/ul	100
90) Benzo(b)fluoranthene	22.857	252	5214170	87.562	ng/ul#	95
91) Benzo(k)fluoranthene	22.898	252	3169909	56.089	ng/ul#	93
93) Benzo(a)pyrene	23.463	252	4126174	71.037	ng/ul#	93
94) Indeno(1,2,3-cd)pyrene	25.998	276	3998811	55.881	ng/ul#	88
95) Dibenzo(a,h)anthracene	26.021	278	2731421	44.502	ng/ul#	91
96) Benzo(g,h,i)perylene	26.751	276	2928867	47.323	ng/ul#	86

(#) = qualifier out of range (m) = manual integration (+) = signals summed



#2
1,4-Dioxane
Concen: 8.075 ng/uL
RT: 3.181 min Scan# 10
Delta R.T. -0.006 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54




Instrument :
BNA_P
ClientSampleId :
DBUK4MS




Tgt Ion: 88 Resp: 42218
Ion Ratio Lower Upper
88 100
43 35.8 35.8 53.6
58 66.9 68.1 102.1

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/02/2022
Supervised By :mohammad ahmed 08/03/2022




#5
Pyridine
Concen: 16.887 ng/uL
RT: 3.581 min Scan# 84
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54




Tgt Ion: 79 Resp: 248898
Ion Ratio Lower Upper
79 100
52 70.3 83.8 125.8#
51 39.3 41.0 61.4#





#6
Benzaldehyde
Concen: 47.187 ng/ul
RT: 6.799 min Scan# 611
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54




Instrument :
BNA_P
ClientSampleId :
DBUK4MS




Tgt Ion: 77 Resp: 459527
Ion Ratio Lower Upper
77 100
105 92.6 76.0 114.0
106 87.4 73.2 109.8

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/02/2022
Supervised By :mohammad ahmed 08/03/2022




#8
Phenol
Concen: 29.067 ng/ul
RT: 6.858 min Scan# 641
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54




Tgt Ion: 94 Resp: 629573
Ion Ratio Lower Upper
94 100
65 31.5 27.4 41.2
66 40.7 37.4 56.2





#10
Bis(2-Chloroethyl)ether
Concen: 30.378 ng/ul
RT: 7.087 min Scan# 680
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54




Instrument :
BNA_P
ClientSampleId :
DBUK4MS




Tgt Ion: 93 Resp: 533480
Ion Ratio Lower Upper
93 100
63 84.0 72.4 108.6
95 32.5 27.3 40.9

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/02/2022
Supervised By :mohammad ahmed 08/03/2022




#12
2-Chlorophenol
Concen: 30.670 ng/ul
RT: 7.210 min Scan# 701
Delta R.T. -0.006 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54



Tgt Ion:128 Resp: 507306
Ion Ratio Lower Upper
128 100
64 54.5 44.8 67.2
130 31.7 25.8 38.6









#13
2-Methylphenol
Concen: 28.337 ng/ul
RT: 8.099 min Scan# 852
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54

Instrument :
BNA_P
ClientSampleId :
DBUK4MS

Tgt Ion:108 Resp: 45490
Ion Ratio Lower Upper
108 100
107 90.8 71.4 107.0




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/02/2022
Supervised By :mohammad ahmed 08/03/2022



#14
2,2'-oxybis(1-Chloropropane)
Concen: 30.029 ng/ul m
RT: 8.175 min Scan# 865
Delta R.T. -0.018 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54

Tgt Ion: 45 Resp: 883247
Ion Ratio Lower Upper
45 100
77 11.9 11.2 16.8
79 9.1 6.9 10.3









#16
Acetophenone
Concen: 29.742 ng/ul
RT: 8.475 min Scan# 916
Delta R.T. -0.006 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54

Instrument :
BNA_P
ClientSampleId :
DBUK4MS

Tgt Ion: 105 Resp: 76404
Ion Ratio Lower Upper
105 100
77 81.4 67.5 101.3
51 33.5 29.6 44.4




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/02/2022
Supervised By :mohammad ahmed 08/03/2022



#17
N-Nitroso-di-n-propylamine
Concen: 28.478 ng/ul
RT: 8.463 min Scan# 914
Delta R.T. -0.006 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54


Tgt Ion: 70 Resp: 386720
Ion Ratio Lower Upper
70 100
42 68.8 53.8 80.8
101 9.4 7.8 11.6
130 18.8 15.4 23.2





#18
4-Methylphenol
Concen: 27.945 ng/ul
RT: 8.434 min Scan# 909
Delta R.T. 0.006 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54




Instrument :
BNA_P
ClientSampleId :
DBUK4MS



Tgt Ion:108 Resp: 48313
Ion Ratio Lower Upper
108 100
107 111.1 88.3 132.5




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/02/2022
Supervised By :mohammad ahmed 08/03/2022



#19
Hexachloroethane
Concen: 31.707 ng/ul
RT: 8.716 min Scan# 957
Delta R.T. -0.006 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54


Tgt Ion:117 Resp: 235591
Ion Ratio Lower Upper
117 100
201 80.1 85.7 128.5#
199 49.5 57.4 86.0#





#22
Nitrobenzene
Concen: 32.892 ng/ul
RT: 8.852 min Scan# 90
Delta R.T. -0.006 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54




Instrument :
BNA_P
ClientSampleId :
DBUK4MS




Tgt Ion: 77 Resp: 59740
Ion Ratio Lower Upper
77 100
123 41.3 31.5 47.3
65 14.0 11.4 17.2

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/02/2022
Supervised By :mohammad ahmed 08/03/2022




#23
Isophorone
Concen: 32.166 ng/ul
RT: 9.381 min Scan# 1070
Delta R.T. -0.006 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54



Tgt Ion: 82 Resp: 1057029
Ion Ratio Lower Upper
82 100
95 7.1 6.6 10.0
138 15.6 13.8 20.6









#25
2-Nitrophenol
Concen: 31.925 ng/ul
RT: 9.563 min Scan# 1101
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54

Instrument :
BNA_P
ClientSampleId :
DBUK4MS

Tgt Ion:139 Resp: 242744
Ion Ratio Lower Upper
139 100
65 61.4 54.2 81.4
109 32.5 30.6 45.8




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/02/2022
Supervised By :mohammad ahmed 08/03/2022



#26
2,4-Dimethylphenol
Concen: 29.112 ng/ul
RT: 9.628 min Scan# 1112
Delta R.T. -0.006 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54


Tgt Ion:107 Resp: 475529
Ion Ratio Lower Upper
107 100
121 50.3 39.1 58.7
122 83.6 66.1 99.1





#27
Bis(2-Chloroethoxy)methane
Concen: 31.182 ng/ul
RT: 9.869 min Scan# 1153
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54




Instrument :
BNA_P
ClientSampleId :
DBUK4MS




Tgt Ion: 93 Resp: 64383
Ion Ratio Lower Upper
93 100
95 32.1 26.6 39.8
123 10.6 7.8 11.8

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/02/2022
Supervised By :mohammad ahmed 08/03/2022




#29
2,4-Dichlorophenol
Concen: 31.490 ng/ul
RT: 10.093 min Scan# 1191
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54




Tgt Ion:162 Resp: 388379
Ion Ratio Lower Upper
162 100
164 66.6 52.5 78.7
98 41.8 31.4 47.0





#30
Naphthalene
Concen: 33.964 ng/ul
RT: 10.493 min Scan# 1259
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54




Instrument :
BNA_P
ClientSampleId :
DBUK4MS



Tgt Ion:128 Resp: 1624230
Ion Ratio Lower Upper
128 100
129 10.7 8.7 13.1
127 13.2 10.2 15.4




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/02/2022
Supervised By :mohammad ahmed 08/03/2022



#32
4-Chloroaniline
Concen: 26.640 ng/ul
RT: 10.616 min Scan# 1280
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54


Tgt Ion:127 Resp: 511743
Ion Ratio Lower Upper
127 100
129 32.1 26.2 39.2





#33
Hexachlorobutadiene
Concen: 32.926 ng/ul
RT: 10.769 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54




Instrument :
BNA_P
ClientSampleId :
DBUK4MS



Tgt Ion:225 Resp: 24801
Ion Ratio Lower Upper
225 100
223 62.7 53.7 80.5
227 63.5 49.4 74.2




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/02/2022
Supervised By :mohammad ahmed 08/03/2022



#34
Caprolactam
Concen: 32.989 ng/ul
RT: 11.410 min Scan# 1415
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54


Tgt Ion:113 Resp: 135311
Ion Ratio Lower Upper
113 100
55 205.1 153.8 230.8
56 151.9 110.2 165.4





#35
4-Chloro-3-methylphenol
Concen: 34.262 ng/ul
RT: 11.751 min Scan# 1473
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54




Instrument :
BNA_P
ClientSampleId :
DBUK4MS




Tgt Ion:107 Resp: 473800
Ion Ratio Lower Upper
107 100
144 23.6 18.6 27.8
142 75.2 59.6 89.4

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/02/2022
Supervised By :mohammad ahmed 08/03/2022




#36
2-Methylnaphthalene
Concen: 32.512 ng/ul
RT: 12.116 min Scan# 1535
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54




Tgt Ion:142 Resp: 983911
Ion Ratio Lower Upper
142 100
141 89.8 70.1 105.1





#37
1-Methylnaphthalene
Concen: 32.558 ng/ul
RT: 12.334 min Scan# 1572
Delta R.T. -0.006 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54




Instrument :
BNA_P
ClientSampleId :
DBUK4MS




Tgt Ion:142 Resp: 98708
Ion Ratio Lower Upper
142 100
141 93.2 73.3 109.9
116 4.0 4.0 6.0

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/02/2022
Supervised By :mohammad ahmed 08/03/2022




#39
1,2,4,5-Tetrachlorobenzene
Concen: 32.523 ng/ul
RT: 12.487 min Scan# 1598
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54




Tgt Ion:216 Resp: 404264
Ion Ratio Lower Upper
216 100
214 77.0 63.0 94.6
179 23.1 18.1 27.1
108 22.8 13.6 20.4





#40
Hexachlorocyclopentadiene
Concen: 19.895 ng/ul
RT: 12.463 min Scan# 1594
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54




Instrument :
BNA_P
ClientSampleId :
DBUK4MS




Tgt Ion:237 Resp: 16304
Ion Ratio Lower Upper
237 100
235 62.7 52.8 79.2
272 12.2 11.5 17.3

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/02/2022
Supervised By :mohammad ahmed 08/03/2022




#41
2,4,6-Trichlorophenol
Concen: 36.101 ng/ul
RT: 12.740 min Scan# 1641
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54



Tgt Ion:196 Resp: 281783
Ion Ratio Lower Upper
196 100
198 98.6 78.2 117.4
200 31.2 25.0 37.6









#42
2,4,5-Trichlorophenol
Concen: 37.974 ng/ul
RT: 12.810 min Scan# 1653
Delta R.T. 0.006 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54

Instrument :
BNA_P
ClientSampleId :
DBUK4MS

Tgt Ion:196 Resp: 313772
Ion Ratio Lower Upper
196 100
198 95.1 77.0 115.4
200 30.8 24.8 37.2




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/02/2022
Supervised By :mohammad ahmed 08/03/2022



#43
1,1'-Biphenyl
Concen: 33.083 ng/ul
RT: 13.145 min Scan# 1710
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54


Tgt Ion:154 Resp: 1180967
Ion Ratio Lower Upper
154 100
153 40.3 31.9 47.9
76 15.3 9.2 13.8#





#44
2-Chloronaphthalene
Concen: 32.847 ng/ul
RT: 13.181 min Scan# 1716
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54




Instrument :
BNA_P
ClientSampleId :
DBUK4MS




Tgt Ion:162 Resp: 876602
Ion Ratio Lower Upper
162 100
164 32.9 25.5 38.3
127 44.2 31.9 47.9

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/02/2022
Supervised By :mohammad ahmed 08/03/2022




#45
2-Nitroaniline
Concen: 38.106 ng/ul
RT: 13.398 min Scan# 1753
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54




Tgt Ion: 65 Resp: 295561
Ion Ratio Lower Upper
65 100
92 63.5 49.0 73.6
138 84.3 66.4 99.6





#47
Dimethylphthalate
Concen: 36.309 ng/ul
RT: 13.787 min Scan# 1819
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54




Instrument :
BNA_P
ClientSampleId :
DBUK4MS




Tgt Ion:163 Resp: 111309
Ion Ratio Lower Upper
163 100
194 3.6 3.4 5.2
164 9.9 7.6 11.4

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/02/2022
Supervised By :mohammad ahmed 08/03/2022




#48
2,6-Dinitrotoluene
Concen: 39.673 ng/ul
RT: 13.904 min Scan# 1839
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54




Tgt Ion:165 Resp: 212510
Ion Ratio Lower Upper
165 100
89 76.5 52.9 79.3
121 27.0 19.4 29.2





#50
Acenaphthylene
Concen: 35.047 ng/ul
RT: 14.034 min Scan# 1861
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54




Instrument :
BNA_P
ClientSampleId :
DBUK4MS




Tgt Ion:152 Resp: 1497630
Ion Ratio Lower Upper
152 100
151 19.9 16.5 24.7
153 13.3 10.1 15.1

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/02/2022
Supervised By :mohammad ahmed 08/03/2022




#51
3-Nitroaniline
Concen: 41.964 ng/ul
RT: 14.234 min Scan# 1895
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54




Tgt Ion:138 Resp: 242765
Ion Ratio Lower Upper
138 100
108 11.9 11.0 16.4
92 132.2 104.6 156.8





#52
Acenaphthene
Concen: 41.288 ng/ul
RT: 14.381 min Scan# 1920
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54




Instrument :
BNA_P
ClientSampleId :
DBUK4MS




Tgt Ion:153 Resp: 1152454
Ion Ratio Lower Upper
153 100
152 48.7 36.2 54.2
154 87.9 70.8 106.2

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/02/2022
Supervised By :mohammad ahmed 08/03/2022




#53
2,4-Dinitrophenol
Concen: 34.029 ng/ul
RT: 14.445 min Scan# 1931
Delta R.T. 0.006 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54




Tgt Ion:184 Resp: 102800
Ion Ratio Lower Upper
184 100
63 97.0 73.8 110.6
154 67.7 57.2 85.8





#55
4-Nitrophenol
Concen: 43.011 ng/ul
RT: 14.557 min Scan# 1949
Delta R.T. 0.006 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54




Instrument :
BNA_P
ClientSampleId :
DBUK4MS




Tgt Ion:109 Resp: 202354
Ion Ratio Lower Upper
109 100
139 129.5 75.6 113.4
65 148.8 107.6 161.4

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/02/2022
Supervised By :mohammad ahmed 08/03/2022




#56
Dibenzofuran
Concen: 39.651 ng/ul
RT: 14.722 min Scan# 1978
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54



Tgt Ion:168 Resp: 1504373
Ion Ratio Lower Upper
168 100
139 41.9 32.8 49.2









#57
2,4-Dinitrotoluene
Concen: 45.632 ng/ul
RT: 14.698 min Scan# 1974
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54

Instrument :
BNA_P
ClientSampleId :
DBUK4MS

Tgt Ion:165 Resp: 34104
Ion Ratio Lower Upper
165 100
63 64.0 47.0 70.6
182 2.6 2.2 3.2




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/02/2022
Supervised By :mohammad ahmed 08/03/2022



#58
2,3,4,6-Tetrachlorophenol
Concen: 40.740 ng/ul
RT: 14.951 min Scan# 2017
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54

Tgt Ion:232 Resp: 244776
Ion Ratio Lower Upper
232 100
131 61.6 35.8 53.8#
130 3.2 1.8 2.8#
166 35.8 23.7 35.5#









#59
Diethylphthalate
Concen: 40.429 ng/ul
RT: 15.163 min Scan# 2053
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54

Instrument :
BNA_P
ClientSampleId :
DBUK4MS

Tgt Ion:149 Resp: 123871
Ion Ratio Lower Upper
149 100
177 20.1 17.6 26.4
150 12.3 10.3 15.5




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/02/2022
Supervised By :mohammad ahmed 08/03/2022



#61
Fluorene
Concen: 45.686 ng/ul
RT: 15.375 min Scan# 2089
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54

Tgt Ion:166 Resp: 1347842
Ion Ratio Lower Upper
166 100
165 97.7 77.4 116.2
167 13.4 10.8 16.2









#62
4-Chlorophenyl-phenylether
Concen: 35.962 ng/ul
RT: 15.375 min Scan# 2089
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54

Instrument :
BNA_P
ClientSampleId :
DBUK4MS

Tgt Ion:204 Resp: 482862
Ion Ratio Lower Upper
204 100
206 32.4 26.0 39.0
141 73.9 49.3 73.9




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/02/2022
Supervised By :mohammad ahmed 08/03/2022



#63
4-Nitroaniline
Concen: 55.964 ng/ul m
RT: 15.410 min Scan# 2095
Delta R.T. 0.006 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54


Tgt Ion:138 Resp: 275246
Ion Ratio Lower Upper
138 100
92 60.4 46.2 69.2
108 85.6 85.8 128.8#





#66
4,6-Dinitro-2-methylphenol
Concen: 36.035 ng/ul
RT: 15.469 min Scan# 2104
Delta R.T. 0.012 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54




Instrument :
BNA_P
ClientSampleId :
DBUK4MS



Tgt Ion:198 Resp: 164758
Ion Ratio Lower Upper
198 100
182 6.0 4.3 6.5
77 33.3 23.7 35.5




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/02/2022
Supervised By :mohammad ahmed 08/03/2022



#67
N-Nitrosodiphenylamine
Concen: 35.733 ng/ul
RT: 15.592 min Scan# 2126
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54


Tgt Ion:169 Resp: 980706
Ion Ratio Lower Upper
169 100
168 67.6 52.6 78.8
167 37.4 27.8 41.6





#68
4-Bromophenyl-phenylether
Concen: 34.879 ng/ul
RT: 16.275 min Scan# 2242
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54




Instrument :
BNA_P
ClientSampleId :
DBUK4MS




Tgt Ion:248 Resp: 298909
Ion Ratio Lower Upper
248 100
250 98.3 80.8 121.2
141 101.0 63.9 95.9

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/02/2022
Supervised By :mohammad ahmed 08/03/2022




#69
Hexachlorobenzene
Concen: 36.599 ng/ul
RT: 16.381 min Scan# 2260
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54



Tgt Ion:284 Resp: 358800
Ion Ratio Lower Upper
284 100
142 47.8 27.8 41.6#
249 33.3 25.4 38.2





#70

Atrazine

Concen: 39.155 ng/ul

RT: 16.563 min Scan# 21

Delta R.T. 0.000 min

Lab File: BP011201.D

Acq: 01 Aug 2022 15:54

Instrument :

BNA_P

ClientSampleId :





DBUK4MS

Tgt Ion:200 Resp: 337930
 Ion Ratio Lower Upper
 200 100
 173 27.8 20.7 31.1
 215 45.4 38.6 57.8

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 08/02/2022
 Supervised By :mohammad ahmed 08/03/2022



#71

Pentachlorophenol

Concen: 36.149 ng/ul




RT: 16.733 min Scan# 2320


Delta R.T. 0.000 min

Lab File: BP011201.D

Acq: 01 Aug 2022 15:54

Tgt Ion:266 Resp: 203465
 Ion Ratio Lower Upper
 266 100
 264 62.6 51.4 77.2
 268 63.0 53.5 80.3









#72
Phenanthrene
Concen: 105.471 ng/uI
RT: 17.133 min Scan# 21
Delta R.T. 0.006 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54

Instrument :
BNA_P
ClientSampleId :
DBUK4MS

Tgt Ion:178 Resp: 515496
Ion Ratio Lower Upper
178 100
179 15.6 12.7 19.1
176 19.8 14.6 22.0




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/02/2022
Supervised By :mohammad ahmed 08/03/2022



#74
Anthracene
Concen: 53.751 ng/uI
RT: 17.222 min Scan# 2403
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54


Tgt Ion:178 Resp: 2599050
Ion Ratio Lower Upper
178 100
179 15.6 12.2 18.2
176 18.7 14.5 21.7





#75
1,2,3,4-Tetrachlorobenzene
Concen: 26.305 ng/uL
RT: 13.104 min Scan# 1702
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54




Instrument :
BNA_P
ClientSampleId :
DBUK4MS




Tgt Ion:216 Resp: 404998
Ion Ratio Lower Upper
216 100
214 76.9 65.0 97.4
218 48.1 39.1 58.7

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/02/2022
Supervised By :mohammad ahmed 08/03/2022




#76
Pentachlorobenzene
Concen: 31.646 ng/uL
RT: 14.634 min Scan# 1963
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54




Tgt Ion:250 Resp: 401559
Ion Ratio Lower Upper
250 100
248 62.6 49.8 74.6
252 64.8 51.2 76.8





#77
 Carbazole
 Concen: 58.560 ng/ul
 RT: 17.504 min Scan# 2450
 Delta R.T. 0.006 min
 Lab File: BP011201.D
 Acq: 01 Aug 2022 15:54




Instrument :
 BNA_P
 ClientSampleId :
 DBUK4MS




Tgt Ion:167 Resp: 2508640
 Ion Ratio Lower Upper
 167 100
 166 22.1 16.9 25.3
 139 14.6 10.6 16.0

Manual Integrations
 APPROVED



Reviewed By :Jagrut Upadhyay 08/02/2022
 Supervised By :mohammad ahmed 08/03/2022




#78
 Di-n-butylphthalate
 Concen: 45.645 ng/ul
 RT: 18.069 min Scan# 2547
 Delta R.T. 0.000 min
 Lab File: BP011201.D
 Acq: 01 Aug 2022 15:54




Tgt Ion:149 Resp: 2338327
 Ion Ratio Lower Upper
 149 100
 150 9.1 7.1 10.7
 104 5.9 4.6 6.8





#80
Fluoranthene
Concen: 120.433 ng/u1
RT: 19.122 min Scan# 21
Delta R.T. 0.006 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54




Instrument :
BNA_P
ClientSampleId :
DBUK4MS



Tgt Ion:202 Resp: 6635469
Ion Ratio Lower Upper
202 100
101 15.6 7.1 10.7
100 11.8 5.7 8.5




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/02/2022
Supervised By :mohammad ahmed 08/03/2022



#82
Pyrene
Concen: 99.331 ng/u1
RT: 19.480 min Scan# 2787
Delta R.T. 0.006 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54

Tgt Ion:202 Resp: 5623924
Ion Ratio Lower Upper
202 100
101 16.5 7.9 11.9#
100 13.6 6.7 10.1#





#83

Butylbenzylphthalate

Concen: 48.812 ng/ul

RT: 20.369 min Scan# 2938

Delta R.T. 0.000 min

Lab File: BP011201.D

Acq: 01 Aug 2022 15:54

Instrument :

BNA_P

ClientSampleId :

DBUK4MS

Tgt Ion:149 Resp: 1106639

Ion Ratio Lower Upper

149 100





91 80.5 60.0 90.0

206 17.8 17.4 26.2

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 08/02/2022
Supervised By :mohammad ahmed 08/03/2022



#84

3,3'-Dichlorobenzidine

Concen: 31.571 ng/ul

RT: 21.139 min Scan# 3069

Delta R.T. 0.000 min

Lab File: BP011201.D

Acq: 01 Aug 2022 15:54




Tgt Ion:252 Resp: 457090


Ion Ratio Lower Upper

252 100

254 64.3 51.0 76.4

126 15.3 8.6 12.8#









#85
Benzo(a)anthracene
Concen: 86.080 ng/ul
RT: 21.198 min Scan# 3078
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54

Instrument :
BNA_P
ClientSampleId :
DBUK4MS

Tgt Ion:228 Resp: 444178
Ion Ratio Lower Upper
228 100
229 20.9 15.0 22.4
226 28.2 20.6 31.0




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/02/2022
Supervised By :mohammad ahmed 08/03/2022



#86
Bis(2-ethylhexyl)phthalate
Concen: 51.019 ng/ul
RT: 21.139 min Scan# 3069
Delta R.T. 0.000 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54

Tgt Ion:149 Resp: 1748156
Ion Ratio Lower Upper
149 100
167 25.6 22.6 33.8
279 3.6 4.2 6.4





#87

Chrysene

Concen: 83.376 ng/ul

RT: 21.257 min Scan# 3089

Delta R.T. 0.012 min

Lab File: BP011201.D

Acq: 01 Aug 2022 15:54

Instrument :

BNA_P

ClientSampleId :

DBUK4MS

Tgt Ion:228 Resp: 427698

Ion Ratio Lower Upper

228 100





226 30.5 23.6 35.4

229 21.2 15.6 23.4

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 08/02/2022
Supervised By :mohammad ahmed 08/03/2022



#89

Di-n-octyl phthalate

Concen: 46.978 ng/ul




RT: 22.045 min Scan# 3223


Delta R.T. 0.000 min

Lab File: BP011201.D

Acq: 01 Aug 2022 15:54

Tgt Ion:149 Resp: 3049900









#90
Benzo(b)fluoranthene
Concen: 87.562 ng/u1
RT: 22.857 min Scan# 31
Delta R.T. 0.018 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54

Instrument :
BNA_P
ClientSampleId :
DBUK4MS

Tgt Ion:252 Resp: 5214170
Ion Ratio Lower Upper
252 100
253 22.6 17.8 26.6
125 14.2 6.2 9.2




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/02/2022
Supervised By :mohammad ahmed 08/03/2022



#91
Benzo(k)fluoranthene
Concen: 56.089 ng/u1
RT: 22.898 min Scan# 3368
Delta R.T. 0.006 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54


Tgt Ion:252 Resp: 3169909
Ion Ratio Lower Upper
252 100
253 22.8 17.0 25.4
125 14.0 6.2 9.4





#93
Benzo(a)pyrene
Concen: 71.037 ng/ul
RT: 23.463 min Scan# 3464
Delta R.T. 0.012 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54




Instrument :
BNA_P
ClientSampleId :
DBUK4MS




Tgt Ion:252 Resp: 4126174
Ion Ratio Lower Upper
252 100
253 22.4 17.4 26.0
125 15.5 6.6 10.0

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/02/2022
Supervised By :mohammad ahmed 08/03/2022




#94
Indeno(1,2,3-cd)pyrene
Concen: 55.881 ng/ul
RT: 25.998 min Scan# 3895
Delta R.T. 0.018 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54



Tgt Ion:276 Resp: 3998811
Ion Ratio Lower Upper
276 100
138 30.5 14.6 22.0
277 24.8 19.6 29.4









#95
Dibenzo(a,h)anthracene
Concen: 44.502 ng/ul
RT: 26.021 min Scan# 3899
Delta R.T. 0.018 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54

Instrument :
BNA_P
ClientSampleId :
DBUK4MS

Tgt Ion:278 Resp: 273142
Ion Ratio Lower Upper
278 100
139 21.2 9.4 14.2
279 24.5 18.9 28.3

Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 08/02/2022
Supervised By :mohammad ahmed 08/03/2022



#96
Benzo(g,h,i)perylene
Concen: 47.323 ng/ul
RT: 26.751 min Scan# 4023
Delta R.T. 0.029 min
Lab File: BP011201.D
Acq: 01 Aug 2022 15:54

Tgt Ion:276 Resp: 2928867
Ion Ratio Lower Upper
276 100
138 28.5 12.7 19.1
277 24.0 18.2 27.4

