

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP080322\
 Data File : BP011238.D
 Acq On : 03 Aug 2022 10:23
 Operator : CG/JU
 Sample : PB146573BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SLCS573

Manual Integrations
 APPROVED

Reviewed By :Jagrut Upadhyay 08/04/2022
 Supervised By :Sohil Jodhani 08/10/2022

Quant Time: Aug 03 22:58:41 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP080222.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Aug 02 23:52:37 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.604	152	180275	20.000	ng/u1	0.00
20) Naphthalene-d8	10.398	136	823097	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.281	164	450152	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.051	188	840405	20.000	ng/u1	0.00
79) Chrysene-d12	21.180	240	847590	20.000	ng/u1	0.00
88) Perylene-d12	23.498	264	900225	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.093	96	10728	4.812	ng/uL	0.00
4) Pyridine-d5	3.505	84	156458	26.015	ng/u1	0.00
7) Phenol-d5	6.787	99	468195	31.164	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	6.951	67	330085	30.449	ng/u1	0.00
11) 2-Chlorophenol-d4	7.140	132	364382	29.756	ng/u1	0.00
15) 4-Methylphenol-d8	8.328	113	364565	29.492	ng/u1	0.00
21) Nitrobenzene-d5	8.769	128	182314	30.794	ng/u1	0.00
24) 2-Nitrophenol-d4	9.487	143	154634	27.865	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.022	165	328998	31.089	ng/u1	0.00
31) 4-Chloroaniline-d4	10.545	131	457390	27.938	ng/u1	0.00
46) Dimethylphthalate-d6	13.704	166	953114	30.914	ng/u1	0.00
49) Acenaphthylene-d8	13.969	160	1249722	32.217	ng/u1	0.00
54) 4-Nitrophenol-d4	14.504	143	163239	31.136	ng/u1	0.00
60) Fluorene-d10	15.280	176	836004	31.867	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.416	200	116929	29.964	ng/u1	0.00
73) Anthracene-d10	17.151	188	1211096	32.790	ng/u1	0.00
81) Pyrene-d10	19.410	212	1360618	31.750	ng/u1	0.00
92) Benzo(a)pyrene-d12	23.351	264	1484949	33.102	ng/u1	0.00
Target Compounds						
					Qvalue	
2) 1,4-Dioxane	3.128	88	20964	10.195	ng/uL	94
5) Pyridine	3.522	79	173375	28.470	ng/u1	94
6) Benzaldehyde	6.752	77	337289	45.926	ng/u1	99
8) Phenol	6.816	94	506886	31.465	ng/u1	99
10) Bis(2-Chloroethyl)ether	7.040	93	422953	31.997	ng/u1	97
12) 2-Chlorophenol	7.169	128	396187	31.149	ng/u1	99
13) 2-Methylphenol	8.057	108	374446	30.720	ng/u1	98
14) 2,2'-oxybis(1-Chloropr...	8.146	45	724760	32.176	ng/u1	99
16) Acetophenone	8.434	105	670989	33.494	ng/u1	97
17) N-Nitroso-di-n-propyla...	8.428	70	312859	32.094	ng/u1	98
18) 4-Methylphenol	8.393	108	417185	31.914	ng/u1	97
19) Hexachloroethane	8.669	117	196642	32.240	ng/u1	99
22) Nitrobenzene	8.810	77	527113	32.489	ng/u1	99
23) Isophorone	9.340	82	909128	31.491	ng/u1	99
25) 2-Nitrophenol	9.516	139	196222	30.556	ng/u1	96
26) 2,4-Dimethylphenol	9.587	107	435790	29.996	ng/u1	98
27) Bis(2-Chloroethoxy)met...	9.828	93	579497	31.883	ng/u1	99
29) 2,4-Dichlorophenol	10.051	162	356234	32.211	ng/u1	97
30) Naphthalene	10.445	128	1392355	32.043	ng/u1	99
32) 4-Chloroaniline	10.569	127	523872	31.593	ng/u1	98
33) Hexachlorobutadiene	10.728	225	222923	32.269	ng/u1	99
34) Caprolactam	11.375	113	93065m	28.410	ng/u1	
35) 4-Chloro-3-methylphenol	11.710	107	401973	32.139	ng/u1	100
36) 2-Methylnaphthalene	12.075	142	883427	32.538	ng/u1	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP080322\
 Data File : BP011238.D
 Acq On : 03 Aug 2022 10:23
 Operator : CG/JU
 Sample : PB146573BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SLCS573

Manual Integrations
 APPROVED

Reviewed By :Jagrut Upadhyay 08/04/2022
 Supervised By :Sohil Jodhani 08/10/2022

Quant Time: Aug 03 22:58:41 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP080222.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Aug 02 23:52:37 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
37) 1-Methylnaphthalene	12.298	142	896656	32.876	ng/ul	100
39) 1,2,4,5-Tetrachloroben...	12.445	216	388971	31.595	ng/ul	98
40) Hexachlorocyclopentadiene	12.422	237	204993	26.354	ng/ul	99
41) 2,4,6-Trichlorophenol	12.698	196	233802	30.314	ng/ul	99
42) 2,4,5-Trichlorophenol	12.769	196	264704	31.982	ng/ul	100
43) 1,1'-Biphenyl	13.104	154	1155970	32.175	ng/ul	99
44) 2-Chloronaphthalene	13.139	162	858070	32.016	ng/ul	99
45) 2-Nitroaniline	13.363	65	205255	31.838	ng/ul	100
47) Dimethylphthalate	13.751	163	1022694	32.881	ng/ul	99
48) 2,6-Dinitrotoluene	13.869	165	164493	35.233	ng/ul	98
50) Acenaphthylene	13.998	152	1413573	32.250	ng/ul	100
51) 3-Nitroaniline	14.198	138	178505	34.664	ng/ul	98
52) Acenaphthene	14.345	153	921439	32.500	ng/ul	99
53) 2,4-Dinitrophenol	14.410	184	72603	26.187	ng/ul	96
55) 4-Nitrophenol	14.522	109	156444	33.065	ng/ul	98
56) Dibenzofuran	14.680	168	1270480	32.745	ng/ul	99
57) 2,4-Dinitrotoluene	14.663	165	269899	36.707	ng/ul	100
58) 2,3,4,6-Tetrachlorophenol	14.916	232	194012	31.044	ng/ul	94
59) Diethylphthalate	15.128	149	1030963	32.119	ng/ul	99
61) Fluorene	15.339	166	1009692	32.662	ng/ul	99
62) 4-Chlorophenyl-phenyle...	15.339	204	448492	32.852	ng/ul	99
63) 4-Nitroaniline	15.375	138	180403m	41.869	ng/ul	
66) 4,6-Dinitro-2-methylph...	15.428	198	124949	30.965	ng/ul	97
67) N-Nitrosodiphenylamine	15.557	169	839866	34.191	ng/ul	99
68) 4-Bromophenyl-phenylether	16.239	248	253740	33.469	ng/ul	98
69) Hexachlorobenzene	16.345	284	301668	34.064	ng/ul	98
70) Atrazine	16.533	200	224704	30.580	ng/ul	99
71) Pentachlorophenol	16.698	266	157768	30.417	ng/ul	98
72) Phenanthrene	17.092	178	1566055	34.036	ng/ul	100
74) Anthracene	17.186	178	1559108	34.072	ng/ul	99
75) 1,2,3,4-Tetrachloroben...	13.063	216	388864	30.236	ng/ul	98
76) Pentachlorobenzene	14.598	250	371341	33.871	ng/ul	99
77) Carbazole	17.463	167	1414240	34.459	ng/ul	99
78) Di-n-butylphthalate	18.039	149	1590920	31.250	ng/ul	99
80) Fluoranthene	19.080	202	1732614	33.058	ng/ul	99
82) Pyrene	19.439	202	1811475	33.121	ng/ul	99
83) Butylbenzylphthalate	20.339	149	514994	24.660	ng/ul	100
84) 3,3'-Dichlorobenzidine	21.104	252	421645	30.416	ng/ul	99
85) Benzo(a)anthracene	21.163	228	1761525	33.252	ng/ul	99
86) Bis(2-ethylhexyl)phtha...	21.104	149	919725	25.775	ng/ul	100
87) Chrysene	21.215	228	1753549	33.630	ng/ul	100
89) Di-n-octyl phthalate	22.010	149	1651140	26.900	ng/ul	100
90) Benzo(b)fluoranthene	22.792	252	1897206	33.080	ng/ul	99
91) Benzo(k)fluoranthene	22.839	252	1854717	34.469	ng/ul	100
93) Benzo(a)pyrene	23.398	252	1904452	34.113	ng/ul	99
94) Indeno(1,2,3-cd)pyrene	25.898	276	2274521	34.137	ng/ul	100
95) Dibenzo(a,h)anthracene	25.915	278	1928823	34.138	ng/ul	98
96) Benzo(g,h,i)perylene	26.633	276	1941648	34.007	ng/ul	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP080322\
 Data File : BP011238.D
 Acq On : 03 Aug 2022 10:23
 Operator : CG/JU
 Sample : PB146573BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :

BNA_P

ClientSampleId :


SLCS573


Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 08/04/2022
 Supervised By :Sohil Jodhani 08/10/2022


Quant Time: Aug 03 22:58:41 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP080222.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Aug 02 23:52:37 2022
 Response via : Initial Calibration





#2
1,4-Dioxane
Concen: 10.195 ng/uL
RT: 3.128 min Scan# 24
Delta R.T. 0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Instrument :
BNA_P
ClientSampleId :
SLCS573




Tgt Ion: 88 Resp: 20964
Ion Ratio Lower Upper
88 100
43 34.2 29.6 44.4
58 56.5 49.1 73.7

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/04/2022
Supervised By :Sohil Jodhani 08/10/2022




#5
Pyridine
Concen: 28.470 ng/uL
RT: 3.522 min Scan# 91
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Tgt Ion: 79 Resp: 173375
Ion Ratio Lower Upper
79 100
52 66.8 57.8 86.6
51 36.3 31.5 47.3





#6
Benzaldehyde
Concen: 45.926 ng/ul
RT: 6.752 min Scan# 640
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Instrument :
BNA_P
ClientSampleId :
SLCS573




Tgt Ion: 77 Resp: 337289
Ion Ratio Lower Upper
77 100
105 91.3 72.0 108.0
106 87.1 69.4 104.0

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/04/2022
Supervised By :Sohil Jodhani 08/10/2022




#8
Phenol
Concen: 31.465 ng/ul
RT: 6.816 min Scan# 651
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Tgt Ion: 94 Resp: 506886
Ion Ratio Lower Upper
94 100
65 31.9 24.7 37.1
66 41.5 32.6 49.0





#10
Bis(2-Chloroethyl)ether
Concen: 31.997 ng/ul
RT: 7.040 min Scan# 689
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Instrument :
BNA_P
Client SampleId :
SLCS573




Tgt Ion: 93 Resp: 42295
Ion Ratio Lower Upper
93 100
63 85.6 71.0 106.6
95 31.8 26.0 39.0

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/04/2022
Supervised By :Sohil Jodhani 08/10/2022




#12
2-Chlorophenol
Concen: 31.149 ng/ul
RT: 7.169 min Scan# 711
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23



Tgt Ion:128 Resp: 396187
Ion Ratio Lower Upper
128 100
64 54.3 43.8 65.6
130 32.6 25.4 38.2





#13

2-Methylphenol

Concen: 30.720 ng/ul

RT: 8.057 min Scan# 80

Delta R.T. -0.000 min

Lab File: BP011238.D

Acq: 03 Aug 2022 10:23

Instrument :

BNA_P

ClientSampleId :

SLCS573

Tgt Ion:108 Resp: 374440

Ion Ratio Lower Upper

108 100





107 91.4 71.8 107.6

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 08/04/2022

Supervised By :Sohil Jodhani 08/10/2022



#14

2,2'-oxybis(1-Chloropropane)

Concen: 32.176 ng/ul

RT: 8.146 min Scan# 877

Delta R.T. 0.012 min

Lab File: BP011238.D

Acq: 03 Aug 2022 10:23




Tgt Ion: 45 Resp: 724760


Ion Ratio Lower Upper

45 100

77 12.3 9.9 14.9

79 9.7 7.2 10.8









#16
Acetophenone
Concen: 33.494 ng/ul
RT: 8.434 min Scan# 91
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23

Instrument :
BNA_P
ClientSampleId :
SLCS573

Tgt Ion:105 Resp: 670989
Ion Ratio Lower Upper
105 100
77 84.0 65.4 98.0
51 34.5 26.5 39.7




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/04/2022
Supervised By :Sohil Jodhani 08/10/2022



#17
N-Nitroso-di-n-propylamine
Concen: 32.094 ng/ul
RT: 8.428 min Scan# 925
Delta R.T. 0.006 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23

Tgt Ion: 70 Resp: 312859
Ion Ratio Lower Upper
70 100
42 71.1 55.5 83.3
101 8.5 7.1 10.7
130 18.2 14.8 22.2









#18
4-Methylphenol
Concen: 31.914 ng/ul
RT: 8.393 min Scan# 918
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23

Instrument :
BNA_P
ClientSampleId :
SLCS573

Tgt Ion:108 Resp: 41718
Ion Ratio Lower Upper
108 100
107 113.4 88.2 132.4




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/04/2022
Supervised By :Sohil Jodhani 08/10/2022



#19
Hexachloroethane
Concen: 32.240 ng/ul
RT: 8.669 min Scan# 966
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23


Tgt Ion:117 Resp: 196642
Ion Ratio Lower Upper
117 100
201 78.0 62.2 93.2
199 48.8 39.8 59.6





#22
Nitrobenzene
Concen: 32.489 ng/ul
RT: 8.810 min Scan# 990
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Instrument :
BNA_P
ClientSampleId :
SLCS573




Tgt Ion: 77 Resp: 52711
Ion Ratio Lower Upper
77 100
123 40.0 31.4 47.0
65 13.4 10.6 15.8

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/04/2022
Supervised By :Sohil Jodhani 08/10/2022




#23
Isophorone
Concen: 31.491 ng/ul
RT: 9.340 min Scan# 1080
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23



Tgt Ion: 82 Resp: 909128
Ion Ratio Lower Upper
82 100
95 7.2 5.8 8.8
138 16.2 12.6 18.8









#25
2-Nitrophenol
Concen: 30.556 ng/ul
RT: 9.516 min Scan# 1110
Delta R.T. -0.006 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23

Instrument :
BNA_P
ClientSampleId :
SLCS573

Tgt Ion:139 Resp: 19622
Ion Ratio Lower Upper
139 100
65 62.4 46.7 70.1
109 31.5 24.2 36.2




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/04/2022
Supervised By :Sohil Jodhani 08/10/2022



#26
2,4-Dimethylphenol
Concen: 29.996 ng/ul
RT: 9.587 min Scan# 1122
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23

Tgt Ion:107 Resp: 435790
Ion Ratio Lower Upper
107 100
121 49.2 40.3 60.5
122 82.6 67.7 101.5





#27

Bis(2-Chloroethoxy)methane

Concen: 31.883 ng/ul

RT: 9.828 min Scan# 1163

Delta R.T. -0.000 min

Lab File: BP011238.D

Acq: 03 Aug 2022 10:23

Instrument :

BNA_P

ClientSampleId :

SLCS573

Tgt Ion: 93 Resp: 57949

Ion Ratio Lower Upper

93 100

95 32.1 25.2 37.8





123 10.5 8.4 12.6

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 08/04/2022

Supervised By :Sohil Jodhani 08/10/2022



#29

2,4-Dichlorophenol

Concen: 32.211 ng/ul

RT: 10.051 min Scan# 1201

Delta R.T. -0.000 min

Lab File: BP011238.D

Acq: 03 Aug 2022 10:23




Tgt Ion:162 Resp: 356234


Ion Ratio Lower Upper

162 100

164 62.6 52.6 79.0


98 41.5 34.2 51.4





#30
Naphthalene
Concen: 32.043 ng/ul
RT: 10.445 min Scan# 1268
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Instrument :
BNA_P
ClientSampleId :
SLCS573




Tgt Ion:128 Resp: 139235
Ion Ratio Lower Upper
128 100
129 11.0 9.0 13.4
127 13.3 10.4 15.6

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/04/2022
Supervised By :Sohil Jodhani 08/10/2022




#32
4-Chloroaniline
Concen: 31.593 ng/ul
RT: 10.569 min Scan# 1289
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Tgt Ion:127 Resp: 523872
Ion Ratio Lower Upper
127 100
129 32.1 26.6 40.0





#33
Hexachlorobutadiene
Concen: 32.269 ng/ul
RT: 10.728 min Scan# 1316
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Instrument :
BNA_P
ClientSampleId :
SLCS573




Tgt Ion:225 Resp: 22292
Ion Ratio Lower Upper
225 100
223 62.4 51.2 76.8
227 63.0 50.6 75.8

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/04/2022
Supervised By :Sohil Jodhani 08/10/2022




#34
Caprolactam
Concen: 28.410 ng/ul m
RT: 11.375 min Scan# 1426
Delta R.T. 0.006 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Tgt Ion:113 Resp: 93065
Ion Ratio Lower Upper
113 100
55 200.6 164.2 246.4
56 156.5 127.0 190.6





#35
4-Chloro-3-methylphenol
Concen: 32.139 ng/ul
RT: 11.710 min Scan# 1483
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Instrument :
BNA_P
ClientSampleId :
SLCS573




Tgt Ion:107 Resp: 40197
Ion Ratio Lower Upper
107 100
144 24.1 19.0 28.4
142 75.0 59.8 89.8

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/04/2022
Supervised By :Sohil Jodhani 08/10/2022




#36
2-Methylnaphthalene
Concen: 32.538 ng/ul
RT: 12.075 min Scan# 1545
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Tgt Ion:142 Resp: 883427
Ion Ratio Lower Upper
142 100
141 89.2 71.8 107.8





#37
1-Methylnaphthalene
Concen: 32.876 ng/ul
RT: 12.298 min Scan# 1582
Delta R.T. 0.006 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23



Instrument :
BNA_P
ClientSampleId :
SLCS573




Tgt Ion:142 Resp: 896650
Ion Ratio Lower Upper
142 100
141 92.2 74.1 111.1
116 4.1 3.4 5.0

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/04/2022
Supervised By :Sohil Jodhani 08/10/2022




#39
1,2,4,5-Tetrachlorobenzene
Concen: 31.595 ng/ul
RT: 12.445 min Scan# 1608
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Tgt Ion:216 Resp: 388971
Ion Ratio Lower Upper
216 100
214 78.3 61.1 91.7
179 23.9 18.6 27.8
108 23.8 19.1 28.7





#40
Hexachlorocyclopentadiene
Concen: 26.354 ng/ul
RT: 12.422 min Scan# 1604
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Instrument :
BNA_P
ClientSampleId :
SLCS573




Tgt Ion:237 Resp: 20499
Ion Ratio Lower Upper
237 100
235 62.4 50.4 75.6
272 11.5 9.9 14.9

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/04/2022
Supervised By :Sohil Jodhani 08/10/2022




#41
2,4,6-Trichlorophenol
Concen: 30.314 ng/ul
RT: 12.698 min Scan# 1651
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Tgt Ion:196 Resp: 233802
Ion Ratio Lower Upper
196 100
198 95.8 75.5 113.3
200 30.6 24.4 36.6





#42
2,4,5-Trichlorophenol
Concen: 31.982 ng/ul
RT: 12.769 min Scan# 1663
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Instrument :
BNA_P
ClientSampleId :
SLCS573




Tgt Ion:196 Resp: 264704
Ion Ratio Lower Upper
196 100
198 96.2 76.8 115.2
200 30.5 25.0 37.6

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/04/2022
Supervised By :Sohil Jodhani 08/10/2022




#43
1,1'-Biphenyl
Concen: 32.175 ng/ul
RT: 13.104 min Scan# 1720
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Tgt Ion:154 Resp: 1155970
Ion Ratio Lower Upper
154 100
153 40.5 31.9 47.9
76 15.9 12.2 18.2





#44
2-Chloronaphthalene
Concen: 32.016 ng/ul
RT: 13.139 min Scan# 1726
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Instrument :
BNA_P
ClientSampleId :
SLCS573




Tgt Ion:162 Resp: 858070
Ion Ratio Lower Upper
162 100
164 32.4 25.6 38.4
127 44.0 34.6 51.8

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/04/2022
Supervised By :Sohil Jodhani 08/10/2022




#45
2-Nitroaniline
Concen: 31.838 ng/ul
RT: 13.363 min Scan# 1764
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Tgt Ion: 65 Resp: 205255
Ion Ratio Lower Upper
65 100
92 64.1 51.4 77.2
138 84.6 67.4 101.0





#47
Dimethylphthalate
Concen: 32.881 ng/ul
RT: 13.751 min Scan# 1830
Delta R.T. 0.006 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Instrument :
BNA_P
ClientSampleId :
SLCS573




Tgt Ion:163 Resp: 1022694
Ion Ratio Lower Upper
163 100
194 3.8 2.9 4.3
164 10.0 8.2 12.4

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/04/2022
Supervised By :Sohil Jodhani 08/10/2022




#48
2,6-Dinitrotoluene
Concen: 35.233 ng/ul
RT: 13.869 min Scan# 1850
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Tgt Ion:165 Resp: 164493
Ion Ratio Lower Upper
165 100
89 84.0 65.8 98.6
121 31.7 24.2 36.2





#50
Acenaphthylene
Concen: 32.250 ng/ul
RT: 13.998 min Scan# 1871
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Instrument : BNA_P
ClientSampleId : SLCS573




Tgt Ion:152 Resp: 141357
Ion Ratio Lower Upper
152 100
151 20.0 15.8 23.8
153 13.2 10.5 15.7

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/04/2022
Supervised By :Sohil Jodhani 08/10/2022




#51
3-Nitroaniline
Concen: 34.664 ng/ul
RT: 14.198 min Scan# 1906
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23



Tgt Ion:138 Resp: 178505
Ion Ratio Lower Upper
138 100
108 11.4 9.9 14.9
92 136.2 106.8 160.2





#52

Acenaphthene

Concen: 32.500 ng/ul

RT: 14.345 min Scan# 1930

Delta R.T. 0.006 min

Lab File: BP011238.D

Acq: 03 Aug 2022 10:23

Instrument :

BNA_P

ClientSampleId :

SLCS573

Tgt Ion:153 Resp: 921439

Ion Ratio Lower Upper

153 100

152 50.4 39.5 59.3





154 86.2 68.6 103.0

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 08/04/2022

Supervised By :Sohil Jodhani 08/10/2022



#53

2,4-Dinitrophenol

Concen: 26.187 ng/ul

RT: 14.410 min Scan# 1942

Delta R.T. -0.000 min

Lab File: BP011238.D

Acq: 03 Aug 2022 10:23




Tgt Ion:184 Resp: 72603


Ion Ratio Lower Upper

184 100

63 100.1 75.0 112.6


154 67.6 53.1 79.7





#55
4-Nitrophenol
Concen: 33.065 ng/ul
RT: 14.522 min Scan# 1961
Delta R.T. 0.006 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Instrument :
BNA_P
ClientSampleId :
SLCS573



Tgt Ion:109 Resp: 15644
Ion Ratio Lower Upper
109 100
139 125.7 100.6 150.8
65 147.5 122.6 184.0




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/04/2022
Supervised By :Sohil Jodhani 08/10/2022



#56
Dibenzofuran
Concen: 32.745 ng/ul
RT: 14.680 min Scan# 1988
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23


Tgt Ion:168 Resp: 1270480
Ion Ratio Lower Upper
168 100
139 43.0 34.2 51.2





#57
2,4-Dinitrotoluene
Concen: 36.707 ng/ul
RT: 14.663 min Scan# 1985
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Instrument :
BNA_P
ClientSampleId :
SLCS573




Tgt Ion:165 Resp: 269899
Ion Ratio Lower Upper
165 100
63 63.3 50.6 75.8
182 2.6 2.2 3.2

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/04/2022
Supervised By :Sohil Jodhani 08/10/2022




#58
2,3,4,6-Tetrachlorophenol
Concen: 31.044 ng/ul
RT: 14.916 min Scan# 2028
Delta R.T. 0.006 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Tgt Ion:232 Resp: 194012
Ion Ratio Lower Upper
232 100
131 58.9 50.4 75.6
130 3.4 2.6 3.8
166 35.8 31.9 47.9





#59
Diethylphthalate
Concen: 32.119 ng/ul
RT: 15.128 min Scan# 2100
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Instrument :
BNA_P
ClientSampleId :
SLCS573




Tgt Ion:149 Resp: 103096
Ion Ratio Lower Upper
149 100
177 20.2 16.1 24.1
150 12.3 9.4 14.0

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/04/2022
Supervised By :Sohil Jodhani 08/10/2022




#61
Fluorene
Concen: 32.662 ng/ul
RT: 15.339 min Scan# 2100
Delta R.T. 0.006 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Tgt Ion:166 Resp: 1009692
Ion Ratio Lower Upper
166 100
165 98.3 77.7 116.5
167 13.3 11.0 16.4





#62
4-Chlorophenyl-phenylether
Concen: 32.852 ng/ul
RT: 15.339 min Scan# 2100
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Instrument :
BNA_P
ClientSampleId :
SLCS573




Tgt Ion:204 Resp: 448492
Ion Ratio Lower Upper
204 100
206 33.4 27.3 40.9
141 73.4 57.7 86.5

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/04/2022
Supervised By :Sohil Jodhani 08/10/2022




#63
4-Nitroaniline
Concen: 41.869 ng/ul m
RT: 15.375 min Scan# 2106
Delta R.T. 0.006 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Tgt Ion:138 Resp: 180403
Ion Ratio Lower Upper
138 100
92 59.9 55.9 83.9
108 85.6 67.1 100.7





#66
4,6-Dinitro-2-methylphenol
Concen: 30.965 ng/ul
RT: 15.428 min Scan# 2115
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Instrument :
BNA_P
ClientSampleId :
SLCS573



Tgt Ion:198 Resp: 124949
Ion Ratio Lower Upper
198 100
182 7.5 7.4 11.0
77 37.2 28.6 42.8




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/04/2022
Supervised By :Sohil Jodhani 08/10/2022



#67
N-Nitrosodiphenylamine
Concen: 34.191 ng/ul
RT: 15.557 min Scan# 2137
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23

Tgt Ion:169 Resp: 839866
Ion Ratio Lower Upper
169 100
168 67.5 53.6 80.4
167 36.8 30.0 45.0









#68
4-Bromophenyl-phenylether
Concen: 33.469 ng/ul
RT: 16.239 min Scan# 21
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23

Instrument :
BNA_P
ClientSampleId :
SLCS573

Tgt Ion:248 Resp: 253740
Ion Ratio Lower Upper
248 100
250 98.5 77.3 115.9
141 94.2 76.4 114.6




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/04/2022
Supervised By :Sohil Jodhani 08/10/2022



#69
Hexachlorobenzene
Concen: 34.064 ng/ul
RT: 16.345 min Scan# 2271
Delta R.T. 0.006 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23


Tgt Ion:284 Resp: 301668
Ion Ratio Lower Upper
284 100
142 47.2 39.5 59.3
249 32.1 25.1 37.7





#70
Atrazine
Concen: 30.580 ng/ul
RT: 16.533 min Scan# 21
Delta R.T. 0.006 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Instrument :
BNA_P
ClientSampleId :
SLCS573



Tgt Ion:200 Resp: 224704
Ion Ratio Lower Upper
200 100
173 27.7 22.6 34.0
215 46.7 36.5 54.7




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/04/2022
Supervised By :Sohil Jodhani 08/10/2022



#71
Pentachlorophenol
Concen: 30.417 ng/ul
RT: 16.698 min Scan# 2331
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23


Tgt Ion:266 Resp: 157768
Ion Ratio Lower Upper
266 100
264 63.0 52.2 78.2
268 64.3 50.6 75.8





#72
Phenanthrene
Concen: 34.036 ng/u1
RT: 17.092 min Scan# 21
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Instrument :
BNA_P
ClientSampleId :
SLCS573




Tgt Ion:178 Resp: 156605
Ion Ratio Lower Upper
178 100
179 15.4 12.1 18.1
176 19.3 15.4 23.2

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/04/2022
Supervised By :Sohil Jodhani 08/10/2022




#74
Anthracene
Concen: 34.072 ng/u1
RT: 17.186 min Scan# 2414
Delta R.T. 0.006 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Tgt Ion:178 Resp: 1559108
Ion Ratio Lower Upper
178 100
179 15.4 12.3 18.5
176 19.1 14.7 22.1





#75
1,2,3,4-Tetrachlorobenzene
Concen: 30.236 ng/uL
RT: 13.063 min Scan# 1713
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Instrument :
BNA_P
ClientSampleId :
SLCS573




Tgt Ion:216 Resp: 388864
Ion Ratio Lower Upper
216 100
214 80.2 62.0 93.0
218 48.7 38.2 57.4

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/04/2022
Supervised By :Sohil Jodhani 08/10/2022




#76
Pentachlorobenzene
Concen: 33.871 ng/uL
RT: 14.598 min Scan# 1974
Delta R.T. 0.006 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Tgt Ion:250 Resp: 371341
Ion Ratio Lower Upper
250 100
248 62.5 49.2 73.8
252 63.9 50.8 76.2





#77
 Carbazole
 Concen: 34.459 ng/ul
 RT: 17.463 min Scan# 2461
 Delta R.T. -0.000 min
 Lab File: BP011238.D
 Acq: 03 Aug 2022 10:23

Instrument :
 BNA_P
 ClientSampleId :
 SLCS573






Tgt Ion:167 Resp: 1414240


Ion	Ratio	Lower	Upper
167	100		
166	21.9	17.1	25.7
139	14.5	11.5	17.3

Manual Integrations
 APPROVED

Reviewed By :Jagrut Upadhyay 08/04/2022
 Supervised By :Sohil Jodhani 08/10/2022






#78
 Di-n-butylphthalate
 Concen: 31.250 ng/ul
 RT: 18.039 min Scan# 2559
 Delta R.T. 0.006 min
 Lab File: BP011238.D
 Acq: 03 Aug 2022 10:23



Tgt Ion:149 Resp: 1590920


Ion	Ratio	Lower	Upper
149	100		
150	8.8	7.4	11.0
104	6.3	5.1	7.7





#80
Fluoranthene
Concen: 33.058 ng/u1
RT: 19.080 min Scan# 21
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Instrument :
BNA_P
ClientSampleId :
SLCS573



Tgt Ion:202 Resp: 1732614
Ion Ratio Lower Upper
202 100
101 15.0 11.9 17.9
100 12.0 9.3 13.9




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/04/2022
Supervised By :Sohil Jodhani 08/10/2022



#82
Pyrene
Concen: 33.121 ng/u1
RT: 19.439 min Scan# 2797
Delta R.T. 0.006 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23


Tgt Ion:202 Resp: 1811475
Ion Ratio Lower Upper
202 100
101 17.5 14.3 21.5
100 14.7 11.8 17.6





#83
Butylbenzylphthalate
Concen: 24.660 ng/ul
RT: 20.339 min Scan# 2949
Delta R.T. 0.006 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Instrument :
BNA_P
ClientSampleId :
SLCS573




Tgt Ion:149 Resp: 514994
Ion Ratio Lower Upper
149 100
91 80.4 64.2 96.4
206 18.2 14.0 21.0

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 08/04/2022
Supervised By :Sohil Jodhani 08/10/2022




#84
3,3'-Dichlorobenzidine
Concen: 30.416 ng/ul
RT: 21.104 min Scan# 3080
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Tgt Ion:252 Resp: 421645
Ion Ratio Lower Upper
252 100
254 64.7 51.8 77.6
126 16.4 11.4 17.0





#85
Benzo(a)anthracene
Concen: 33.252 ng/ul
RT: 21.163 min Scan# 3090
Delta R.T. 0.006 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Instrument :
BNA_P
ClientSampleId :
SLCS573



Tgt Ion:228 Resp: 1761529
Ion Ratio Lower Upper
228 100
229 19.6 15.8 23.6
226 26.8 21.8 32.6




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/04/2022
Supervised By :Sohil Jodhani 08/10/2022



#86
Bis(2-ethylhexyl)phthalate
Concen: 25.775 ng/ul
RT: 21.104 min Scan# 3080
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23

Tgt Ion:149 Resp: 919725
Ion Ratio Lower Upper
149 100
167 25.3 20.4 30.6
279 3.1 2.9 4.3









#87
Chrysene
Concen: 33.630 ng/ul
RT: 21.215 min Scan# 3099
Delta R.T. 0.006 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23

Instrument :
BNA_P
ClientSampleId :
SLCS573

Tgt Ion:228 Resp: 1753549
Ion Ratio Lower Upper
228 100
226 29.8 23.8 35.6
229 19.6 15.7 23.5




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/04/2022
Supervised By :Sohil Jodhani 08/10/2022



#89
Di-n-octyl phthalate
Concen: 26.900 ng/ul
RT: 22.010 min Scan# 3234
Delta R.T. 0.006 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23


Tgt Ion:149 Resp: 1651140





#90
Benzo(b)fluoranthene
Concen: 33.080 ng/uI
RT: 22.792 min Scan# 3367
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Instrument :
BNA_P
ClientSampleId :
SLCS573



Tgt Ion:252 Resp: 1897200
Ion Ratio Lower Upper
252 100
253 21.7 17.4 26.0
125 14.3 10.8 16.2




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 08/04/2022
Supervised By :Sohil Jodhani 08/10/2022



#91
Benzo(k)fluoranthene
Concen: 34.469 ng/uI
RT: 22.839 min Scan# 3375
Delta R.T. -0.000 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23

Tgt Ion:252 Resp: 1854717
Ion Ratio Lower Upper
252 100
253 22.0 17.6 26.4
125 14.1 11.0 16.6





#93

Benzo(a)pyrene

Concen: 34.113 ng/ul

RT: 23.398 min Scan# 3470

Delta R.T. 0.006 min

Lab File: BP011238.D

Acq: 03 Aug 2022 10:23

Instrument :

BNA_P

ClientSampleId :

SLCS573

Tgt Ion:252 Resp: 190445

Ion Ratio Lower Upper

252 100

253 22.1 17.4 26.2





125 15.3 12.5 18.7

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 08/04/2022

Supervised By :Sohil Jodhani 08/10/2022



#94

Indeno(1,2,3-cd)pyrene

Concen: 34.137 ng/ul

RT: 25.898 min Scan# 3895

Delta R.T. 0.006 min

Lab File: BP011238.D

Acq: 03 Aug 2022 10:23




Tgt Ion:276 Resp: 2274521


Ion Ratio Lower Upper

276 100

138 31.6 25.5 38.3


277 25.0 19.8 29.8





#95
Dibenzo(a,h)anthracene
Concen: 34.138 ng/ul
RT: 25.915 min Scan# 3898
Delta R.T. 0.006 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23




Instrument :
BNA_P
ClientSampleId :
SLCS573




Tgt Ion:278 Resp: 192882
Ion Ratio Lower Upper
278 100
139 21.9 18.5 27.7
279 23.9 19.6 29.4

Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 08/04/2022
Supervised By :Sohil Jodhani 08/10/2022



#96
Benzo(g,h,i)perylene
Concen: 34.007 ng/ul
RT: 26.633 min Scan# 4020
Delta R.T. 0.006 min
Lab File: BP011238.D
Acq: 03 Aug 2022 10:23



Tgt Ion:276 Resp: 1941648
Ion Ratio Lower Upper
276 100
138 29.4 22.8 34.2
277 23.7 18.5 27.7

