

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP080720\
 Data File : BP002933.D
 Acq On : 07 Aug 2020 14:48
 Operator : CG/JU
 Sample : PB130730BL
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB130730BL

Quant Time: Aug 07 17:07:33 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA P\METHODS\8270-BP073020.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 30 15:30:34 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.71	152	531598	20.00	ng	0.00
21) Naphthalene-d8	10.49	136	2058742	20.00	ng	0.00
39) Acenaphthene-d10	14.35	164	1291769	20.00	ng	-0.01
64) Phenanthrene-d10	17.10	188	2727285	20.00	ng	-0.01
76) Chrysene-d12	21.19	240	2294488	20.00	ng	-0.01
86) Perylene-d12	23.44	264	1946513	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.32	112	3659126	105.35	ng	0.00
7) Phenol-d6	6.89	99	4535764	94.06	ng	0.00
23) Nitrobenzene-d5	8.86	82	2700278	71.04	ng	0.00
42) 2,4,6-Tribromophenol	15.84	330	1928926	120.14	ng	0.00
45) 2-Fluorobiphenyl	12.97	172	6857255	72.53	ng	-0.01
79) Terphenyl-d14	19.67	244	8609158	75.12	ng	-0.01


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP080720\
Data File : BP002933.D
Acq On : 07 Aug 2020 14:48
Operator : CG/JU
Sample : PB130730BL
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB130730BL

Quant Time: Aug 07 17:07:33 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA P\METHODS\8270-BP073020.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 30 15:30:34 2020
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.71 min Scan# 820
Delta R.T. -0.01 min
Lab File: BP002933.D
Acq: 07 Aug 2020 14:48

Instrument :
BNA_P
ClientSampleId :
PB130730BL

Tot Ion	Ratio	Lower	Upper
152	100		
150	156.5	124.8	187.2
115	54.9	47.4	71.2




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 105.348 ng
RT: 5.32 min Scan# 413
Delta R.T. -0.01 min
Lab File: BP002933.D
Acq: 07 Aug 2020 14:48

Tgt Ion	Ratio	Lower	Upper
112	100		
64	45.0	41.0	61.6
63	22.7	20.7	31.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BP0
Ion 63.00 (62.70 to 63.70): BP0





#7

Phenol-d6

Concen: 94.058 ng

RT: 6.89 min Scan# 680

Delta R.T. -0.01 min

Lab File: BP002933.D

Acq: 07 Aug 2020 14:48

Instrument :


BNA_P

ClientSampleId :

PB130730BL

Tot Ion: 99 Resp: 4535764




Ion	Ratio	Lower	Upper
99	100		
42	10.3	9.3	13.9
71	27.9	23.5	35.3



Abundance Ion 99.00 (98.70 to 99.70): BP0

Ion 42.00 (41.70 to 42.70): BP0

Ion 71.00 (70.70 to 71.70): BP0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.49 min Scan# 1293


Delta R.T. -0.01 min

Lab File: BP002933.D

Acq: 07 Aug 2020 14:48

Tgt Ion: 136 Resp: 2058742

Ion	Ratio	Lower	Upper
136	100		
137	11.1	8.6	13.0
54	5.2	5.1	7.7
68	5.4	5.3	7.9





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BP0

Ion 68.00 (67.70 to 68.70): BP0









#23
Nitrobenzene-d5
Concen: 71.040 ng
RT: 8.86 min Scan# 1015
Delta R.T. -0.01 min
Lab File: BP002933.D
Acq: 07 Aug 2020 14:48




Instrument :
BNA_P
ClientSampleId :
PB130730BL


Tot Ion: 82 Resp: 2700278
Ion Ratio Lower Upper
82 100
128 49.0 34.6 52.0
54 34.9 29.5 44.3



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.35 min Scan# 1948
Delta R.T. -0.01 min
Lab File: BP002933.D
Acq: 07 Aug 2020 14:48

Tgt Ion:164 Resp: 1291769
Ion Ratio Lower Upper
164 100
162 100.2 81.0 121.6
160 44.8 36.2 54.4









#42
2,4,6-Tribromophenol
Concen: 120.143 ng
RT: 15.84 min Scan# 2202
Delta R.T. -0.01 min
Lab File: BP002933.D
Acq: 07 Aug 2020 14:48

Instrument :
BNA_P
ClientSampleId :
PB130730BL

Tot Ion:330 Resp: 1928926
Ion Ratio Lower Upper
330 100
332 96.7 77.1 115.7
141 27.5 24.6 37.0




Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E






#45
2-Fluorobiphenyl
Concen: 72.529 ng
RT: 12.97 min Scan# 1714
Delta R.T. -0.01 min
Lab File: BP002933.D
Acq: 07 Aug 2020 14:48

Tgt Ion:172 Resp: 6857255
Ion Ratio Lower Upper
172 100
171 36.6 29.1 43.7
170 24.8 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.10 min Scan# 2416

Delta R.T. -0.01 min

Lab File: BP002933.D

Acq: 07 Aug 2020 14:48

Instrument :

BNA_P

ClientSampleId :

PB130730BL


Tot Ion:188 Resp: 2727285

Ion Ratio Lower Upper

188 100

94 8.7 7.8 11.6




80 9.0 8.0 12.0



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BP0

Ion 80.00 (79.70 to 80.70): BP0



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.19 min Scan# 3111

Delta R.T. -0.01 min

Lab File: BP002933.D

Acq: 07 Aug 2020 14:48


Tgt Ion:240 Resp: 2294488

Ion Ratio Lower Upper

240 100

120 10.2 8.9 13.3



236 26.0 20.3 30.5




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 75.116 ng

RT: 19.67 min Scan# 2854

Delta R.T. -0.01 min

Lab File: BP002933.D

Acq: 07 Aug 2020 14:48

Instrument :

BNA_P

ClientSampleId :

PB130730BL


Tot Ion:244 Resp: 8609158

Ion Ratio Lower Upper

244 100

212 8.3 6.4 9.6




122 10.7 9.4 14.2



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 23.44 min Scan# 3495

Delta R.T. -0.02 min

Lab File: BP002933.D

Acq: 07 Aug 2020 14:48


Tgt Ion:264 Resp: 1946513

Ion Ratio Lower Upper

264 100

260 23.9 19.0 28.6

265 21.9 17.0 25.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

