

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081721\
 Data File : BP006729.D
 Acq On : 17 Aug 2021 21:29
 Operator : CG/JU
 Sample : M3343-05
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 20210553-COM-26

Quant Time: Aug 18 03:13:45 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP080321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 16 18:17:59 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.699	152	168549	20.000	ng	0.00
21) Naphthalene-d8	10.481	136	715197	20.000	ng	#-0.01
39) Acenaphthene-d10	14.340	164	399579	20.000	ng	0.00
64) Phenanthrene-d10	17.098	188	786673	20.000	ng	# 0.00
76) Chrysene-d12	21.204	240	757528	20.000	ng	# 0.00
86) Perylene-d12	23.516	264	795747	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.305	112	1147663	104.583	ng	0.00
7) Phenol-d6	6.887	99	1478100	94.821	ng	0.00
23) Nitrobenzene-d5	8.858	82	1013460	65.407	ng	0.00
42) 2,4,6-Tribromophenol	15.840	330	420664	100.733	ng	0.00
45) 2-Fluorobiphenyl	12.963	172	1600945	59.944	ng	0.00
79) Terphenyl-d14	19.681	244	2112138	55.870	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081721\
Data File : BP006729.D
Acq On : 17 Aug 2021 21:29
Operator : CG/JU
Sample : M3343-05
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
20210553-COM-26

Quant Time: Aug 18 03:13:45 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP080321.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 16 18:17:59 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.699 min Scan# 784
Delta R.T. -0.006 min
Lab File: BP006729.D
Acq: 17 Aug 2021 21:29




Instrument :
BNA_P
ClientSampleId :
20210553-COM-26


Tgt Ion:152 Resp: 168549
Ion Ratio Lower Upper
152 100
150 159.9 125.6 188.4
115 68.5 48.5 72.7



#5
2-Fluorophenol
Concen: 104.583 ng
RT: 5.305 min Scan# 377
Delta R.T. 0.000 min
Lab File: BP006729.D
Acq: 17 Aug 2021 21:29

Tgt Ion:112 Resp: 1147663
Ion Ratio Lower Upper
112 100
64 58.4 41.4 62.2
63 30.9 23.8 35.8









#7
Phenol-d6
Concen: 94.821 ng
RT: 6.887 min Scan# 646
Delta R.T. 0.000 min
Lab File: BP006729.D
Acq: 17 Aug 2021 21:29




Instrument :
BNA_P
ClientSampleId :
20210553-COM-26


Tgt Ion: 99 Resp: 1478100
Ion Ratio Lower Upper
99 100
42 16.9 13.4 20.0
71 38.0 30.6 46.0



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.481 min Scan# 1257
Delta R.T. -0.012 min
Lab File: BP006729.D
Acq: 17 Aug 2021 21:29

Tgt Ion: 136 Resp: 715197
Ion Ratio Lower Upper
136 100
137 11.1 8.6 12.8
54 8.0 4.6 6.8#
68 6.5 3.6 5.4#









#23
Nitrobenzene-d5
Concen: 65.407 ng
RT: 8.858 min Scan# 981
Delta R.T. -0.006 min
Lab File: BP006729.D
Acq: 17 Aug 2021 21:29




Instrument :
BNA_P
ClientSampleId :
20210553-COM-26


Tgt Ion: 82 Resp: 1013460
Ion Ratio Lower Upper
82 100
128 38.3 35.7 53.5
54 43.7 35.0 52.4



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.340 min Scan# 1913
Delta R.T. -0.006 min
Lab File: BP006729.D
Acq: 17 Aug 2021 21:29

Tgt Ion: 164 Resp: 399579
Ion Ratio Lower Upper
164 100
162 102.6 80.2 120.2
160 47.8 34.5 51.7









#42
2,4,6-Tribromophenol
Concen: 100.733 ng
RT: 15.840 min Scan# 2168
Delta R.T. -0.006 min
Lab File: BP006729.D
Acq: 17 Aug 2021 21:29




Instrument :
BNA_P
ClientSampleId :
20210553-COM-26


Tgt Ion:330 Resp: 420664
Ion Ratio Lower Upper
330 100
332 97.3 77.8 116.8
141 52.0 25.4 38.2#



#45
2-Fluorobiphenyl
Concen: 59.944 ng
RT: 12.963 min Scan# 1679
Delta R.T. -0.006 min
Lab File: BP006729.D
Acq: 17 Aug 2021 21:29

Tgt Ion:172 Resp: 1600945
Ion Ratio Lower Upper
172 100
171 35.3 27.9 41.9
170 23.7 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.098 min Scan# 2382
Delta R.T. -0.006 min
Lab File: BP006729.D
Acq: 17 Aug 2021 21:29




Instrument :
BNA_P
ClientSampleId :
20210553-COM-26


Tgt Ion:188 Resp: 786673
Ion Ratio Lower Upper
188 100
94 11.0 5.6 8.4#
80 13.3 6.3 9.5#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.204 min Scan# 3080
Delta R.T. -0.006 min
Lab File: BP006729.D
Acq: 17 Aug 2021 21:29

Tgt Ion:240 Resp: 757528
Ion Ratio Lower Upper
240 100
120 13.1 6.5 9.7#
236 25.5 20.6 31.0









#79
Terphenyl-d14
Concen: 55.870 ng
RT: 19.681 min Scan# 2821
Delta R.T. -0.006 min
Lab File: BP006729.D
Acq: 17 Aug 2021 21:29

Instrument :
BNA_P
ClientSampleId :
20210553-COM-26

Tgt Ion:244 Resp: 2112138
Ion Ratio Lower Upper
244 100
212 8.2 6.0 9.0
122 13.2 7.1 10.7#



#86
Perylene-d12
Concen: 20.000 ng
RT: 23.516 min Scan# 3473
Delta R.T. -0.012 min
Lab File: BP006729.D
Acq: 17 Aug 2021 21:29

Tgt Ion:264 Resp: 795747
Ion Ratio Lower Upper
264 100
260 24.0 18.6 28.0
265 21.6 17.6 26.4

