

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
 Data File : BP025484.D
 Acq On : 19 Aug 2025 20:21
 Operator : CG/JU
 Sample : Q2815-14
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 TW-22M-N

Quant Time: Aug 20 02:25:23 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 14 18:14:31 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.790	152	172969	20.000	ng	0.00
21) Naphthalene-d8	10.560	136	690769	20.000	ng	0.00
39) Acenaphthene-d10	14.401	164	457523	20.000	ng	0.00
64) Phenanthrene-d10	17.184	188	948006	20.000	ng	-0.02
76) Chrysene-d12	21.625	240	1011218	20.000	ng	-0.02
86) Perylene-d12	24.995	264	1092932	20.000	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.408	112	742351	71.274	ng	0.00
7) Phenol-d6	6.967	99	809748	60.640	ng	0.00
23) Nitrobenzene-d5	8.925	82	721278	52.820	ng	-0.01
42) 2,4,6-Tribromophenol	15.907	330	556953	90.439	ng	0.00
45) 2-Fluorobiphenyl	13.019	172	1703207	50.877	ng	0.00
79) Terphenyl-d14	19.919	244	2688109	48.635	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP081925\
Data File : BP025484.D
Acq On : 19 Aug 2025 20:21
Operator : CG/JU
Sample : Q2815-14
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TW-22M-N

Quant Time: Aug 20 02:25:23 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 7.790 min Scan# 81
 Delta R.T. -0.006 min
 Lab File: BP025484.D
 Acq: 19 Aug 2025 20:21




Instrument :
 BNA_P
 ClientSampleId :
 TW-22M-N


Tgt Ion:152 Resp: 172969
 Ion Ratio Lower Upper
 152 100
 150 156.1 125.9 188.9
 115 62.2 48.5 72.7



#5
 2-Fluorophenol
 Concen: 71.274 ng
 RT: 5.408 min Scan# 420
 Delta R.T. 0.000 min
 Lab File: BP025484.D
 Acq: 19 Aug 2025 20:21

Tgt Ion:112 Resp: 742351
 Ion Ratio Lower Upper
 112 100
 64 56.5 43.8 65.8
 63 29.3 22.7 34.1









#7
Phenol-d6
Concen: 60.640 ng
RT: 6.967 min Scan# 685
Delta R.T. 0.000 min
Lab File: BP025484.D
Acq: 19 Aug 2025 20:21




Instrument :
BNA_P
ClientSampleId :
TW-22M-N

Tgt Ion:	99	Resp:	809748
Ion	Ratio	Lower	Upper
99	100		
42	17.5	13.7	20.5
71	35.0	28.2	42.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.560 min Scan# 1296
Delta R.T. 0.000 min
Lab File: BP025484.D
Acq: 19 Aug 2025 20:21

Tgt Ion:	136	Resp:	690769
Ion	Ratio	Lower	Upper
136	100		
137	10.9	9.2	13.8
54	7.8	6.0	9.0
68	5.4	4.3	6.5









#23
 Nitrobenzene-d5
 Concen: 52.820 ng
 RT: 8.925 min Scan# 1018
 Delta R.T. -0.012 min
 Lab File: BP025484.D
 Acq: 19 Aug 2025 20:21




Instrument :
 BNA_P
 ClientSampleId :
 TW-22M-N


Tgt Ion: 82 Resp: 721278
 Ion Ratio Lower Upper
 82 100
 128 44.6 37.7 56.5
 54 53.5 39.8 59.6



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.401 min Scan# 1949
 Delta R.T. -0.006 min
 Lab File: BP025484.D
 Acq: 19 Aug 2025 20:21

Tgt Ion: 164 Resp: 457523
 Ion Ratio Lower Upper
 164 100
 162 102.9 81.0 121.6
 160 45.4 35.4 53.2









#42
2,4,6-Tribromophenol
Concen: 90.439 ng
RT: 15.907 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP025484.D
Acq: 19 Aug 2025 20:21




Instrument :
BNA_P
ClientSampleId :
TW-22M-N


Tgt Ion:330 Resp: 556953
Ion Ratio Lower Upper
330 100
332 95.6 77.3 115.9
141 34.8 26.6 39.8



#45
2-Fluorobiphenyl
Concen: 50.877 ng
RT: 13.019 min Scan# 1714
Delta R.T. 0.000 min
Lab File: BP025484.D
Acq: 19 Aug 2025 20:21

Tgt Ion:172 Resp: 1703207
Ion Ratio Lower Upper
172 100
171 35.4 28.1 42.1
170 23.5 18.6 28.0





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.184 min Scan# 2425

Delta R.T. -0.017 min

Lab File: BP025484.D

Acq: 19 Aug 2025 20:21

Instrument :

BNA_P

ClientSampleId :

TW-22M-N





Tgt Ion:188 Resp: 948006

Ion Ratio Lower Upper

188 100

94 9.3 6.6 10.0

80 9.9 6.7 10.1



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.625 min Scan# 3177

Delta R.T. -0.023 min

Lab File: BP025484.D

Acq: 19 Aug 2025 20:21




Tgt Ion:240 Resp: 1011218


Ion Ratio Lower Upper

240 100

120 11.3 8.9 13.3

236 26.0 19.8 29.8









#79
 Terphenyl-d14
 Concen: 48.635 ng
 RT: 19.919 min Scan# 21
 Delta R.T. 0.000 min
 Lab File: BP025484.D
 Acq: 19 Aug 2025 20:21

Instrument :
 BNA_P
 ClientSampleId :
 TW-22M-N

Tgt Ion:244 Resp: 2688109
 Ion Ratio Lower Upper
 244 100
 212 7.4 5.8 8.6
 122 9.8 7.4 11.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.995 min Scan# 3750
 Delta R.T. -0.035 min
 Lab File: BP025484.D
 Acq: 19 Aug 2025 20:21

Tgt Ion:264 Resp: 1092932
 Ion Ratio Lower Upper
 264 100
 260 23.2 19.3 28.9
 265 21.5 17.4 26.0

