

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082021\
 Data File : BP006809.D
 Acq On : 20 Aug 2021 20:20
 Operator : CG/JU
 Sample : M3463-25
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SWCS-23-0002

Quant Time: Aug 21 00:59:24 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP080321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 20 11:25:25 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.693	152	141663	20.000	ng	0.00
21) Naphthalene-d8	10.475	136	600601	20.000	ng	# 0.00
39) Acenaphthene-d10	14.334	164	331328	20.000	ng	0.00
64) Phenanthrene-d10	17.092	188	626754	20.000	ng	# 0.00
76) Chrysene-d12	21.204	240	558250	20.000	ng	# 0.00
86) Perylene-d12	23.510	264	676260	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.293	112	1312753	142.332	ng	0.00
7) Phenol-d6	6.881	99	1612984	123.112	ng	0.00
23) Nitrobenzene-d5	8.851	82	1101766	84.673	ng	0.00
42) 2,4,6-Tribromophenol	15.833	330	471829	136.259	ng	0.00
45) 2-Fluorobiphenyl	12.957	172	1836498	82.928	ng	0.00
79) Terphenyl-d14	19.680	244	2094267	75.172	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082021\
Data File : BP006809.D
Acq On : 20 Aug 2021 20:20
Operator : CG/JU
Sample : M3463-25
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SWCS-23-0002

Quant Time: Aug 21 00:59:24 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP080321.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 20 11:25:25 2021
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 7.693 min Scan# 783
 Delta R.T. -0.000 min
 Lab File: BP006809.D
 Acq: 20 Aug 2021 20:20




Instrument :
 BNA_P
 ClientSampleId :
 SWCS-23-0002


Tgt Ion:152 Resp: 141663
 Ion Ratio Lower Upper
 152 100
 150 155.8 125.6 188.4
 115 66.1 48.5 72.7



#5
 2-Fluorophenol
 Concen: 142.332 ng
 RT: 5.293 min Scan# 375
 Delta R.T. 0.000 min
 Lab File: BP006809.D
 Acq: 20 Aug 2021 20:20

Tgt Ion:112 Resp: 1312753
 Ion Ratio Lower Upper
 112 100
 64 56.8 41.4 62.2
 63 29.9 23.8 35.8









#7
Phenol-d6
Concen: 123.112 ng
RT: 6.881 min Scan# 645
Delta R.T. 0.000 min
Lab File: BP006809.D
Acq: 20 Aug 2021 20:20

Instrument :
BNA_P
ClientSampleId :
SWCS-23-0002

Tgt Ion: 99 Resp: 1612984




Ion	Ratio	Lower	Upper
99	100		
42	15.5	13.4	20.0
71	36.8	30.6	46.0




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.475 min Scan# 1256
Delta R.T. 0.000 min
Lab File: BP006809.D
Acq: 20 Aug 2021 20:20

Tgt Ion: 136 Resp: 600601

Ion	Ratio	Lower	Upper
136	100		
137	10.8	8.6	12.8
54	7.3	4.6	6.8#
68	6.1	3.6	5.4#









#23
Nitrobenzene-d5
Concen: 84.673 ng
RT: 8.851 min Scan# 980
Delta R.T. -0.006 min
Lab File: BP006809.D
Acq: 20 Aug 2021 20:20




Instrument :
BNA_P
ClientSampleId :
SWCS-23-0002


Tgt Ion: 82 Resp: 1101766
Ion Ratio Lower Upper
82 100
128 40.0 35.7 53.5
54 41.8 35.0 52.4



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.334 min Scan# 1912
Delta R.T. -0.006 min
Lab File: BP006809.D
Acq: 20 Aug 2021 20:20

Tgt Ion: 164 Resp: 331328
Ion Ratio Lower Upper
164 100
162 102.3 80.2 120.2
160 48.1 34.5 51.7









#42
2,4,6-Tribromophenol
Concen: 136.259 ng
RT: 15.833 min Scan# 2167
Delta R.T. -0.006 min
Lab File: BP006809.D
Acq: 20 Aug 2021 20:20




Instrument :
BNA_P
ClientSampleId :
SWCS-23-0002


Tgt Ion:330 Resp: 471829
Ion Ratio Lower Upper
330 100
332 96.3 77.8 116.8
141 48.1 25.4 38.2#



#45
2-Fluorobiphenyl
Concen: 82.928 ng
RT: 12.957 min Scan# 1678
Delta R.T. 0.000 min
Lab File: BP006809.D
Acq: 20 Aug 2021 20:20

Tgt Ion:172 Resp: 1836498
Ion Ratio Lower Upper
172 100
171 35.7 27.9 41.9
170 23.9 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.092 min Scan# 2381
Delta R.T. -0.006 min
Lab File: BP006809.D
Acq: 20 Aug 2021 20:20




Instrument :
BNA_P
ClientSampleId :
SWCS-23-0002


Tgt Ion:188 Resp: 626754
Ion Ratio Lower Upper
188 100
94 11.0 5.6 8.4#
80 13.2 6.3 9.5#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.204 min Scan# 3080
Delta R.T. 0.000 min
Lab File: BP006809.D
Acq: 20 Aug 2021 20:20

Tgt Ion:240 Resp: 558250
Ion Ratio Lower Upper
240 100
120 12.0 6.5 9.7#
236 25.8 20.6 31.0





#79

Terphenyl-d14

Concen: 75.172 ng

RT: 19.680 min Scan# 2821

Delta R.T. 0.000 min

Lab File: BP006809.D

Acq: 20 Aug 2021 20:20

Tgt Ion:244 Resp: 2094267





Ion	Ratio	Lower	Upper
244	100		
212	7.8	6.0	9.0
122	12.1	7.1	10.7#

Instrument :

BNA_P

ClientSampleId :

SWCS-23-0002



#86

Perylene-d12

Concen: 20.000 ng

RT: 23.510 min Scan# 3472

Delta R.T. -0.006 min

Lab File: BP006809.D

Acq: 20 Aug 2021 20:20

Tgt Ion:264 Resp: 676260

Ion	Ratio	Lower	Upper
264	100		
260	23.6	18.6	28.0
265	22.4	17.6	26.4

