

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
 Data File : BP025513.D
 Acq On : 20 Aug 2025 19:08
 Operator : CG/JU
 Sample : PB169259BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB169259BL

Quant Time: Aug 21 01:36:35 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 14 18:14:31 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.784	152	165727	20.000	ng	-0.01
21) Naphthalene-d8	10.560	136	604691	20.000	ng	0.00
39) Acenaphthene-d10	14.413	164	359341	20.000	ng	0.00
64) Phenanthrene-d10	17.207	188	696145	20.000	ng	0.00
76) Chrysene-d12	21.654	240	803107	20.000	ng	0.00
86) Perylene-d12	25.036	264	1000703	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.407	112	1239752	124.232	ng	0.00
7) Phenol-d6	6.966	99	1495688	116.902	ng	0.00
23) Nitrobenzene-d5	8.931	82	978215	81.833	ng	0.00
42) 2,4,6-Tribromophenol	15.919	330	595541	123.128	ng	0.00
45) 2-Fluorobiphenyl	13.030	172	2091778	79.557	ng	0.01
79) Terphenyl-d14	19.924	244	3226921	73.513	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP082025\
Data File : BP025513.D
Acq On : 20 Aug 2025 19:08
Operator : CG/JU
Sample : PB169259BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB169259BL

Quant Time: Aug 21 01:36:35 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP081425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 14 18:14:31 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.784 min Scan# 81
Delta R.T. -0.012 min
Lab File: BP025513.D
Acq: 20 Aug 2025 19:08




Instrument :
BNA_P
ClientSampleId :
PB169259BL


Tgt Ion:152 Resp: 165727
Ion Ratio Lower Upper
152 100
150 154.1 125.9 188.9
115 60.4 48.5 72.7



#5
2-Fluorophenol
Concen: 124.232 ng
RT: 5.407 min Scan# 420
Delta R.T. -0.000 min
Lab File: BP025513.D
Acq: 20 Aug 2025 19:08

Tgt Ion:112 Resp: 1239752
Ion Ratio Lower Upper
112 100
64 56.5 43.8 65.8
63 31.0 22.7 34.1









#7
Phenol-d6
Concen: 116.902 ng
RT: 6.966 min Scan# 685
Delta R.T. -0.000 min
Lab File: BP025513.D
Acq: 20 Aug 2025 19:08

Instrument :
BNA_P
ClientSampleId :
PB169259BL

Tgt Ion: 99 Resp: 1495688




Ion	Ratio	Lower	Upper
99	100		
42	17.9	13.7	20.5
71	36.1	28.2	42.4




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.560 min Scan# 1296
Delta R.T. -0.000 min
Lab File: BP025513.D
Acq: 20 Aug 2025 19:08

Tgt Ion: 136 Resp: 604691

Ion	Ratio	Lower	Upper
136	100		
137	10.6	9.2	13.8
54	8.0	6.0	9.0
68	5.9	4.3	6.5









#23
Nitrobenzene-d5
Concen: 81.833 ng
RT: 8.931 min Scan# 1019
Delta R.T. -0.006 min
Lab File: BP025513.D
Acq: 20 Aug 2025 19:08




Instrument :
BNA_P
ClientSampleId :
PB169259BL


Tgt Ion: 82 Resp: 978215
Ion Ratio Lower Upper
82 100
128 44.8 37.7 56.5
54 50.6 39.8 59.6



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.413 min Scan# 1951
Delta R.T. 0.006 min
Lab File: BP025513.D
Acq: 20 Aug 2025 19:08

Tgt Ion:164 Resp: 359341
Ion Ratio Lower Upper
164 100
162 102.5 81.0 121.6
160 45.6 35.4 53.2





#42

2,4,6-Tribromophenol

Concen: 123.128 ng

RT: 15.919 min Scan# 21

Delta R.T. 0.006 min

Lab File: BP025513.D

Acq: 20 Aug 2025 19:08

Instrument :

BNA_P

ClientSampleId :

PB169259BL





Tgt Ion:330 Resp: 595541

Ion Ratio Lower Upper

330 100

332 96.5 77.3 115.9

141 34.7 26.6 39.8



#45

2-Fluorobiphenyl

Concen: 79.557 ng

RT: 13.030 min Scan# 1716

Delta R.T. 0.012 min

Lab File: BP025513.D

Acq: 20 Aug 2025 19:08




Tgt Ion:172 Resp: 2091778


Ion Ratio Lower Upper

172 100

171 35.1 28.1 42.1

170 23.2 18.6 28.0





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.207 min Scan# 2425

Delta R.T. 0.006 min

Lab File: BP025513.D

Acq: 20 Aug 2025 19:08

Instrument :

BNA_P

ClientSampleId :

PB169259BL





Tgt Ion:188 Resp: 696145

Ion Ratio Lower Upper

188 100

94 8.9 6.6 10.0

80 9.5 6.7 10.1



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.654 min Scan# 3182

Delta R.T. 0.006 min

Lab File: BP025513.D

Acq: 20 Aug 2025 19:08




Tgt Ion:240 Resp: 803107


Ion Ratio Lower Upper

240 100

120 10.2 8.9 13.3

236 25.2 19.8 29.8





#79

Terphenyl-d14

Concen: 73.513 ng

RT: 19.924 min Scan# 21

Delta R.T. 0.006 min

Lab File: BP025513.D

Acq: 20 Aug 2025 19:08

Instrument :

BNA_P

ClientSampleId :

PB169259BL





Tgt Ion:244 Resp: 3226921

Ion Ratio Lower Upper

244 100

212 7.7 5.8 8.6

122 10.3 7.4 11.2



#86

Perylene-d12

Concen: 20.000 ng

RT: 25.036 min Scan# 3757

Delta R.T. 0.006 min

Lab File: BP025513.D

Acq: 20 Aug 2025 19:08

Tgt Ion:264 Resp: 1000703

Ion Ratio Lower Upper

264 100

260 23.2 19.3 28.9

265 22.6 17.4 26.0

