

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP090622\
 Data File : BP011637.D
 Acq On : 06 Sep 2022 21:52
 Operator : CG/JU
 Sample : N4501-08
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SB-11-COMP

Quant Time: Sep 07 03:50:02 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP090222.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Sep 03 04:07:09 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.969	152	22611	20.000	ng	0.00
21) Naphthalene-d8	10.781	136	98513	20.000	ng	#-0.01
39) Acenaphthene-d10	14.610	164	62046	20.000	ng	0.00
64) Phenanthrene-d10	17.363	188	174744	20.000	ng	0.00
76) Chrysene-d12	21.439	240	360008	20.000	ng	-0.01
86) Perylene-d12	23.909	264	670119	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.522	112	172872	135.218	ng	0.00
7) Phenol-d6	7.116	99	264104	156.119	ng	-0.01
23) Nitrobenzene-d5	9.128	82	103702	64.617	ng	-0.01
42) 2,4,6-Tribromophenol	16.092	330	73049	104.203	ng	-0.01
45) 2-Fluorobiphenyl	13.234	172	288303	66.446	ng	-0.01
79) Terphenyl-d14	19.910	244	903129	52.543	ng	-0.01
Target Compounds						
84) Bis(2-ethylhexyl)phtha...	21.351	149	8693	2.486	ng	Qvalue # 92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP090622\
Data File : BP011637.D
Acq On : 06 Sep 2022 21:52
Operator : CG/JU
Sample : N4501-08
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SB-11-COMP

Quant Time: Sep 07 03:50:02 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP090222.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Sep 03 04:07:09 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.969 min Scan# 848
Delta R.T. -0.006 min
Lab File: BP011637.D
Acq: 06 Sep 2022 21:52




Instrument :
BNA_P
ClientSampleId :
SB-11-COMP


Tgt Ion:152 Resp: 22611
Ion Ratio Lower Upper
152 100
150 152.6 123.4 185.2
115 55.9 51.3 76.9



#5
2-Fluorophenol
Concen: 135.218 ng
RT: 5.522 min Scan# 431
Delta R.T. -0.000 min
Lab File: BP011637.D
Acq: 06 Sep 2022 21:52

Tgt Ion:112 Resp: 172872
Ion Ratio Lower Upper
112 100
64 53.9 56.9 85.3#
63 28.0 31.2 46.8#









#7
Phenol-d6
Concen: 156.119 ng
RT: 7.116 min Scan# 704
Delta R.T. -0.012 min
Lab File: BP011637.D
Acq: 06 Sep 2022 21:52




Instrument :
BNA_P
Client SampleId :
SB-11-COMP


Tgt Ion: 99 Resp: 264104
Ion Ratio Lower Upper
99 100
42 15.9 20.3 30.5#
71 30.7 33.9 50.9#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.781 min Scan# 1325
Delta R.T. -0.012 min
Lab File: BP011637.D
Acq: 06 Sep 2022 21:52

Tgt Ion: 136 Resp: 98513
Ion Ratio Lower Upper
136 100
137 11.1 9.0 13.4
54 7.0 8.7 13.1#
68 5.1 4.8 7.2









#23
Nitrobenzene-d5
Concen: 64.617 ng
RT: 9.128 min Scan# 1044
Delta R.T. -0.012 min
Lab File: BP011637.D
Acq: 06 Sep 2022 21:52




Instrument :
BNA_P
ClientSampleId :
SB-11-COMP


Tgt Ion: 82 Resp: 103702
Ion Ratio Lower Upper
82 100
128 39.6 31.3 46.9
54 50.3 49.8 74.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.610 min Scan# 1976
Delta R.T. -0.006 min
Lab File: BP011637.D
Acq: 06 Sep 2022 21:52

Tgt Ion: 164 Resp: 62046
Ion Ratio Lower Upper
164 100
162 99.3 81.9 122.9
160 48.9 34.6 51.8









#42
2,4,6-Tribromophenol
Concen: 104.203 ng
RT: 16.092 min Scan# 21
Delta R.T. -0.012 min
Lab File: BP011637.D
Acq: 06 Sep 2022 21:52




Instrument :
BNA_P
ClientSampleId :
SB-11-COMP


Tgt Ion:	330	Resp:	73049
Ion Ratio	Lower	Upper	
330	100		
332	97.9	78.1	117.1
141	37.7	31.4	47.2



#45
2-Fluorobiphenyl
Concen: 66.446 ng
RT: 13.234 min Scan# 1742
Delta R.T. -0.012 min
Lab File: BP011637.D
Acq: 06 Sep 2022 21:52

Tgt Ion:	172	Resp:	288303
Ion Ratio	Lower	Upper	
172	100		
171	34.4	27.9	41.9
170	22.9	18.2	27.2









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.363 min Scan# 2444
Delta R.T. -0.006 min
Lab File: BP011637.D
Acq: 06 Sep 2022 21:52




Instrument :
BNA_P
ClientSampleId :
SB-11-COMP


Tgt Ion:188 Resp: 174744
Ion Ratio Lower Upper
188 100
94 8.9 6.6 10.0
80 9.6 8.0 12.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.439 min Scan# 3137
Delta R.T. -0.012 min
Lab File: BP011637.D
Acq: 06 Sep 2022 21:52

Tgt Ion:240 Resp: 360008
Ion Ratio Lower Upper
240 100
120 11.5 8.6 12.8
236 26.3 19.8 29.6









#79
 Terphenyl-d14
 Concen: 52.543 ng
 RT: 19.910 min Scan# 2879
 Delta R.T. -0.012 min
 Lab File: BP011637.D
 Acq: 06 Sep 2022 21:52




Instrument :
 BNA_P
 ClientSampleId :
 SB-11-COMP


Tgt Ion:244 Resp: 903129
 Ion Ratio Lower Upper
 244 100
 212 6.2 5.8 8.8
 122 10.7 7.6 11.4



#84
 Bis(2-ethylhexyl)phthalate
 Concen: 2.486 ng
 RT: 21.351 min Scan# 3122
 Delta R.T. -0.012 min
 Lab File: BP011637.D
 Acq: 06 Sep 2022 21:52

Tgt Ion:149 Resp: 8693
 Ion Ratio Lower Upper
 149 100
 167 23.2 21.8 32.8
 279 8.5 3.7 5.5#





#86

Perylene-d12

Concen: 20.000 ng

RT: 23.909 min Scan# 3557

Delta R.T. -0.018 min

Lab File: BP011637.D


Acq: 06 Sep 2022 21:52

Instrument :

BNA_P

ClientSampleId :

SB-11-COMP



Tgt Ion:264 Resp: 670119

Ion Ratio Lower Upper

264 100

260 23.6 19.3 28.9

265 21.6 18.0 27.0

