

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP090820\
 Data File : BP003232.D
 Acq On : 08 Sep 2020 18:04
 Operator : CG/JU
 Sample : L3877-02DL 50X
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 TP-1DL

Quant Time: Sep 08 18:37:35 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA P\METHODS\8270-BP082420.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 01 14:37:05 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.65	152	249313	20.00	ng	0.00
21) Naphthalene-d8	10.43	136	1017407	20.00	ng	0.00
39) Acenaphthene-d10	14.30	164	619125	20.00	ng	0.00
64) Phenanthrene-d10	17.05	188	1224295	20.00	ng	0.00
76) Chrysene-d12	21.14	240	897630	20.00	ng	0.00
86) Perylene-d12	23.37	264	949771	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.26	112	5180	0.37	ng	0.00
7) Phenol-d6	6.84	99	5557	0.31	ng	0.00
23) Nitrobenzene-d5	8.80	82	4948	0.35	ng	0.00
42) 2,4,6-Tribromophenol	15.79	330	2829	0.34	ng	0.00
45) 2-Fluorobiphenyl	12.91	172	10768	0.25	ng	0.00
79) Terphenyl-d14	19.62	244	13732	0.34	ng	0.00
Target Compounds						
31) Naphthalene	10.49	128	9338866	178.661	ng	97
37) 2-Methylnaphthalene	12.10	142	2675564	71.553	ng	97
38) 1-Methylnaphthalene	12.32	142	1609726	45.293	ng	99
46) 1,1'-Biphenyl	13.12	154	200772	4.323	ng	99
52) Acenaphthene	14.36	154	72082	2.041	ng	99
58) Fluorene	15.35	166	121609	2.847	ng	# 97
71) Phenanthrene	17.09	178	289973	4.371	ng	100
78) Pyrene	19.42	202	140098	2.405	ng	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA P\DATA\BP090820\
Data File : BP003232.D
Acq On : 08 Sep 2020 18:04
Operator : CG/JU
Sample : L3877-02DL 50X
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
TP-1DL

Quant Time: Sep 08 18:37:35 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA P\METHODS\8270-BP082420.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Sep 01 14:37:05 2020
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.65 min Scan# 810
Delta R.T. -0.00 min
Lab File: BP003232.D
Acq: 08 Sep 2020 18:04

Instrument :
BNA_P
ClientSampleId :
TP-1DL




Tot Ion	Ratio	Lower	Upper
152	100		
150	153.2	123.8	185.6
115	56.0	43.8	65.6




#5

2-Fluorophenol
Concen: 0.367 ng
RT: 5.26 min Scan# 404
Delta R.T. -0.00 min
Lab File: BP003232.D
Acq: 08 Sep 2020 18:04

Tgt Ion	Ratio	Lower	Upper
112	100		
64	58.8	32.8	49.2#
63	23.9	17.0	25.4





#7

Phenol-d6

Concen: 0.314 ng

RT: 6.84 min Scan# 672

Delta R.T. 0.01 min

Lab File: BP003232.D

Acq: 08 Sep 2020 18:04

Instrument :

BNA_P

ClientSampleId :

TP-1DL


Tot Ion: 99 Resp: 5557

Ion Ratio Lower Upper

99 100

42 32.6 8.6 13.0#




71 102.2 23.4 35.2#



Abundance Ion 99.00 (98.70 to 99.70): BP0

Ion 42.00 (41.70 to 42.70): BP0

Ion 71.00 (70.70 to 71.70): BP0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.43 min Scan# 1283

Delta R.T. -0.00 min

Lab File: BP003232.D

Acq: 08 Sep 2020 18:04

Tgt Ion: 136 Resp: 1017407


Ion Ratio Lower Upper

136 100

137 11.0 8.6 13.0

54 4.9 3.6 5.4

68 4.4 3.3 4.9






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BP0

Ion 68.00 (67.70 to 68.70): BP0









#23
 Nitrobenzene-d5
 Concen: 0.351 ng
 RT: 8.80 min Scan# 1005
 Delta R.T. -0.00 min
 Lab File: BP003232.D
 Acq: 08 Sep 2020 18:04




Instrument :
 BNA_P
 ClientSampleID :
 TP-1DL


Tot Ion: 82 Resp: 4948
 Ion Ratio Lower Upper
 82 100
 128 60.0 45.6 68.4
 54 39.0 30.1 45.1



#31
 Naphthalene
 Concen: 178.661 ng
 RT: 10.49 min Scan# 1293
 Delta R.T. 0.01 min
 Lab File: BP003232.D
 Acq: 08 Sep 2020 18:04

Tgt Ion: 128 Resp: 9338866
 Ion Ratio Lower Upper
 128 100
 129 12.0 8.8 13.2
 127 14.6 10.6 15.8









#37
 2-Methylnaphthalene
 Concen: 71.553 ng
 RT: 12.10 min Scan# 1567
 Delta R.T. 0.01 min
 Lab File: BP003232.D
 Acq: 08 Sep 2020 18:04

Instrument :
 BNA_P
 ClientSampleId :
 TP-1DL

Tot Ion:142 Resp: 2675564




Ion	Ratio	Lower	Upper
142	100		
141	89.6	71.4	107.2
115	37.6	25.8	38.6




#38
 1-Methylnaphthalene
 Concen: 45.293 ng
 RT: 12.32 min Scan# 1604
 Delta R.T. -0.00 min
 Lab File: BP003232.D
 Acq: 08 Sep 2020 18:04

Tgt Ion:142 Resp: 1609726

Ion	Ratio	Lower	Upper
142	100		
141	92.4	74.4	111.6
116	3.9	2.9	4.3









#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.30 min Scan# 1940
 Delta R.T. 0.01 min
 Lab File: BP003232.D
 Acq: 08 Sep 2020 18:04




Instrument :
 BNA_P
 ClientSampleId :
 TP-1DL


Tot Ion	Ratio	Lower	Upper
164	100		
162	102.0	79.4	119.2
160	44.0	36.1	54.1



#42
 2,4,6-Tribromophenol
 Concen: 0.338 ng
 RT: 15.79 min Scan# 2194
 Delta R.T. -0.00 min
 Lab File: BP003232.D
 Acq: 08 Sep 2020 18:04

Tgt Ion	Ratio	Lower	Upper
330	100		
332	97.7	77.1	115.7
141	83.4	23.4	35.2









#45
2-Fluorobiphenyl
Concen: 0.255 ng
RT: 12.91 min Scan# 1704
Delta R.T. -0.01 min
Lab File: BP003232.D
Acq: 08 Sep 2020 18:04




Instrument :
BNA_P
ClientSampled :
TP-1DL


Tot Ion	Ratio	Lower	Upper
172	100		
171	36.3	28.5	42.7
170	24.1	19.2	28.8



#46
1,1'-Biphenyl
Concen: 4.323 ng
RT: 13.12 min Scan# 1740
Delta R.T. -0.00 min
Lab File: BP003232.D
Acq: 08 Sep 2020 18:04

Tgt Ion	Ratio	Lower	Upper
154	100		
153	39.7	20.4	60.4
76	9.6	0.0	29.3





#52

Acenaphthene

Concen: 2.041 ng

RT: 14.36 min Scan# 1950

Delta R.T. -0.00 min

Lab File: BP003232.D

Acq: 08 Sep 2020 18:04

Instrument :

BNA_P

ClientSampleId :

TP-1DL


Tot Ion:154 Resp: 72082

Ion Ratio Lower Upper

154 100

153 114.3 91.0 136.6




152 54.7 43.0 64.6



Abundance Ion 154.00 (153.70 to 154.70): E

Ion 153.00 (152.70 to 153.70): E

Ion 152.00 (151.70 to 152.70): E



#58

Fluorene

Concen: 2.847 ng

RT: 15.35 min Scan# 2118

Delta R.T. -0.00 min

Lab File: BP003232.D

Acq: 08 Sep 2020 18:04


Tgt Ion:166 Resp: 121609

Ion Ratio Lower Upper

166 100

165 99.5 77.8 116.8



167 16.6 11.0 16.4#




Abundance Ion 166.00 (165.70 to 166.70): E

Ion 165.00 (164.70 to 165.70): E

Ion 167.00 (166.70 to 167.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.05 min Scan# 2408

Delta R.T. 0.01 min

Lab File: BP003232.D

Acq: 08 Sep 2020 18:04

Instrument :

BNA_P

ClientSampled :

TP-1DL


Tot Ion:188 Resp: 1224295

Ion Ratio Lower Upper

188 100

94 7.5 6.2 9.2

80 7.5 6.2 9.2



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BP0

Ion 80.00 (79.70 to 80.70): BP0

17.05

800000



600000

400000

200000

0

Time-->



#71

Phenanthrene

Concen: 4.371 ng

RT: 17.09 min Scan# 2415

Delta R.T. 0.01 min

Lab File: BP003232.D

Acq: 08 Sep 2020 18:04


Tgt Ion:178 Resp: 289973

Ion Ratio Lower Upper

178 100

176 19.1 15.3 22.9

179 15.4 12.5 18.7



Abundance Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E

17.09

250000

200000


150000


100000

50000

0

Time-->









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.14 min Scan# 3103
Delta R.T. -0.01 min
Lab File: BP003232.D
Acq: 08 Sep 2020 18:04




Instrument :
BNA_P
ClientSampleId :
TP-1DL


Tot Ion:240 Resp: 897630
Ion Ratio Lower Upper
240 100
120 10.6 7.8 11.6
236 25.8 20.8 31.2



#78
Pyrene
Concen: 2.405 ng
RT: 19.42 min Scan# 2811
Delta R.T. 0.01 min
Lab File: BP003232.D
Acq: 08 Sep 2020 18:04

Tgt Ion:202 Resp: 140098
Ion Ratio Lower Upper
202 100
200 21.4 17.1 25.7
203 17.8 14.2 21.2





#79

Terphenyl-d14

Concen: 0.337 ng

RT: 19.62 min Scan# 2845

Delta R.T. -0.00 min

Lab File: BP003232.D

Acq: 08 Sep 2020 18:04

Instrument :

BNA_P

ClientSampleId :

TP-1DL


Tot Ion:244 Resp: 13732

Ion Ratio Lower Upper

244 100

212 10.0 5.8 8.6#




122 14.9 7.8 11.8#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 23.37 min Scan# 3483

Delta R.T. 0.01 min

Lab File: BP003232.D

Acq: 08 Sep 2020 18:04


Tgt Ion:264 Resp: 949771

Ion Ratio Lower Upper

264 100

260 24.3 18.8 28.2

265 22.0 17.4 26.2



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

