

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091024\
 Data File : BP021874.D
 Acq On : 10 Sep 2024 13:40
 Operator : RC/JU
 Sample : SSTDICCC040
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SSTDICCC040

Quant Time: Sep 10 16:43:02 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091024.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 10 16:24:23 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.763	152	173061	20.000	ng	0.00
21) Naphthalene-d8	10.534	136	919012	20.000	ng	0.00
39) Acenaphthene-d10	14.387	164	608253	20.000	ng	0.00
64) Phenanthrene-d10	17.169	188	1334407	20.000	ng	0.00
76) Chrysene-d12	21.621	240	1335493	20.000	ng	0.00
86) Perylene-d12	24.957	264	1533133	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.375	112	1246481	103.997	ng	0.00
7) Phenol-d6	6.940	99	1290197	79.548	ng	0.00
23) Nitrobenzene-d5	8.910	82	1703204	83.960	ng	0.00
42) 2,4,6-Tribromophenol	15.892	330	577491	85.440	ng	0.00
45) 2-Fluorobiphenyl	12.998	172	3140987	84.934	ng	0.00
79) Terphenyl-d14	19.892	244	4165225	66.607	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.305	88	275304	45.217	ng	100
3) Pyridine	3.699	79	759309	48.182	ng	100
4) n-Nitrosodimethylamine	3.605	42	265562	44.663	ng	100
6) Aniline	7.099	93	568863	40.053	ng	100
8) 2-Chlorophenol	7.334	128	447343	40.565	ng	100
9) Benzaldehyde	6.910	77	342795	39.976	ng	100
10) Phenol	6.963	94	641618	38.942	ng	100
11) bis(2-Chloroethyl)ether	7.187	93	496254	39.151	ng	100
12) 1,3-Dichlorobenzene	7.657	146	509321	39.863	ng	100
13) 1,4-Dichlorobenzene	7.799	146	522830	40.359	ng	100
14) 1,2-Dichlorobenzene	8.110	146	636209	49.182	ng	100
15) Benzyl Alcohol	8.005	79	566089	46.982	ng	100
16) 2,2'-oxybis(1-Chloropr...	8.281	45	660939	50.655	ng	100
17) 2-Methylphenol	8.205	107	588653	50.558	ng	100
18) Hexachloroethane	8.834	117	275214	50.974	ng	100
19) n-Nitroso-di-n-propyla...	8.557	70	525169	51.735	ng	100
20) 3+4-Methylphenols	8.528	107	823129	51.311	ng	100
22) Acetophenone	8.575	105	1125908	39.683	ng	100
24) Nitrobenzene	8.946	77	863679	42.950	ng	100
25) Isophorone	9.475	82	1501855	42.655	ng	100
26) 2-Nitrophenol	9.657	139	297519	42.538	ng	100
27) 2,4-Dimethylphenol	9.716	122	420525	41.892	ng	100
28) bis(2-Chloroethoxy)met...	9.951	93	966376	42.244	ng	100
29) 2,4-Dichlorophenol	10.193	162	552981	42.355	ng	100
30) 1,2,4-Trichlorobenzene	10.399	180	611333	40.699	ng	100
31) Naphthalene	10.587	128	1949057	40.488	ng	100
32) Benzoic acid	9.857	122	462916	41.539	ng	100
33) 4-Chloroaniline	10.693	127	752393	42.609	ng	100
34) Hexachlorobutadiene	10.875	225	375822	40.309	ng	100
35) Caprolactam	11.481	113	232415	42.866	ng	100
36) 4-Chloro-3-methylphenol	11.822	107	786866	41.719	ng	100
37) 2-Methylnaphthalene	12.193	142	1316459	40.877	ng	100
38) 1-Methylnaphthalene	12.416	142	1294616	40.261	ng	100
40) 1,2,4,5-Tetrachloroben...	12.563	216	671619	42.767	ng	100
41) Hexachlorocyclopentadiene	12.545	237	232764	45.938	ng	100
43) 2,4,6-Trichlorophenol	12.804	196	445782	44.158	ng	100

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091024\
 Data File : BP021874.D
 Acq On : 10 Sep 2024 13:40
 Operator : RC/JU
 Sample : SSTDICCC040
 Misc :
 ALS Vial : 6 Sample Multiplier: 1


Instrument :
 BNA_P
 ClientSampleId :
 SSTDICCC040


Quant Time: Sep 10 16:43:02 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091024.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 10 16:24:23 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	12.881	196	516057	43.968	ng	100
46) 1,1'-Biphenyl	13.210	154	1744467	41.116	ng	100
47) 2-Chloronaphthalene	13.251	162	1349458	40.918	ng	100
48) 2-Nitroaniline	13.451	65	494338	42.994	ng	100
49) Acenaphthylene	14.104	152	2036294	41.726	ng	100
50) Dimethylphthalate	13.840	163	1703719	40.684	ng	100
51) 2,6-Dinitrotoluene	13.957	165	392614	42.395	ng	100
52) Acenaphthene	14.451	154	1309193	41.493	ng	100
53) 3-Nitroaniline	14.287	138	417097	43.866	ng	100
54) 2,4-Dinitrophenol	14.492	184	192522	43.623	ng	100
55) Dibenzofuran	14.787	168	2075592	41.820	ng	100
56) 4-Nitrophenol	14.610	139	366217	44.405	ng	100
57) 2,4-Dinitrotoluene	14.751	165	553734	43.364	ng	100
58) Fluorene	15.445	166	1686653	41.235	ng	100
59) 2,3,4,6-Tetrachlorophenol	15.016	232	434081	42.061	ng	100
60) Diethylphthalate	15.216	149	1707601	39.287	ng	100
61) 4-Chlorophenyl-phenyle...	15.439	204	820593	41.371	ng	100
62) 4-Nitroaniline	15.457	138	446566	42.953	ng	100
63) Azobenzene	15.734	77	2058433	42.088	ng	100
65) 4,6-Dinitro-2-methylph...	15.522	198	279726	40.611	ng	100
66) n-Nitrosodiphenylamine	15.657	169	1461828	42.789	ng	100
67) 4-Bromophenyl-phenylether	16.351	248	511525	40.672	ng	100
68) Hexachlorobenzene	16.463	284	606676	40.387	ng	100
69) Atrazine	16.628	200	358458	35.775	ng	100
70) Pentachlorophenol	16.816	266	419087	43.631	ng	100
71) Phenanthrene	17.216	178	2691674	40.802	ng	100
72) Anthracene	17.310	178	2665735	41.496	ng	100
73) Carbazole	17.586	167	2726867	41.350	ng	100
74) Di-n-butylphthalate	18.180	149	3119962	42.777	ng	100
75) Fluoranthene	19.298	202	3436233	43.024	ng	100
77) Benzidine	19.498	184	1125075	61.128	ng	100
78) Pyrene	19.674	202	2922204	34.673	ng	100
80) Butylbenzylphthalate	20.627	149	1503619	43.352	ng	100
81) Benzo(a)anthracene	21.598	228	3510373	41.429	ng	100
82) 3,3'-Dichlorobenzidine	21.516	252	1182002	44.157	ng	100
83) Chrysene	21.663	228	3343112	40.986	ng	100
84) Bis(2-ethylhexyl)phtha...	21.533	149	2125255	42.797	ng	100
85) Di-n-octyl phthalate	22.804	149	3546689	43.381	ng	100
87) Indeno(1,2,3-cd)pyrene	28.739	276	3971546	41.207	ng	100
88) Benzo(b)fluoranthene	23.898	252	3677607	41.652	ng	100
89) Benzo(k)fluoranthene	23.974	252	3548709	41.459	ng	100
90) Benzo(a)pyrene	24.798	252	3256672	42.555	ng	100
91) Dibenzo(a,h)anthracene	28.827	278	3282019	41.187	ng	100
92) Benzo(g,h,i)perylene	29.921	276	3449483	41.267	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Sep 10 16:43:02 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091024.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Sep 10 16:24:23 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.763 min Scan# 812
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040


Tgt Ion:152 Resp: 173061
Ion Ratio Lower Upper
152 100
150 160.7 128.6 192.8
115 73.6 58.9 88.3



#2
1,4-Dioxane
Concen: 45.217 ng
RT: 3.305 min Scan# 54
Delta R.T. -0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40

Tgt Ion: 88 Resp: 275304
Ion Ratio Lower Upper
88 100
58 64.3 51.4 77.2
43 21.4 17.1 25.7









#3
Pyridine
Concen: 48.182 ng
RT: 3.699 min Scan# 121
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040


Tgt Ion: 79 Resp: 759309
Ion Ratio Lower Upper
79 100
52 55.5 44.4 66.6
51 28.3 22.6 34.0



#4
n-Nitrosodimethylamine
Concen: 44.663 ng
RT: 3.605 min Scan# 105
Delta R.T. -0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40

Tgt Ion: 42 Resp: 265562
Ion Ratio Lower Upper
42 100
74 166.5 133.2 199.8
44 6.4 5.1 7.7









#5
2-Fluorophenol
Concen: 103.997 ng
RT: 5.375 min Scan# 406
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040


Tgt Ion:112 Resp: 1246481
Ion Ratio Lower Upper
112 100
64 58.5 46.8 70.2
63 30.7 24.6 36.8



#6
Aniline
Concen: 40.053 ng
RT: 7.099 min Scan# 699
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40

Tgt Ion: 93 Resp: 568863
Ion Ratio Lower Upper
93 100
66 37.6 30.1 45.1
65 18.5 14.8 22.2





#7

Phenol-d6

Concen: 79.548 ng

RT: 6.940 min Scan# 61

Delta R.T. 0.000 min

Lab File: BP021874.D

Acq: 10 Sep 2024 13:40

Instrument :





BNA_P

ClientSampleId :

SSTDICCC040

Tgt Ion: 99 Resp: 1290197

Ion	Ratio	Lower	Upper
99	100		
42	15.3	12.2	18.4
71	34.6	27.7	41.5



#8

2-Chlorophenol

Concen: 40.565 ng

RT: 7.334 min Scan# 739




Delta R.T. 0.000 min


Lab File: BP021874.D

Acq: 10 Sep 2024 13:40

Tgt Ion: 128 Resp: 447343

Ion	Ratio	Lower	Upper
128	100		
130	31.7	11.7	51.7
64	51.0	31.0	71.0









#9
Benzaldehyde
Concen: 39.976 ng
RT: 6.910 min Scan# 60
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040


Tgt Ion: 77 Resp: 342795
Ion Ratio Lower Upper
77 100
105 99.1 79.1 119.1
106 93.7 73.7 113.7



#10
Phenol
Concen: 38.942 ng
RT: 6.963 min Scan# 676
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40

Tgt Ion: 94 Resp: 641618
Ion Ratio Lower Upper
94 100
65 27.9 7.9 47.9
66 39.5 19.5 59.5









#11
bis(2-Chloroethyl)ether
Concen: 39.151 ng
RT: 7.187 min Scan# 714
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040


Tgt Ion: 93 Resp: 496254
Ion Ratio Lower Upper
93 100
63 71.2 51.2 91.2
95 32.8 12.8 52.8



#12
1,3-Dichlorobenzene
Concen: 39.863 ng
RT: 7.657 min Scan# 794
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40

Tgt Ion:146 Resp: 509321
Ion Ratio Lower Upper
146 100
148 63.2 50.6 75.8
75 37.6 30.1 45.1









#13
1,4-Dichlorobenzene
Concen: 40.359 ng
RT: 7.799 min Scan# 818
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040


Tgt Ion:146 Resp: 522830
Ion Ratio Lower Upper
146 100
148 64.7 51.8 77.6
111 50.0 40.0 60.0



#14
1,2-Dichlorobenzene
Concen: 49.182 ng
RT: 8.110 min Scan# 871
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40

Tgt Ion:146 Resp: 636209
Ion Ratio Lower Upper
146 100
148 62.6 50.1 75.1
111 51.7 41.4 62.0









#15
Benzyl Alcohol
Concen: 46.982 ng
RT: 8.005 min Scan# 853
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040


Tgt Ion: 79 Resp: 566089
Ion Ratio Lower Upper
79 100
108 75.9 60.7 91.1
77 63.7 51.0 76.4



#16
2,2'-oxybis(1-Chloropropane)
Concen: 50.655 ng
RT: 8.281 min Scan# 900
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40

Tgt Ion: 45 Resp: 660939
Ion Ratio Lower Upper
45 100
77 19.6 0.0 39.6
79 15.0 0.0 35.0









#17
2-Methylphenol
Concen: 50.558 ng
RT: 8.205 min Scan# 887
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040


Tgt Ion:	107	Resp:	588653
Ion	Ratio	Lower	Upper
107	100		
108	111.4	89.1	133.7
77	48.3	38.6	58.0
79	47.0	37.6	56.4



#18
Hexachloroethane
Concen: 50.974 ng
RT: 8.834 min Scan# 994
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40

Tgt Ion:	117	Resp:	275214
Ion	Ratio	Lower	Upper
117	100		
119	94.0	75.2	112.8
201	86.9	69.5	104.3









#19
n-Nitroso-di-n-propylamine
Concen: 51.735 ng
RT: 8.557 min Scan# 947
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040


Tgt Ion:	70	Resp:	525169
Ion	Ratio	Lower	Upper
70	100		
42	47.0	37.6	56.4
101	10.8	8.6	13.0
130	19.0	15.2	22.8



#20
3+4-Methylphenols
Concen: 51.311 ng
RT: 8.528 min Scan# 942
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40

Tgt Ion:	107	Resp:	823129
Ion	Ratio	Lower	Upper
107	100		
108	87.2	67.2	107.2
77	34.7	14.7	54.7
79	30.6	10.6	50.6









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.534 min Scan# 1283
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040


Tgt Ion:	136	Resp:	919012
Ion	Ratio	Lower	Upper
136	100		
137	11.2	9.0	13.4
54	8.3	6.6	10.0
68	7.1	5.7	8.5



#22
Acetophenone
Concen: 39.683 ng
RT: 8.575 min Scan# 950
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40

Tgt Ion:	105	Resp:	1125908
Ion	Ratio	Lower	Upper
105	100		
71	3.1	2.5	3.7
51	21.7	17.4	26.0
120	19.7	15.8	23.6









#23
Nitrobenzene-d5
Concen: 83.960 ng
RT: 8.910 min Scan# 1007
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040


Tgt Ion: 82 Resp: 1703204
Ion Ratio Lower Upper
82 100
128 35.8 28.6 43.0
54 41.5 33.2 49.8



#24
Nitrobenzene
Concen: 42.950 ng
RT: 8.946 min Scan# 1013
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40

Tgt Ion: 77 Resp: 863679
Ion Ratio Lower Upper
77 100
123 39.0 31.2 46.8
65 12.9 10.3 15.5









#25
Isophorone
Concen: 42.655 ng
RT: 9.475 min Scan# 1103
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040


Tgt Ion: 82 Resp: 1501855
Ion Ratio Lower Upper
82 100
95 7.4 5.9 8.9
138 14.0 11.2 16.8



#26
2-Nitrophenol
Concen: 42.538 ng
RT: 9.657 min Scan# 1134
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40

Tgt Ion: 139 Resp: 297519
Ion Ratio Lower Upper
139 100
109 39.8 31.8 47.8
65 59.7 47.8 71.6





#27

2,4-Dimethylphenol

Concen: 41.892 ng

RT: 9.716 min Scan# 1144

Delta R.T. 0.000 min

Lab File: BP021874.D

Acq: 10 Sep 2024 13:40

Instrument :

BNA_P

ClientSampleId :

SSTDICCC040





Tgt Ion:122 Resp: 420525

Ion Ratio Lower Upper

122 100

107 133.6 106.9 160.3

121 60.0 48.0 72.0



#28

bis(2-Chloroethoxy)methane

Concen: 42.244 ng

RT: 9.951 min Scan# 1184

Delta R.T. 0.000 min

Lab File: BP021874.D

Acq: 10 Sep 2024 13:40




Tgt Ion: 93 Resp: 966376


Ion Ratio Lower Upper

93 100

95 32.1 25.7 38.5

123 10.0 8.0 12.0





#29

2,4-Dichlorophenol

Concen: 42.355 ng

RT: 10.193 min Scan# 1225

Delta R.T. 0.000 min

Lab File: BP021874.D

Acq: 10 Sep 2024 13:40

Instrument :

BNA_P

ClientSampleId :

SSTDICCC040





Tgt Ion:162 Resp: 552981

Ion Ratio Lower Upper

162 100

164 65.9 45.9 85.9

98 45.0 25.0 65.0



#30

1,2,4-Trichlorobenzene

Concen: 40.699 ng

RT: 10.399 min Scan# 1260

Delta R.T. 0.000 min

Lab File: BP021874.D

Acq: 10 Sep 2024 13:40




Tgt Ion:180 Resp: 611333


Ion Ratio Lower Upper

180 100

182 93.8 75.0 112.6

145 32.0 25.6 38.4









#31
Naphthalene
Concen: 40.488 ng
RT: 10.587 min Scan# 1292
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040


Tgt Ion:128 Resp: 1949057
Ion Ratio Lower Upper
128 100
129 10.7 8.6 12.8
127 13.2 10.6 15.8



#32
Benzoic acid
Concen: 41.539 ng
RT: 9.857 min Scan# 1168
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40

Tgt Ion:122 Resp: 462916
Ion Ratio Lower Upper
122 100
105 138.7 118.7 158.7
77 107.4 87.4 127.4









#33
4-Chloroaniline
Concen: 42.609 ng
RT: 10.693 min Scan# 1310
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040


Tgt Ion:	127	Resp:	752393
Ion	Ratio	Lower	Upper
127	100		
129	31.4	25.1	37.7
65	35.6	28.5	42.7
92	24.5	19.6	29.4



#34
Hexachlorobutadiene
Concen: 40.309 ng
RT: 10.875 min Scan# 1341
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40

Tgt Ion:	225	Resp:	375822
Ion	Ratio	Lower	Upper
225	100		
223	62.8	50.2	75.4
227	63.2	50.6	75.8









#35
Caprolactam
Concen: 42.866 ng
RT: 11.481 min Scan# 1444
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040


Tgt Ion:113 Resp: 232415
Ion Ratio Lower Upper
113 100
55 143.9 123.9 163.9
56 109.5 89.5 129.5



#36
4-Chloro-3-methylphenol
Concen: 41.719 ng
RT: 11.822 min Scan# 1502
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40

Tgt Ion:107 Resp: 786866
Ion Ratio Lower Upper
107 100
144 20.8 16.6 25.0
142 66.0 52.8 79.2









#37
2-Methylnaphthalene
Concen: 40.877 ng
RT: 12.193 min Scan# 1565
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040


Tgt Ion:142 Resp: 1316459
Ion Ratio Lower Upper
142 100
141 88.2 70.6 105.8
115 41.5 33.2 49.8



#38
1-Methylnaphthalene
Concen: 40.261 ng
RT: 12.416 min Scan# 1603
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40

Tgt Ion:142 Resp: 1294616
Ion Ratio Lower Upper
142 100
141 94.6 75.7 113.5
116 4.6 3.7 5.5





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.387 min Scan# 1938

Delta R.T. 0.000 min

Lab File: BP021874.D

Acq: 10 Sep 2024 13:40

Instrument :

BNA_P

ClientSampleId :

SSTDICCC040





Tgt Ion:164 Resp: 608253

Ion Ratio Lower Upper

164 100

162 101.0 80.8 121.2

160 43.6 34.9 52.3



#40

1,2,4,5-Tetrachlorobenzene

Concen: 42.767 ng

RT: 12.563 min Scan# 1628

Delta R.T. 0.000 min

Lab File: BP021874.D

Acq: 10 Sep 2024 13:40

Tgt Ion:216 Resp: 671619




Ion Ratio Lower Upper


216 100

214 77.8 62.2 93.4

179 22.1 17.7 26.5

108 23.3 18.6 28.0









#41
Hexachlorocyclopentadiene
Concen: 45.938 ng
RT: 12.545 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040


Tgt Ion:237 Resp: 232764
Ion Ratio Lower Upper
237 100
235 64.4 44.4 84.4
272 12.3 0.0 32.3



#42
2,4,6-Tribromophenol
Concen: 85.440 ng
RT: 15.892 min Scan# 2194
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40

Tgt Ion:330 Resp: 577491
Ion Ratio Lower Upper
330 100
332 96.0 76.8 115.2
141 39.6 31.7 47.5





#43

2,4,6-Trichlorophenol

Concen: 44.158 ng

RT: 12.804 min Scan# 1669

Delta R.T. 0.000 min

Lab File: BP021874.D

Acq: 10 Sep 2024 13:40

Instrument :

BNA_P

ClientSampleId :

SSTDICCC040





Tgt Ion:196 Resp: 445782

Ion Ratio Lower Upper

196 100

198 95.9 76.7 115.1

200 31.0 24.8 37.2



#44

2,4,5-Trichlorophenol

Concen: 43.968 ng

RT: 12.881 min Scan# 1682

Delta R.T. 0.000 min

Lab File: BP021874.D

Acq: 10 Sep 2024 13:40

Tgt Ion:196 Resp: 516057




Ion Ratio Lower Upper


196 100

198 96.0 76.8 115.2

97 63.4 50.7 76.1

132 28.4 22.7 34.1









#45
2-Fluorobiphenyl
Concen: 84.934 ng
RT: 12.998 min Scan# 1702
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040


Tgt Ion:172 Resp: 3140987
Ion Ratio Lower Upper
172 100
171 34.9 27.9 41.9
170 23.4 18.7 28.1



#46
1,1'-Biphenyl
Concen: 41.116 ng
RT: 13.210 min Scan# 1738
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40

Tgt Ion:154 Resp: 1744467
Ion Ratio Lower Upper
154 100
153 40.2 20.2 60.2
76 16.2 0.0 36.2









#47
2-Chloronaphthalene
Concen: 40.918 ng
RT: 13.251 min Scan# 1745
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040


Tgt Ion:162 Resp: 1349458
Ion Ratio Lower Upper
162 100
127 42.9 34.3 51.5
164 32.5 26.0 39.0



#48
2-Nitroaniline
Concen: 42.994 ng
RT: 13.451 min Scan# 1779
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40

Tgt Ion: 65 Resp: 494338
Ion Ratio Lower Upper
65 100
92 75.6 60.5 90.7
138 89.0 71.2 106.8









#49
Acenaphthylene
Concen: 41.726 ng
RT: 14.104 min Scan# 1890
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040


Tgt Ion:152 Resp: 2036294
Ion Ratio Lower Upper
152 100
151 19.5 15.6 23.4
153 13.3 10.6 16.0



#50
Dimethylphthalate
Concen: 40.684 ng
RT: 13.840 min Scan# 1845
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40

Tgt Ion:163 Resp: 1703719
Ion Ratio Lower Upper
163 100
194 4.0 3.2 4.8
164 10.1 8.1 12.1









#51
2,6-Dinitrotoluene
Concen: 42.395 ng
RT: 13.957 min Scan# 1865
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040


Tgt Ion:165 Resp: 392614
Ion Ratio Lower Upper
165 100
63 65.7 52.6 78.8
89 72.5 58.0 87.0



#52
Acenaphthene
Concen: 41.493 ng
RT: 14.451 min Scan# 1949
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40

Tgt Ion:154 Resp: 1309193
Ion Ratio Lower Upper
154 100
153 114.3 91.4 137.2
152 52.9 42.3 63.5









#53
3-Nitroaniline
Concen: 43.866 ng
RT: 14.287 min Scan# 1921
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040


Tgt Ion:138 Resp: 417097
Ion Ratio Lower Upper
138 100
108 13.9 11.1 16.7
92 152.2 121.8 182.6



#54
2,4-Dinitrophenol
Concen: 43.623 ng
RT: 14.492 min Scan# 1956
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40

Tgt Ion:184 Resp: 192522
Ion Ratio Lower Upper
184 100
63 80.8 64.6 97.0
154 69.1 55.3 82.9









#55
Dibenzofuran
Concen: 41.820 ng
RT: 14.787 min Scan# 2006
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040


Tgt Ion:168 Resp: 2075592
Ion Ratio Lower Upper
168 100
139 39.3 31.4 47.2
169 13.5 10.8 16.2



#56
4-Nitrophenol
Concen: 44.405 ng
RT: 14.610 min Scan# 1976
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40

Tgt Ion:139 Resp: 366217
Ion Ratio Lower Upper
139 100
109 90.5 70.5 110.5
65 111.7 91.7 131.7









#57
2,4-Dinitrotoluene
Concen: 43.364 ng
RT: 14.751 min Scan# 2000
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040


Tgt Ion:165 Resp: 553734
Ion Ratio Lower Upper
165 100
63 49.6 39.7 59.5
89 90.8 72.6 109.0
182 2.8 2.2 3.4



#58
Fluorene
Concen: 41.235 ng
RT: 15.445 min Scan# 2118
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40

Tgt Ion:166 Resp: 1686653
Ion Ratio Lower Upper
166 100
165 98.3 78.6 118.0
167 13.4 10.7 16.1









#59
2,3,4,6-Tetrachlorophenol
Concen: 42.061 ng
RT: 15.016 min Scan# 2045
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040


Tgt Ion:232 Resp: 434081
Ion Ratio Lower Upper
232 100
131 49.0 39.2 58.8
130 2.7 2.2 3.2
166 33.0 26.4 39.6



#60
Diethylphthalate
Concen: 39.287 ng
RT: 15.216 min Scan# 2079
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40

Tgt Ion:149 Resp: 1707601
Ion Ratio Lower Upper
149 100
177 21.5 17.2 25.8
150 12.8 10.2 15.4









#61
4-Chlorophenyl-phenylether
Concen: 41.371 ng
RT: 15.439 min Scan# 2117
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040


Tgt Ion:204 Resp: 820593
Ion Ratio Lower Upper
204 100
206 32.8 26.2 39.4
141 63.4 50.7 76.1



#62
4-Nitroaniline
Concen: 42.953 ng
RT: 15.457 min Scan# 2120
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40

Tgt Ion:138 Resp: 446566
Ion Ratio Lower Upper
138 100
92 66.6 46.6 86.6
108 101.8 81.8 121.8









#63
Azobenzene
Concen: 42.088 ng
RT: 15.734 min Scan# 2167
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40

Instrument :
BNA_P
ClientSampleId :
SSTDICCC040

Tgt Ion: 77 Resp: 2058433




Ion	Ratio	Lower	Upper
77	100		
182	19.3	0.0	39.3
105	21.1	1.1	41.1
51	24.4	4.4	44.4




#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.169 min Scan# 2411
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40

Tgt Ion: 188 Resp: 1334407

Ion	Ratio	Lower	Upper
188	100		
94	12.2	9.8	14.6
80	14.1	11.3	16.9









#65
4,6-Dinitro-2-methylphenol
Concen: 40.611 ng
RT: 15.522 min Scan# 2131
Delta R.T. -0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040


Tgt Ion:198 Resp: 279726
Ion Ratio Lower Upper
198 100
51 41.2 21.2 61.2
105 54.6 34.6 74.6



#66
n-Nitrosodiphenylamine
Concen: 42.789 ng
RT: 15.657 min Scan# 2154
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40

Tgt Ion:169 Resp: 1461828
Ion Ratio Lower Upper
169 100
168 66.8 53.4 80.2
167 35.6 28.5 42.7









#67
4-Bromophenyl-phenylether
Concen: 40.672 ng
RT: 16.351 min Scan# 2272
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040


Tgt Ion:248 Resp: 511525
Ion Ratio Lower Upper
248 100
250 97.5 78.0 117.0
141 79.2 63.4 95.0



#68
Hexachlorobenzene
Concen: 40.387 ng
RT: 16.463 min Scan# 2291
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40

Tgt Ion:284 Resp: 606676
Ion Ratio Lower Upper
284 100
142 36.3 29.0 43.6
249 31.9 25.5 38.3





#69

Atrazine

Concen: 35.775 ng

RT: 16.628 min Scan# 2319

Delta R.T. 0.000 min

Lab File: BP021874.D

Acq: 10 Sep 2024 13:40

Instrument :

BNA_P

ClientSampleId :

SSTDICCC040





Tgt Ion:200 Resp: 358458

Ion Ratio Lower Upper

200 100

173 26.3 6.3 46.3

215 48.1 28.1 68.1



#70

Pentachlorophenol

Concen: 43.631 ng

RT: 16.816 min Scan# 2351

Delta R.T. 0.000 min

Lab File: BP021874.D

Acq: 10 Sep 2024 13:40




Tgt Ion:266 Resp: 419087


Ion Ratio Lower Upper

266 100

268 65.4 52.3 78.5

264 63.0 50.4 75.6









#71
Phenanthrene
Concen: 40.802 ng
RT: 17.216 min Scan# 2419
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040


Tgt Ion:178 Resp: 2691674
Ion Ratio Lower Upper
178 100
176 19.3 15.4 23.2
179 15.2 12.2 18.2



#72
Anthracene
Concen: 41.496 ng
RT: 17.310 min Scan# 2435
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40

Tgt Ion:178 Resp: 2665735
Ion Ratio Lower Upper
178 100
176 18.6 14.9 22.3
179 15.4 12.3 18.5





#73

Carbazole

Concen: 41.350 ng

RT: 17.586 min Scan# 2482

Delta R.T. 0.000 min

Lab File: BP021874.D

Acq: 10 Sep 2024 13:40

Instrument :

BNA_P

ClientSampleId :

SSTDICCC040





Tgt Ion:167 Resp: 2726867

Ion Ratio Lower Upper

167 100

166 21.6 17.3 25.9

139 13.3 10.6 16.0



#74

Di-n-butylphthalate

Concen: 42.777 ng

RT: 18.180 min Scan# 2583

Delta R.T. 0.000 min

Lab File: BP021874.D

Acq: 10 Sep 2024 13:40




Tgt Ion:149 Resp: 3119962


Ion Ratio Lower Upper

149 100

150 9.0 7.2 10.8

104 6.4 5.1 7.7









#75
Fluoranthene
Concen: 43.024 ng
RT: 19.298 min Scan# 2773
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040


Tgt Ion:202 Resp: 3436233
Ion Ratio Lower Upper
202 100
101 13.7 0.0 33.7
203 17.6 0.0 37.6



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.621 min Scan# 3168
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40

Tgt Ion:240 Resp: 1335493
Ion Ratio Lower Upper
240 100
120 12.4 9.9 14.9
236 25.8 20.6 31.0









#77
Benzidine
Concen: 61.128 ng
RT: 19.498 min Scan# 2807
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40




Instrument :
BNA_P
ClientSampleId :
SSTDICCC040


Tgt Ion:184 Resp: 1125075
Ion Ratio Lower Upper
184 100
185 14.7 11.8 17.6
183 11.5 9.2 13.8



#78
Pyrene
Concen: 34.673 ng
RT: 19.674 min Scan# 2837
Delta R.T. 0.000 min
Lab File: BP021874.D
Acq: 10 Sep 2024 13:40

Tgt Ion:202 Resp: 2922204
Ion Ratio Lower Upper
202 100
200 21.2 17.0 25.4
203 17.5 14.0 21.0





#79

Terphenyl-d14

Concen: 66.607 ng

RT: 19.892 min Scan# 2874

Delta R.T. 0.000 min

Lab File: BP021874.D

Acq: 10 Sep 2024 13:40

Instrument :

BNA_P

ClientSampleId :

SSTDICCC040





Tgt Ion:244 Resp: 4165225

Ion Ratio Lower Upper

244 100

212 7.8 6.2 9.4

122 12.0 9.6 14.4



#80

Butylbenzylphthalate

Concen: 43.352 ng

RT: 20.627 min Scan# 2999

Delta R.T. 0.000 min

Lab File: BP021874.D

Acq: 10 Sep 2024 13:40




Tgt Ion:149 Resp: 1503619


Ion Ratio Lower Upper

149 100

91 90.6 72.5 108.7

206 20.3 16.2 24.4





#81

Benzo(a)anthracene

Concen: 41.429 ng

RT: 21.598 min Scan# 3164

Delta R.T. 0.000 min

Lab File: BP021874.D

Acq: 10 Sep 2024 13:40

Instrument :

BNA_P

ClientSampleId :

SSTDICCC040





Tgt Ion:228 Resp: 3510373

Ion Ratio Lower Upper

228 100

226 26.8 21.4 32.2

229 19.2 15.4 23.0



#82

3,3'-Dichlorobenzidine

Concen: 44.157 ng

RT: 21.516 min Scan# 3150

Delta R.T. 0.000 min

Lab File: BP021874.D

Acq: 10 Sep 2024 13:40




Tgt Ion:252 Resp: 1182002


Ion Ratio Lower Upper

252 100

254 65.8 52.6 79.0

126 13.2 10.6 15.8





#83

Chrysene

Concen: 40.986 ng

RT: 21.663 min Scan# 3175

Delta R.T. 0.000 min

Lab File: BP021874.D

Acq: 10 Sep 2024 13:40

Instrument :





BNA_P

ClientSampleId :

SSTDICCC040

Tgt Ion:228 Resp: 3343112

Ion	Ratio	Lower	Upper
228	100		
226	29.5	23.6	35.4
229	19.7	15.8	23.6



#84

Bis(2-ethylhexyl)phthalate

Concen: 42.797 ng

RT: 21.533 min Scan# 3153




Delta R.T. 0.000 min


Lab File: BP021874.D

Acq: 10 Sep 2024 13:40

Tgt Ion:149 Resp: 2125255

Ion	Ratio	Lower	Upper
149	100		
167	27.1	21.7	32.5
279	4.3	3.4	5.2





#85

Di-n-octyl phthalate

Concen: 43.381 ng

RT: 22.804 min Scan# 3369

Delta R.T. 0.000 min

Lab File: BP021874.D

Acq: 10 Sep 2024 13:40

Instrument :

BNA_P

ClientSampleId :

SSTDICCC040





Tgt Ion:149 Resp: 3546689

Ion Ratio Lower Upper

149 100

167 1.5 1.2 1.8

43 8.9 7.1 10.7



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.957 min Scan# 3735

Delta R.T. 0.000 min

Lab File: BP021874.D

Acq: 10 Sep 2024 13:40




Tgt Ion:264 Resp: 1533133


Ion Ratio Lower Upper

264 100

260 23.1 18.5 27.7

265 22.0 17.6 26.4





#87

Indeno(1,2,3-cd)pyrene

Concen: 41.207 ng

RT: 28.739 min Scan# 41

Delta R.T. 0.000 min

Lab File: BP021874.D

Acq: 10 Sep 2024 13:40

Instrument :

BNA_P

ClientSampleId :

SSTDICCC040





Tgt Ion:276 Resp: 3971546

Ion Ratio Lower Upper

276 100

138 18.7 15.0 22.4

277 25.2 20.2 30.2



#88

Benzo(b)fluoranthene

Concen: 41.652 ng

RT: 23.898 min Scan# 3555

Delta R.T. 0.000 min

Lab File: BP021874.D

Acq: 10 Sep 2024 13:40




Tgt Ion:252 Resp: 3677607


Ion Ratio Lower Upper

252 100

253 22.2 17.8 26.6

125 11.1 8.9 13.3





#89

Benzo(k)fluoranthene

Concen: 41.459 ng

RT: 23.974 min Scan# 3568

Delta R.T. 0.000 min

Lab File: BP021874.D

Acq: 10 Sep 2024 13:40

Instrument :

BNA_P

ClientSampleId :

SSTDICCC040





Tgt Ion:252 Resp: 3548709

Ion Ratio Lower Upper

252 100

253 22.0 17.6 26.4

125 12.0 9.6 14.4



#90

Benzo(a)pyrene

Concen: 42.555 ng

RT: 24.798 min Scan# 3708

Delta R.T. 0.000 min

Lab File: BP021874.D

Acq: 10 Sep 2024 13:40




Tgt Ion:252 Resp: 3256672


Ion Ratio Lower Upper

252 100

253 21.7 17.4 26.0

125 11.9 9.5 14.3





#91

Dibenzo(a,h)anthracene

Concen: 41.187 ng

RT: 28.827 min Scan# 41

Delta R.T. 0.000 min

Lab File: BP021874.D

Acq: 10 Sep 2024 13:40

Instrument :

BNA_P

ClientSampleId :

SSTDICCC040





Tgt Ion:278 Resp: 3282019

Ion Ratio Lower Upper

278 100

139 17.1 13.7 20.5

279 23.8 19.0 28.6



#92

Benzo(g,h,i)perylene

Concen: 41.267 ng

RT: 29.921 min Scan# 4579

Delta R.T. 0.000 min

Lab File: BP021874.D

Acq: 10 Sep 2024 13:40

Tgt Ion:276 Resp: 3449483

Ion Ratio Lower Upper

276 100

277 24.4 19.5 29.3

138 22.2 17.8 26.6

