

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091322\
 Data File : BP011688.D
 Acq On : 13 Sep 2022 16:34
 Operator : CG/JU
 Sample : N4557-03
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SP-303-20220908

Quant Time: Sep 14 02:57:15 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091322.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 13 15:49:51 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.957	152	594224	20.000	ng	0.00
21) Naphthalene-d8	10.769	136	2414570	20.000	ng	# 0.00
39) Acenaphthene-d10	14.598	164	1415905	20.000	ng	0.00
64) Phenanthrene-d10	17.351	188	2874979	20.000	ng	# 0.00
76) Chrysene-d12	21.433	240	2619809	20.000	ng	0.00
86) Perylene-d12	23.898	264	2571853	20.000	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.516	112	2819069	85.487	ng	0.00
7) Phenol-d6	7.110	99	2175379	50.530	ng	0.00
23) Nitrobenzene-d5	9.122	82	4471995	113.736	ng	0.00
42) 2,4,6-Tribromophenol	16.086	330	2274199	185.569	ng	0.00
45) 2-Fluorobiphenyl	13.228	172	9367378	102.473	ng	0.01
79) Terphenyl-d14	19.904	244	12219180	102.347	ng	0.00
Target Compounds						
84) Bis(2-ethylhexyl)phtha...	21.339	149	26303	2.905	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091322\
Data File : BP011688.D
Acq On : 13 Sep 2022 16:34
Operator : CG/JU
Sample : N4557-03
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SP-303-20220908

Quant Time: Sep 14 02:57:15 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091322.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Sep 13 15:49:51 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.957 min Scan# 84
Delta R.T. 0.005 min
Lab File: BP011688.D
Acq: 13 Sep 2022 16:34




Instrument :
BNA_P
ClientSampleId :
SP-303-20220908


Tgt Ion:152 Resp: 594224
Ion Ratio Lower Upper
152 100
150 155.3 123.4 185.2
115 58.9 51.3 76.9



#5
2-Fluorophenol
Concen: 85.487 ng
RT: 5.516 min Scan# 430
Delta R.T. 0.006 min
Lab File: BP011688.D
Acq: 13 Sep 2022 16:34

Tgt Ion:112 Resp: 2819069
Ion Ratio Lower Upper
112 100
64 55.0 56.9 85.3#
63 27.8 31.2 46.8#









#7
Phenol-d6
Concen: 50.530 ng
RT: 7.110 min Scan# 701
Delta R.T. -0.000 min
Lab File: BP011688.D
Acq: 13 Sep 2022 16:34




Instrument :
BNA_P
ClientSampleId :
SP-303-20220908


Tgt Ion: 99 Resp: 2175379
Ion Ratio Lower Upper
99 100
42 14.8 20.3 30.5#
71 29.8 33.9 50.9#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.769 min Scan# 1323
Delta R.T. 0.006 min
Lab File: BP011688.D
Acq: 13 Sep 2022 16:34

Tgt Ion:136 Resp: 2414570
Ion Ratio Lower Upper
136 100
137 10.9 9.0 13.4
54 7.9 8.7 13.1#
68 6.3 4.8 7.2









#23
Nitrobenzene-d5
Concen: 113.736 ng
RT: 9.122 min Scan# 1043
Delta R.T. -0.000 min
Lab File: BP011688.D
Acq: 13 Sep 2022 16:34




Instrument :
BNA_P
ClientSampleId :
SP-303-20220908


Tgt Ion: 82 Resp: 4471995
Ion Ratio Lower Upper
82 100
128 45.6 31.3 46.9
54 47.7 49.8 74.8#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.598 min Scan# 1974
Delta R.T. 0.005 min
Lab File: BP011688.D
Acq: 13 Sep 2022 16:34

Tgt Ion:164 Resp: 1415905
Ion Ratio Lower Upper
164 100
162 99.5 81.9 122.9
160 44.6 34.6 51.8









#42
2,4,6-Tribromophenol
Concen: 185.569 ng
RT: 16.086 min Scan# 21
Delta R.T. 0.006 min
Lab File: BP011688.D
Acq: 13 Sep 2022 16:34




Instrument :
BNA_P
ClientSampleId :
SP-303-20220908


Tgt Ion:330 Resp: 2274199
Ion Ratio Lower Upper
330 100
332 94.4 78.1 117.1
141 40.4 31.4 47.2



#45
2-Fluorobiphenyl
Concen: 102.473 ng
RT: 13.228 min Scan# 1741
Delta R.T. 0.011 min
Lab File: BP011688.D
Acq: 13 Sep 2022 16:34

Tgt Ion:172 Resp: 9367378
Ion Ratio Lower Upper
172 100
171 36.9 27.9 41.9
170 24.8 18.2 27.2









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.351 min Scan# 2441
Delta R.T. 0.006 min
Lab File: BP011688.D
Acq: 13 Sep 2022 16:34




Instrument :
BNA_P
ClientSampleId :
SP-303-20220908


Tgt Ion:188 Resp: 2874979
Ion Ratio Lower Upper
188 100
94 10.4 6.6 10.0#
80 11.2 8.0 12.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.433 min Scan# 3136
Delta R.T. 0.006 min
Lab File: BP011688.D
Acq: 13 Sep 2022 16:34

Tgt Ion:240 Resp: 2619809
Ion Ratio Lower Upper
240 100
120 12.7 8.6 12.8
236 26.8 19.8 29.6





#79

Terphenyl-d14

Concen: 102.347 ng

RT: 19.904 min Scan# 21

Delta R.T. 0.006 min

Lab File: BP011688.D

Acq: 13 Sep 2022 16:34

Instrument :

BNA_P

ClientSampleId :

SP-303-20220908





Tgt Ion:244 Resp:12219180

Ion Ratio Lower Upper

244 100

212 10.0 5.8 8.8#

122 14.9 7.6 11.4#



#84

Bis(2-ethylhexyl)phthalate

Concen: 2.905 ng

RT: 21.339 min Scan# 3120

Delta R.T. 0.006 min

Lab File: BP011688.D

Acq: 13 Sep 2022 16:34




Tgt Ion:149 Resp: 26303


Ion Ratio Lower Upper

149 100

167 27.8 21.8 32.8

279 4.2 3.7 5.5





#86

Perylene-d12

Concen: 20.000 ng

RT: 23.898 min Scan# 3555

Delta R.T. 0.011 min

Lab File: BP011688.D


Acq: 13 Sep 2022 16:34

Instrument :

BNA_P

ClientSampleId :

SP-303-20220908



Tgt Ion:264 Resp: 2571853

Ion Ratio Lower Upper

264 100

260 24.5 19.3 28.9

265 22.2 18.0 27.0

