

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091621\
 Data File : BP007014.D
 Acq On : 17 Sep 2021 01:42
 Operator : CG/JU
 Sample : M3687-33
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 A013115

Quant Time: Sep 17 02:41:19 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091621.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 16 15:16:52 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.911	152	323455	20.000	ng	-0.01
21) Naphthalene-d8	10.710	136	1231895	20.000	ng	#-0.01
39) Acenaphthene-d10	14.534	164	736550	20.000	ng	-0.01
64) Phenanthrene-d10	17.281	188	1543317	20.000	ng	#-0.01
76) Chrysene-d12	21.357	240	1551593	20.000	ng	#-0.02
86) Perylene-d12	23.769	264	1597030	20.000	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.481	112	1957203	98.807	ng	0.00
7) Phenol-d6	7.075	99	2427355	89.781	ng	0.00
23) Nitrobenzene-d5	9.069	82	1351356	61.611	ng	-0.01
42) 2,4,6-Tribromophenol	16.022	330	815997	92.121	ng	-0.01
45) 2-Fluorobiphenyl	13.163	172	3276369	61.409	ng	-0.01
79) Terphenyl-d14	19.839	244	5100803	63.074	ng	-0.01


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP091621\
Data File : BP007014.D
Acq On : 17 Sep 2021 01:42
Operator : CG/JU
Sample : M3687-33
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
A013115

Quant Time: Sep 17 02:41:19 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091621.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 16 15:16:52 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.911 min Scan# 820
Delta R.T. -0.011 min
Lab File: BP007014.D
Acq: 17 Sep 2021 01:42




Instrument :
BNA_P
ClientSampleId :
A013115


Tgt Ion:152 Resp: 323455
Ion Ratio Lower Upper
152 100
150 154.1 125.6 188.4
115 58.2 48.5 72.7



#5
2-Fluorophenol
Concen: 98.807 ng
RT: 5.481 min Scan# 407
Delta R.T. -0.006 min
Lab File: BP007014.D
Acq: 17 Sep 2021 01:42

Tgt Ion:112 Resp: 1957203
Ion Ratio Lower Upper
112 100
64 52.8 41.4 62.2
63 27.0 23.8 35.8









#7
Phenol-d6
Concen: 89.781 ng
RT: 7.075 min Scan# 678
Delta R.T. -0.006 min
Lab File: BP007014.D
Acq: 17 Sep 2021 01:42




Instrument :
BNA_P
ClientSampleId :
A013115


Tgt Ion: 99 Resp: 2427355
Ion Ratio Lower Upper
99 100
42 14.4 13.4 20.0
71 29.9 30.6 46.0#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.710 min Scan# 1296
Delta R.T. -0.012 min
Lab File: BP007014.D
Acq: 17 Sep 2021 01:42

Tgt Ion:136 Resp: 1231895
Ion Ratio Lower Upper
136 100
137 11.1 8.6 12.8
54 7.4 4.6 6.8#
68 5.8 3.6 5.4#









#23
Nitrobenzene-d5
Concen: 61.611 ng
RT: 9.069 min Scan# 1017
Delta R.T. -0.012 min
Lab File: BP007014.D
Acq: 17 Sep 2021 01:42




Instrument :
BNA_P
ClientSampleId :
A013115


Tgt Ion: 82 Resp: 1351356
Ion Ratio Lower Upper
82 100
128 45.4 35.7 53.5
54 47.0 35.0 52.4



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.534 min Scan# 1946
Delta R.T. -0.012 min
Lab File: BP007014.D
Acq: 17 Sep 2021 01:42

Tgt Ion:164 Resp: 736550
Ion Ratio Lower Upper
164 100
162 100.8 80.2 120.2
160 45.0 34.5 51.7









#42
2,4,6-Tribromophenol
Concen: 92.121 ng
RT: 16.022 min Scan# 2199
Delta R.T. -0.012 min
Lab File: BP007014.D
Acq: 17 Sep 2021 01:42




Instrument :
BNA_P
ClientSampleId :
A013115


Tgt Ion:330 Resp: 815997
Ion Ratio Lower Upper
330 100
332 96.8 77.8 116.8
141 34.6 25.4 38.2



#45
2-Fluorobiphenyl
Concen: 61.409 ng
RT: 13.163 min Scan# 1713
Delta R.T. -0.012 min
Lab File: BP007014.D
Acq: 17 Sep 2021 01:42

Tgt Ion:172 Resp: 3276369
Ion Ratio Lower Upper
172 100
171 35.5 27.9 41.9
170 23.6 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.281 min Scan# 2413
Delta R.T. -0.012 min
Lab File: BP007014.D
Acq: 17 Sep 2021 01:42




Instrument :
BNA_P
ClientSampleId :
A013115


Tgt Ion:188 Resp: 1543317
Ion Ratio Lower Upper
188 100
94 9.5 5.6 8.4#
80 10.3 6.3 9.5#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.357 min Scan# 3106
Delta R.T. -0.023 min
Lab File: BP007014.D
Acq: 17 Sep 2021 01:42

Tgt Ion:240 Resp: 1551593
Ion Ratio Lower Upper
240 100
120 11.2 6.5 9.7#
236 26.0 20.6 31.0









#79
Terphenyl-d14
Concen: 63.074 ng
RT: 19.839 min Scan# 2848
Delta R.T. -0.012 min
Lab File: BP007014.D
Acq: 17 Sep 2021 01:42

Instrument :
BNA_P
ClientSampleId :
A013115

Tgt Ion:244 Resp: 5100803
Ion Ratio Lower Upper
244 100
212 7.0 6.0 9.0
122 10.1 7.1 10.7



#86
Perylene-d12
Concen: 20.000 ng
RT: 23.769 min Scan# 3516
Delta R.T. -0.029 min
Lab File: BP007014.D
Acq: 17 Sep 2021 01:42

Tgt Ion:264 Resp: 1597030
Ion Ratio Lower Upper
264 100
260 23.6 18.6 28.0
265 22.2 17.6 26.4

