

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP092225\
 Data File : BP025812.D
 Acq On : 22 Sep 2025 14:23
 Operator : CG/JU
 Sample : Q3138-01
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :

Quant Time: Sep 22 14:45:47 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 11 16:45:04 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.743	152	184462	20.000	ng	-0.02
21) Naphthalene-d8	10.513	136	718477	20.000	ng	-0.01
39) Acenaphthene-d10	14.378	164	459821	20.000	ng	0.00
64) Phenanthrene-d10	17.177	188	816349	20.000	ng	# 0.00
76) Chrysene-d12	21.630	240	886461	20.000	ng	-0.01
86) Perylene-d12	24.995	264	1005006	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.390	112	341013	29.830	ng	0.00
7) Phenol-d6	6.960	99	811680	53.416	ng	0.01
23) Nitrobenzene-d5	8.890	82	710049	43.594	ng	-0.01
42) 2,4,6-Tribromophenol	15.895	330	103017	17.962	ng	-0.01
45) 2-Fluorobiphenyl	12.978	172	1746230	50.566	ng	-0.01
79) Terphenyl-d14	19.907	244	2650156	53.782	ng	0.00
Target Compounds						
						Qvalue
54) 2,4-Dinitrophenol	14.513	184	377	4.898	ng	# 1
56) 4-Nitrophenol	14.619	139	251	4.517	ng	# 1
80) Butylbenzylphthalate	20.401	149	1026413	39.577	ng	# 28


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP092225\
Data File : BP025812.D
Acq On : 22 Sep 2025 14:23
Operator : CG/JU
Sample : Q3138-01
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :


Quant Time: Sep 22 14:45:47 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP091225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 11 16:45:04 2025
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.743 min Scan# 81
Delta R.T. -0.017 min
Lab File: BP025812.D
Acq: 22 Sep 2025 14:23

Instrument :
BNA_P
ClientSampleId :







Tgt Ion:152 Resp: 184462
Ion Ratio Lower Upper
152 100
150 160.2 124.3 186.5
115 61.4 50.3 75.5



#5
2-Fluorophenol
Concen: 29.830 ng
RT: 5.390 min Scan# 417
Delta R.T. 0.006 min
Lab File: BP025812.D
Acq: 22 Sep 2025 14:23


Tgt Ion:112 Resp: 341013
Ion Ratio Lower Upper
112 100
64 61.4 50.2 75.4
63 31.4 26.7 40.1








#7
Phenol-d6
Concen: 53.416 ng
RT: 6.960 min Scan# 61
Delta R.T. 0.012 min
Lab File: BP025812.D
Acq: 22 Sep 2025 14:23

Instrument :
BNA_P
ClientSampleId :







Tgt Ion: 99 Resp: 811680
Ion Ratio Lower Upper
99 100
42 19.4 15.6 23.4
71 35.0 28.6 43.0



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.513 min Scan# 1288
Delta R.T. -0.012 min
Lab File: BP025812.D
Acq: 22 Sep 2025 14:23

Tgt Ion:136 Resp: 718477
Ion Ratio Lower Upper
136 100
137 10.7 8.7 13.1
54 9.4 7.5 11.3
68 6.4 5.0 7.6









#23
Nitrobenzene-d5
Concen: 43.594 ng
RT: 8.890 min Scan# 1014
Delta R.T. -0.012 min
Lab File: BP025812.D
Acq: 22 Sep 2025 14:23




Instrument :
BNA_P
ClientSampleId :


Tgt Ion: 82 Resp: 710049
Ion Ratio Lower Upper
82 100
128 41.1 32.9 49.3
54 53.1 43.4 65.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.378 min Scan# 1945
Delta R.T. -0.000 min
Lab File: BP025812.D
Acq: 22 Sep 2025 14:23

Tgt Ion: 164 Resp: 459821
Ion Ratio Lower Upper
164 100
162 98.7 80.6 120.8
160 43.9 35.0 52.6









#42
2,4,6-Tribromophenol
Concen: 17.962 ng
RT: 15.895 min Scan# 21
Delta R.T. -0.012 min
Lab File: BP025812.D
Acq: 22 Sep 2025 14:23

Instrument :
BNA_P
ClientSampleId :

Tgt Ion:330 Resp: 103017




Ion	Ratio	Lower	Upper
330	100		
332	97.2	76.9	115.3
141	38.2	31.0	46.4




#45
2-Fluorobiphenyl
Concen: 50.566 ng
RT: 12.978 min Scan# 1707
Delta R.T. -0.012 min
Lab File: BP025812.D
Acq: 22 Sep 2025 14:23

Tgt Ion:172 Resp: 1746230

Ion	Ratio	Lower	Upper
172	100		
171	34.5	27.8	41.6
170	22.9	18.6	27.8









#54
2,4-Dinitrophenol
Concen: 4.898 ng
RT: 14.513 min Scan# 1968
Delta R.T. 0.006 min
Lab File: BP025812.D
Acq: 22 Sep 2025 14:23




Instrument :
BNA_P
ClientSampleId :


Tgt Ion:184 Resp: 377
Ion Ratio Lower Upper
184 100
63 166.4 52.5 78.7#
154 167.2 51.5 77.3#



#56
4-Nitrophenol
Concen: 4.517 ng
RT: 14.619 min Scan# 1986
Delta R.T. -0.000 min
Lab File: BP025812.D
Acq: 22 Sep 2025 14:23

Tgt Ion:139 Resp: 251
Ion Ratio Lower Upper
139 100
109 493.7 62.9 102.9#
65 126.3 83.4 123.4#









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.177 min Scan# 2422
Delta R.T. -0.006 min
Lab File: BP025812.D
Acq: 22 Sep 2025 14:23




Instrument :
BNA_P
ClientSampleId :


Tgt Ion:188 Resp: 816349
Ion Ratio Lower Upper
188 100
94 11.2 7.4 11.0#
80 12.2 7.7 11.5#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.630 min Scan# 3178
Delta R.T. -0.012 min
Lab File: BP025812.D
Acq: 22 Sep 2025 14:23

Tgt Ion:240 Resp: 886461
Ion Ratio Lower Upper
240 100
120 10.8 8.0 12.0
236 26.0 20.7 31.1









#79
 Terphenyl-d14
 Concen: 53.782 ng
 RT: 19.907 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BP025812.D
 Acq: 22 Sep 2025 14:23




Instrument :
 BNA_P
 ClientSampleId :


Tgt Ion:244 Resp: 2650156
 Ion Ratio Lower Upper
 244 100
 212 7.6 5.9 8.9
 122 10.0 7.1 10.7



#80
 Butylbenzylphthalate
 Concen: 39.577 ng
 RT: 20.401 min Scan# 2969
 Delta R.T. -0.241 min
 Lab File: BP025812.D
 Acq: 22 Sep 2025 14:23


Tgt Ion:149 Resp: 1026413
 Ion Ratio Lower Upper
 149 100
 91 4.7 56.6 85.0#
 206 0.8 17.4 26.0#





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.995 min Scan# 31
 Delta R.T. -0.006 min
 Lab File: BP025812.D
 Acq: 22 Sep 2025 14:23

Instrument :
 BNA_P
 ClientSampleId :



Tgt Ion:264 Resp: 1005006
 Ion Ratio Lower Upper
 264 100
 260 23.6 18.3 27.5
 265 22.6 17.3 25.9

