

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP100520\
 Data File : BP003518.D
 Acq On : 06 Oct 2020 09:16
 Operator : CG/JU
 Sample : L4190-18
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PAV-B18-092920-DP

Quant Time: Oct 06 10:46:13 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270-BP091520.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 05 14:33:14 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.499	152	92536	20.00	ng	# 0.00
21) Naphthalene-d8	10.275	136	367706	20.00	ng	# 0.00
39) Acenaphthene-d10	14.157	164	225722	20.00	ng	0.00
64) Phenanthrene-d10	16.916	188	510788	20.00	ng	# 0.00
76) Chrysene-d12	21.022	240	538796	20.00	ng	0.00
86) Perylene-d12	23.198	264	487358	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.117	112	736547	138.99	ng	0.00
7) Phenol-d6	6.711	99	849276	120.23	ng	0.00
23) Nitrobenzene-d5	8.652	82	700013	111.84	ng	0.00
42) 2,4,6-Tribromophenol	15.663	330	400001	116.19	ng	0.00
45) 2-Fluorobiphenyl	12.775	172	1478455	95.79	ng	0.00
79) Terphenyl-d14	19.504	244	2383345	92.17	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP100520\
Data File : BP003518.D
Acq On : 06 Oct 2020 09:16
Operator : CG/JU
Sample : L4190-18
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PAV-B18-092920-DP


Quant Time: Oct 06 10:46:13 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270-BP091520.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 05 14:33:14 2020
Response via : Initial Calibration



Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP100520\
Data File : BP003518.D
Acq On : 06 Oct 2020 09:16
Operator : CG/JU
Sample : L4190-18
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PAV-B18-092920-DP

Quant Time: Oct 06 10:46:13 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270-BP091520.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 05 14:33:14 2020
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.499 min Scan# 784
Delta R.T. 0.001 min
Lab File: BP003518.D
Acq: 06 Oct 2020 09:16




Instrument :
BNA_P
ClientSampleId :
PAV-B18-092920-DP


Tgt Ion:152 Resp: 92536
Ion Ratio Lower Upper
152 100
150 158.1 123.8 185.6
115 66.6 43.8 65.6#



#5
2-Fluorophenol
Concen: 138.99 ng
RT: 5.117 min Scan# 379
Delta R.T. 0.006 min
Lab File: BP003518.D
Acq: 06 Oct 2020 09:16

Tgt Ion:112 Resp: 736547
Ion Ratio Lower Upper
112 100
64 51.0 32.8 49.2#
63 28.1 17.0 25.4#









#7
Phenol-d6
Concen: 120.23 ng
RT: 6.711 min Scan# 650
Delta R.T. 0.006 min
Lab File: BP003518.D
Acq: 06 Oct 2020 09:16




Instrument :
BNA_P
ClientSampleId :
PAV-B18-092920-DP


Tgt Ion: 99 Resp: 849276
Ion Ratio Lower Upper
99 100
42 12.9 8.6 13.0
71 36.0 23.4 35.2#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.275 min Scan# 1256
Delta R.T. 0.000 min
Lab File: BP003518.D
Acq: 06 Oct 2020 09:16

Tgt Ion: 136 Resp: 367706
Ion Ratio Lower Upper
136 100
137 11.1 8.6 13.0
54 5.6 3.6 5.4#
68 5.9 3.3 4.9#









#23
Nitrobenzene-d5
Concen: 111.84 ng
RT: 8.652 min Scan# 980
Delta R.T. 0.000 min
Lab File: BP003518.D
Acq: 06 Oct 2020 09:16




Instrument :
BNA_P
ClientSampleId :
PAV-B18-092920-DP


Tgt Ion: 82 Resp: 700013
Ion Ratio Lower Upper
82 100
128 41.4 45.6 68.4#
54 37.9 30.1 45.1



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.157 min Scan# 1916
Delta R.T. 0.000 min
Lab File: BP003518.D
Acq: 06 Oct 2020 09:16

Tgt Ion: 164 Resp: 225722
Ion Ratio Lower Upper
164 100
162 104.8 79.4 119.2
160 46.0 36.1 54.1









#42
2,4,6-Tribromophenol
Concen: 116.19 ng
RT: 15.663 min Scan# 2172
Delta R.T. 0.000 min
Lab File: BP003518.D
Acq: 06 Oct 2020 09:16




Instrument :
BNA_P
ClientSampleId :
PAV-B18-092920-DP


Tgt Ion:330 Resp: 400001
Ion Ratio Lower Upper
330 100
332 98.5 77.1 115.7
141 38.0 23.4 35.2#



#45
2-Fluorobiphenyl
Concen: 95.79 ng
RT: 12.775 min Scan# 1681
Delta R.T. 0.000 min
Lab File: BP003518.D
Acq: 06 Oct 2020 09:16

Tgt Ion:172 Resp: 1478455
Ion Ratio Lower Upper
172 100
171 35.3 28.5 42.7
170 23.6 19.2 28.8









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 16.916 min Scan# 2385
Delta R.T. 0.000 min
Lab File: BP003518.D
Acq: 06 Oct 2020 09:16




Instrument :
BNA_P
ClientSampleId :
PAV-B18-092920-DP


Tgt Ion:188 Resp: 510788
Ion Ratio Lower Upper
188 100
94 9.5 6.2 9.2#
80 10.5 6.2 9.2#



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.022 min Scan# 3083
Delta R.T. -0.006 min
Lab File: BP003518.D
Acq: 06 Oct 2020 09:16

Tgt Ion:240 Resp: 538796
Ion Ratio Lower Upper
240 100
120 11.1 7.8 11.6
236 26.2 20.8 31.2









#79
Terphenyl-d14
Concen: 92.17 ng
RT: 19.504 min Scan# 2825
Delta R.T. 0.000 min
Lab File: BP003518.D
Acq: 06 Oct 2020 09:16

Instrument :
BNA_P
ClientSampleId :
PAV-B18-092920-DP

Tgt Ion:244 Resp: 2383345
Ion Ratio Lower Upper
244 100
212 7.6 5.8 8.6
122 8.0 7.8 11.8



#86
Perylene-d12
Concen: 20.00 ng
RT: 23.198 min Scan# 3453
Delta R.T. 0.000 min
Lab File: BP003518.D
Acq: 06 Oct 2020 09:16

Tgt Ion:264 Resp: 487358
Ion Ratio Lower Upper
264 100
260 24.8 18.8 28.2
265 21.8 17.4 26.2

