

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP100820\
 Data File : BP003579.D
 Acq On : 08 Oct 2020 19:31
 Operator : CG/JU
 Sample : L4291-03
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PAV-B4-100620-0-10

Manual Integrations
 APPROVED

mohammad
 10/12/2020 11:32:23 AM

Quant Time: Oct 09 01:59:13 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270-BP091520.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 08 15:55:58 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.481	152	50940	20.00	ng	0.00
21) Naphthalene-d8	10.257	136	188699	20.00	ng	0.00
39) Acenaphthene-d10	14.140	164	114300	20.00	ng	0.00
64) Phenanthrene-d10	16.898	188	252035	20.00	ng	0.00
76) Chrysene-d12	21.010	240	287523	20.00	ng	0.00
86) Perylene-d12	23.174	264	337483	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.099	112	262906	90.12	ng	0.00
7) Phenol-d6	6.693	99	308268	79.28	ng	0.00
23) Nitrobenzene-d5	8.634	82	222392	69.24	ng	0.00
42) 2,4,6-Tribromophenol	15.645	330	150010	86.05	ng	0.00
45) 2-Fluorobiphenyl	12.751	172	520570	66.61	ng	0.00
79) Terphenyl-d14	19.486	244	832824	60.35	ng	0.00
Target Compounds						Qvalue
50) Dimethylphthalate	13.610	163	54512	5.97	ng	100
71) Phenanthrene	16.939	178	176240	12.85	ng	99
72) Anthracene	17.039	178	44740	3.31	ng	98
75) Fluoranthene	18.933	202	443742	25.74	ng	99
78) Pyrene	19.286	202	447616	24.96	ng	99
81) Benzo(a)anthracene	20.998	228	298424	16.06	ng	99
83) Chrysene	21.045	228	266791	14.94	ng	97
87) Indeno(1,2,3-cd)pyrene	25.368	276	312730	12.23	ng	# 91
88) Benzo(b)fluoranthene	22.533	252	467664	21.94	ng	97
89) Benzo(k)fluoranthene	22.569	252	161955m	7.93	ng	
90) Benzo(a)pyrene	23.080	252	405195m	20.16	ng	
91) Dibenzo(a,h)anthracene	25.368	278	89673	4.25	ng	# 91
92) Benzo(g,h,i)perylene	26.039	276	309701	14.70	ng	# 94

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP100820\
Data File : BP003579.D
Acq On : 08 Oct 2020 19:31
Operator : CG/JU
Sample : L4291-03
Misc :
ALS Vial : 9 Sample Multiplier: 1


Instrument :
BNA_P
ClientSampleId :
PAV-B4-100620-0-10

Manual Integrations
APPROVED

mohammad
10/12/2020 11:32:23 AM

Quant Time: Oct 09 01:59:13 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270-BP091520.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 08 15:55:58 2020
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.481 min Scan# 781
Delta R.T. 0.000 min
Lab File: BP003579.D
Acq: 08 Oct 2020 19:31

Tgt Ion:	152	Resp:	50940
Ion	Ratio	Lower	Upper
152	100		
150	147.5	123.8	185.6
115	60.8	43.8	65.6

Instrument :
BNA_P
ClientSampleId :
PAV-B4-100620-0-10




Manual Integrations
APPROVED


mohammad
10/12/2020 11:32:23 AM



#5
2-Fluorophenol
Concen: 90.12 ng
RT: 5.099 min Scan# 376
Delta R.T. 0.000 min
Lab File: BP003579.D
Acq: 08 Oct 2020 19:31


Tgt Ion:	112	Resp:	262906
Ion	Ratio	Lower	Upper
112	100		
64	49.0	32.8	49.2
63	27.4	17.0	25.4





#7
Phenol-d6
Concen: 79.28 ng
RT: 6.693 min Scan# 647
Delta R.T. 0.006 min
Lab File: BP003579.D
Acq: 08 Oct 2020 19:31




Instrument :
BNA_P
ClientSampleId :
PAV-B4-100620-0-10




Tgt Ion: 99 Resp: 308268
Ion Ratio Lower Upper
99 100
42 14.5 8.6 13.0#
71 38.8 23.4 35.2#

Manual Integrations
APPROVED



mohammad
10/12/2020 11:32:23 AM




#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.257 min Scan# 1253
Delta R.T. 0.006 min
Lab File: BP003579.D
Acq: 08 Oct 2020 19:31




Tgt Ion: 136 Resp: 188699
Ion Ratio Lower Upper
136 100
137 10.7 8.6 13.0
54 5.0 3.6 5.4
68 4.4 3.3 4.9





#23
Nitrobenzene-d5
Concen: 69.24 ng
RT: 8.634 min Scan# 977
Delta R.T. 0.000 min
Lab File: BP003579.D
Acq: 08 Oct 2020 19:31




Instrument :
BNA_P
ClientSampleId :
PAV-B4-100620-0-10



Tgt Ion: 82 Resp: 222392
Ion Ratio Lower Upper
82 100
128 43.4 45.6 68.4#
54 41.2 30.1 45.1




Manual Integrations
APPROVED


mohammad
10/12/2020 11:32:23 AM



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.140 min Scan# 1913
Delta R.T. 0.000 min
Lab File: BP003579.D
Acq: 08 Oct 2020 19:31


Tgt Ion: 164 Resp: 114300
Ion Ratio Lower Upper
164 100
162 104.7 79.4 119.2
160 45.7 36.1 54.1





#42
2,4,6-Tribromophenol
Concen: 86.05 ng
RT: 15.645 min Scan# 2169
Delta R.T. 0.000 min
Lab File: BP003579.D
Acq: 08 Oct 2020 19:31




Instrument :
BNA_P
ClientSampleId :
PAV-B4-100620-0-10




Tgt Ion:330 Resp: 150010
Ion Ratio Lower Upper
330 100
332 96.6 77.1 115.7
141 31.9 23.4 35.2

Manual Integrations
APPROVED



mohammad
10/12/2020 11:32:23 AM




#45
2-Fluorobiphenyl
Concen: 66.61 ng
RT: 12.751 min Scan# 1677
Delta R.T. 0.000 min
Lab File: BP003579.D
Acq: 08 Oct 2020 19:31



Tgt Ion:172 Resp: 520570
Ion Ratio Lower Upper
172 100
171 36.8 28.5 42.7
170 23.7 19.2 28.8









#50
Dimethylphthalate
Concen: 5.97 ng
RT: 13.610 min Scan# 1823
Delta R.T. 0.000 min
Lab File: BP003579.D
Acq: 08 Oct 2020 19:31

Tgt Ion:	163	Resp:	54512
Ion Ratio	Lower	Upper	
163	100		
194	4.0	3.3	4.9
164	10.4	8.2	12.2

Instrument :
BNA_P
ClientSampleId :
PAV-B4-100620-0-10




Manual Integrations
APPROVED


mohammad
10/12/2020 11:32:23 AM



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 16.898 min Scan# 2382
Delta R.T. 0.000 min
Lab File: BP003579.D
Acq: 08 Oct 2020 19:31

Tgt Ion:	188	Resp:	252035
Ion Ratio	Lower	Upper	
188	100		
94	7.3	6.2	9.2
80	8.6	6.2	9.2









#71
Phenanthrene
Concen: 12.85 ng
RT: 16.939 min Scan# 2389
Delta R.T. 0.000 min
Lab File: BP003579.D
Acq: 08 Oct 2020 19:31

Tgt Ion:178 Resp: 176240
Ion Ratio Lower Upper
178 100
176 19.6 15.3 22.9
179 15.4 12.5 18.7

Instrument :
BNA_P
ClientSampleId :
PAV-B4-100620-0-10




Manual Integrations
APPROVED


mohammad
10/12/2020 11:32:23 AM



#72
Anthracene
Concen: 3.31 ng
RT: 17.039 min Scan# 2406
Delta R.T. 0.006 min
Lab File: BP003579.D
Acq: 08 Oct 2020 19:31


Tgt Ion:178 Resp: 44740
Ion Ratio Lower Upper
178 100
176 18.3 15.0 22.4
179 16.7 12.5 18.7





#75
Fluoranthene
Concen: 25.74 ng
RT: 18.933 min Scan# 2728
Delta R.T. 0.000 min
Lab File: BP003579.D
Acq: 08 Oct 2020 19:31




Instrument :
BNA_P
ClientSampleId :
PAV-B4-100620-0-10



Tgt Ion:202 Resp: 443742
Ion Ratio Lower Upper
202 100
101 8.0 0.0 29.4
203 17.8 0.0 37.8




Manual Integrations
APPROVED


mohammad
10/12/2020 11:32:23 AM



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.010 min Scan# 3081
Delta R.T. 0.000 min
Lab File: BP003579.D
Acq: 08 Oct 2020 19:31


Tgt Ion:240 Resp: 287523
Ion Ratio Lower Upper
240 100
120 7.8 7.8 11.6
236 25.9 20.8 31.2





#78
Pyrene
Concen: 24.96 ng
RT: 19.286 min Scan# 2788
Delta R.T. 0.000 min
Lab File: BP003579.D
Acq: 08 Oct 2020 19:31




Instrument :
BNA_P
ClientSampleId :
PAV-B4-100620-0-10




Tgt Ion:202 Resp: 447616
Ion Ratio Lower Upper
202 100
200 20.7 17.1 25.7
203 17.2 14.2 21.2

Manual Integrations
APPROVED



mohammad
10/12/2020 11:32:23 AM




#79
Terphenyl-d14
Concen: 60.35 ng
RT: 19.486 min Scan# 2822
Delta R.T. 0.000 min
Lab File: BP003579.D
Acq: 08 Oct 2020 19:31




Tgt Ion:244 Resp: 832824
Ion Ratio Lower Upper
244 100
212 7.2 5.8 8.6
122 7.8 7.8 11.8#









#81
Benzo(a)anthracene
Concen: 16.06 ng
RT: 20.998 min Scan# 3079
Delta R.T. 0.000 min
Lab File: BP003579.D
Acq: 08 Oct 2020 19:31





Tgt Ion:228 Resp: 298424
Ion Ratio Lower Upper
228 100
226 28.0 22.1 33.1
229 20.4 15.9 23.9



#83
Chrysene
Concen: 14.94 ng
RT: 21.045 min Scan# 3087
Delta R.T. 0.000 min
Lab File: BP003579.D
Acq: 08 Oct 2020 19:31




Tgt Ion:228 Resp: 266791
Ion Ratio Lower Upper
228 100
226 30.3 24.4 36.6
229 22.4 15.8 23.6



Instrument :
BNA_P
ClientSampleId :
PAV-B4-100620-0-10


Manual Integrations
APPROVED

mohammad
10/12/2020 11:32:23 AM



#86
Perylene-d12
Concen: 20.00 ng
RT: 23.174 min Scan# 3449
Delta R.T. 0.000 min
Lab File: BP003579.D
Acq: 08 Oct 2020 19:31




Instrument :
BNA_P
ClientSampleId :
PAV-B4-100620-0-10




Tgt Ion:264 Resp: 337483
Ion Ratio Lower Upper
264 100
260 24.3 18.8 28.2
265 23.0 17.4 26.2

Manual Integrations
APPROVED



mohammad
10/12/2020 11:32:23 AM




#87
Indeno(1,2,3-cd)pyrene
Concen: 12.23 ng
RT: 25.368 min Scan# 3822
Delta R.T. 0.000 min
Lab File: BP003579.D
Acq: 08 Oct 2020 19:31




Tgt Ion:276 Resp: 312730
Ion Ratio Lower Upper
276 100
138 15.3 18.7 28.1#
277 24.4 20.4 30.6





#88
Benzo(b)fluoranthene
Concen: 21.94 ng
RT: 22.533 min Scan# 3340
Delta R.T. 0.006 min
Lab File: BP003579.D
Acq: 08 Oct 2020 19:31




Instrument :
BNA_P
ClientSampleId :
PAV-B4-100620-0-10



Tgt Ion:252 Resp: 467664
Ion Ratio Lower Upper
252 100
253 23.3 17.6 26.4
125 8.2 7.3 10.9




Manual Integrations
APPROVED


mohammad
10/12/2020 11:32:23 AM



#89
Benzo(k)fluoranthene
Concen: 7.93 ng m
RT: 22.569 min Scan# 3346
Delta R.T. 0.000 min
Lab File: BP003579.D
Acq: 08 Oct 2020 19:31


Tgt Ion:252 Resp: 161955
Ion Ratio Lower Upper
252 100
253 24.3 17.8 26.8
125 8.2 7.4 11.2





#90
Benzo(a)pyrene
Concen: 20.16 ng m
RT: 23.080 min Scan# 3433
Delta R.T. 0.000 min
Lab File: BP003579.D
Acq: 08 Oct 2020 19:31




Instrument :
BNA_P
ClientSampleId :
PAV-B4-100620-0-10



Tgt Ion:252 Resp: 405195
Ion Ratio Lower Upper
252 100
253 24.2 17.4 26.0
125 8.2 8.2 12.4#




Manual Integrations
APPROVED


mohammad
10/12/2020 11:32:23 AM



#91
Dibenzo(a,h)anthracene
Concen: 4.25 ng
RT: 25.368 min Scan# 3822
Delta R.T. 0.000 min
Lab File: BP003579.D
Acq: 08 Oct 2020 19:31


Tgt Ion:278 Resp: 89673
Ion Ratio Lower Upper
278 100
139 17.5 12.4 18.6
279 29.7 19.0 28.6#





#92
Benzo(g,h,i)perylene
Concen: 14.70 ng
RT: 26.039 min Scan# 3936
Delta R.T. 0.006 min
Lab File: BP003579.D
Acq: 08 Oct 2020 19:31

Instrument :
BNA_P
ClientSampleId :
PAV-B4-100620-0-10



Tgt Ion: 276 Resp: 309701
Ion Ratio Lower Upper
276 100
277 25.0 19.0 28.6
138 15.8 16.6 24.8#

Manual Integrations
APPROVED

mohammad
10/12/2020 11:32:23 AM

