

Data Path : Z:\svoasrv\HPCHEM1\BNA\_P\Data\BP101122\  
 Data File : BP012106.D  
 Acq On : 13 Oct 2022 06:07  
 Operator : CG/JU  
 Sample : N5026-03  
 Misc :  
 ALS Vial : 76 Sample Multiplier: 1

Instrument :  
 BNA\_P  
 ClientSampleId :  
 C0BX9

Quant Time: Oct 13 07:08:47 2022  
 Quant Method : Z:\svoasrv\HPCHEM1\BNA\_P\Methods\SFAM-EPA-BP101122.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Wed Oct 12 23:03:21 2022  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|-------------------------------|--------|------|----------|--------|-------|----------|
| -----                         |        |      |          |        |       |          |
| Internal Standards            |        |      |          |        |       |          |
| 1) 1,4-Dichlorobenzene-d4     | 7.852  | 152  | 251184   | 20.000 | ng/u1 | 0.00     |
| 20) Naphthalene-d8            | 10.657 | 136  | 1065202  | 20.000 | ng/u1 | 0.00     |
| 38) Acenaphthene-d10          | 14.498 | 164  | 677098   | 20.000 | ng/u1 | 0.00     |
| 64) Phenanthrene-d10          | 17.257 | 188  | 1490634  | 20.000 | ng/u1 | 0.00     |
| 79) Chrysene-d12              | 21.345 | 240  | 1489914  | 20.000 | ng/u1 | 0.00     |
| 88) Perylene-d12              | 23.762 | 264  | 1545050  | 20.000 | ng/u1 | 0.00     |
|                               |        |      |          |        |       |          |
| System Monitoring Compounds   |        |      |          |        |       |          |
| 3) 1,4-Dioxane-d8             | 3.275  | 96   | 25240    | 3.962  | ng/uL | 0.00     |
| 4) Pyridine-d5                | 3.705  | 84   | 149383   | 8.817  | ng/u1 | 0.00     |
| 7) Phenol-d5                  | 7.022  | 99   | 102170   | 5.057  | ng/u1 | 0.00     |
| 9) Bis-(2-Chloroethyl)eth...  | 7.181  | 67   | 361095   | 31.490 | ng/u1 | 0.00     |
| 11) 2-Chlorophenol-d4         | 7.381  | 132  | 274688   | 17.130 | ng/u1 | 0.00     |
| 15) 4-Methylphenol-d8         | 8.563  | 113  | 203011   | 13.083 | ng/u1 | 0.00     |
| 21) Nitrobenzene-d5           | 9.016  | 128  | 261112   | 34.708 | ng/u1 | 0.00     |
| 24) 2-Nitrophenol-d4          | 9.740  | 143  | 173984   | 22.808 | ng/u1 | 0.00     |
| 28) 2,4-Dichlorophenol-d3     | 10.281 | 165  | 298948   | 20.221 | ng/u1 | 0.00     |
| 31) 4-Chloroaniline-d4        | 10.798 | 131  | 597345   | 27.419 | ng/u1 | 0.00     |
| 46) Dimethylphthalate-d6      | 13.910 | 166  | 1537585  | 35.856 | ng/u1 | 0.00     |
| 49) Acenaphthylene-d8         | 14.192 | 160  | 1798465  | 33.916 | ng/u1 | 0.00     |
| 54) 4-Nitrophenol-d4          | 14.722 | 143  | 27938    | 3.319  | ng/u1 | 0.01     |
| 60) Fluorene-d10              | 15.492 | 176  | 1434991  | 36.987 | ng/u1 | 0.00     |
| 65) 4,6-Dinitro-2-methylph... | 15.622 | 200  | 118685   | 15.079 | ng/u1 | 0.00     |
| 73) Anthracene-d10            | 17.357 | 188  | 2381191  | 36.787 | ng/u1 | 0.00     |
| 81) Pyrene-d10                | 19.592 | 212  | 2820153  | 36.947 | ng/u1 | 0.00     |
| 92) Benzo(a)pyrene-d12        | 23.610 | 264  | 2793024  | 37.187 | ng/u1 | 0.00     |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA\_P\Data\BP101122\  
Data File : BP012106.D  
Acq On : 13 Oct 2022 06:07  
Operator : CG/JU  
Sample : N5026-03  
Misc :  
ALS Vial : 76 Sample Multiplier: 1

Instrument :  
BNA\_P  
ClientSampleId :  
C0BX9

Quant Time: Oct 13 07:08:47 2022  
Quant Method : Z:\svoasrv\HPCHEM1\BNA\_P\Methods\SFAM-EPA-BP101122.M  
Quant Title : SVOA CALIBRATION  
QLast Update : Wed Oct 12 23:03:21 2022  
Response via : Initial Calibration

