

Data File : BP000731.D
Acq On : 15 Oct 2019 00:08
Operator : JU
Sample : K5096-07RX
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
JLMH9RX

Quant Time: Oct 15 03:56:37 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\SOM-EPA-BP100919MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Oct 15 03:51:25 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.75	152	197397	20.00	ng/ul	0.00
18) Naphthalene-d8	8.03	136	749970	20.00	ng/ul	0.00
36) Acenaphthene-d10	9.80	164	413675	20.00	ng/ul	0.00
62) Phenanthrene-d10	11.29	188	770228	20.00	ng/ul	0.00
78) Chrysene-d12	13.97	240	682490	20.00	ng/ul	0.00
86) Perylene-d12	15.45	264	777600	20.00	ng/ul	0.00

System Monitoring Compounds						
3) 1,4-Dioxane-d8	2.36	96	22411	4.71	ng/uL	0.00
5) Phenol-d5	6.39	99	87312	5.73	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.43	67	175415	23.04	ng/ul	0.00
9) 2-Chlorophenol-d4	6.52	132	254644	19.85	ng/ul	0.00
13) 4-Methylphenol-d8	7.13	113	156327	13.44	ng/ul	0.00
19) Nitrobenzene-d5	7.30	128	140132	24.58	ng/ul	0.00
22) 2-Nitrophenol-d4	7.63	143	147829	24.35	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	7.88	165	262589	22.60	ng/ul	0.00
29) 4-Chloroaniline-d4	8.09	131	38884	3.01	ng/ul	0.00
44) Dimethylphthalate-d6	9.49	166	790650	27.30	ng/ul	0.00
47) Acenaphthylene-d8	9.64	160	894378	25.11	ng/ul	0.00
52) 4-Nitrophenol-d4	9.92	143	24702	5.54	ng/ul	0.00
58) Fluorene-d10	10.32	176	661687	26.71	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	10.39	200	72131	19.67	ng/ul	0.00
71) Anthracene-d10	11.35	188	1023116	28.68	ng/ul	0.00
79) Pyrene-d10	12.73	212	1099896	28.50	ng/ul	0.00
90) Benzo(a)pyrene-d12	15.36	264	1091925	28.44	ng/ul	0.00


Target Compounds					Qvalue	
6) Phenol	6.40	94	25961	1.691	ng/ul	96
45) Dimethylphthalate	9.51	163	166673	5.776	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : BP000731.D
Acq On : 15 Oct 2019 00:08
Operator : JU
Sample : K5096-07RX
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
JLMH9RX

Quant Time: Oct 15 03:56:37 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\SOM-EPA-BP100919MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Oct 15 03:51:25 2019
Response via : Initial Calibration





#6

Phenol

Concen: 1.691 ng/ul

RT: 6.40 min Scan# 733

Delta R.T. -0.00 min

Lab File: BP000731.D

Acq: 15 Oct 2019 00:08

Instrument :

BNA_P

ClientSampleId :

JLMH9RX


Tgt Ion: 94 Resp: 25961

Ion Ratio Lower Upper

94 100

65 24.0 19.2 28.8




66 35.8 25.7 38.5



Abundance Ion 94.00 (93.70 to 94.70): BP0

Ion 65.00 (64.70 to 65.70): BP0

Ion 66.00 (65.70 to 66.70): BP0



#45

Dimethylphthalate

Concen: 5.776 ng/ul

RT: 9.51 min Scan# 1262

Delta R.T. -0.01 min

Lab File: BP000731.D

Acq: 15 Oct 2019 00:08


Tgt Ion: 163 Resp: 166673

Ion Ratio Lower Upper

163 100

194 3.9 3.3 4.9

164 10.4 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

