

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP101620\
 Data File : BP003655.D
 Acq On : 17 Oct 2020 02:02
 Operator : CG/JU
 Sample : PB132431TB
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB132431TB

Quant Time: Oct 17 03:13:56 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270-BP101420.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 16 12:46:19 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.540	152	92705	20.00	ng	0.00
21) Naphthalene-d8	11.387	136	364623	20.00	ng	# 0.00
39) Acenaphthene-d10	15.134	164	270728	20.00	ng	0.00
64) Phenanthrene-d10	17.851	188	681511	20.00	ng	0.00
76) Chrysene-d12	21.851	240	748287	20.00	ng	#-0.01
86) Perylene-d12	24.421	264	665618	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	6.034	112	683477	126.75	ng	0.00
7) Phenol-d6	7.687	99	916859	116.73	ng	0.00
23) Nitrobenzene-d5	9.705	82	653413	83.08	ng	0.00
42) 2,4,6-Tribromophenol	16.610	330	525580	145.61	ng	0.00
45) 2-Fluorobiphenyl	13.769	172	1578887	76.51	ng	0.00
79) Terphenyl-d14	20.316	244	3193033	77.20	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP101620\
Data File : BP003655.D
Acq On : 17 Oct 2020 02:02
Operator : CG/JU
Sample : PB132431TB
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB132431TB

Quant Time: Oct 17 03:13:56 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270-BP101420.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 16 12:46:19 2020
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.540 min Scan# 961
Delta R.T. -0.000 min
Lab File: BP003655.D
Acq: 17 Oct 2020 02:02




Instrument :
BNA_P
ClientSampleId :
PB132431TB


Tgt Ion:152 Resp: 92705
Ion Ratio Lower Upper
152 100
150 145.7 123.8 185.6
115 62.2 43.8 65.6



#5
2-Fluorophenol
Concen: 126.75 ng
RT: 6.034 min Scan# 535
Delta R.T. 0.006 min
Lab File: BP003655.D
Acq: 17 Oct 2020 02:02

Tgt Ion:112 Resp: 683477
Ion Ratio Lower Upper
112 100
64 59.4 32.8 49.2#
63 34.0 17.0 25.4#









#7
Phenol-d6
Concen: 116.73 ng
RT: 7.687 min Scan# 816
Delta R.T. 0.006 min
Lab File: BP003655.D
Acq: 17 Oct 2020 02:02




Instrument :
BNA_P
ClientSampleId :
PB132431TB


Tgt Ion: 99 Resp: 916859
Ion Ratio Lower Upper
99 100
42 18.1 8.6 13.0#
71 43.3 23.4 35.2#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 11.387 min Scan# 1445
Delta R.T. 0.000 min
Lab File: BP003655.D
Acq: 17 Oct 2020 02:02

Tgt Ion: 136 Resp: 364623
Ion Ratio Lower Upper
136 100
137 11.4 8.6 13.0
54 6.8 3.6 5.4#
68 5.5 3.3 4.9#









#23
Nitrobenzene-d5
Concen: 83.08 ng
RT: 9.705 min Scan# 1159
Delta R.T. 0.000 min
Lab File: BP003655.D
Acq: 17 Oct 2020 02:02




Instrument :
BNA_P
ClientSampleId :
PB132431TB


Tgt Ion: 82 Resp: 653413
Ion Ratio Lower Upper
82 100
128 36.6 45.6 68.4#
54 47.0 30.1 45.1#



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 15.134 min Scan# 2082
Delta R.T. -0.006 min
Lab File: BP003655.D
Acq: 17 Oct 2020 02:02

Tgt Ion: 164 Resp: 270728
Ion Ratio Lower Upper
164 100
162 99.9 79.4 119.2
160 43.3 36.1 54.1









#42
2,4,6-Tribromophenol
Concen: 145.61 ng
RT: 16.610 min Scan# 2333
Delta R.T. 0.000 min
Lab File: BP003655.D
Acq: 17 Oct 2020 02:02




Instrument :
BNA_P
ClientSampleId :
PB132431TB


Tgt Ion:330 Resp: 525580
Ion Ratio Lower Upper
330 100
332 97.6 77.1 115.7
141 31.1 23.4 35.2



#45
2-Fluorobiphenyl
Concen: 76.51 ng
RT: 13.769 min Scan# 1850
Delta R.T. 0.000 min
Lab File: BP003655.D
Acq: 17 Oct 2020 02:02

Tgt Ion:172 Resp: 1578887
Ion Ratio Lower Upper
172 100
171 35.2 28.5 42.7
170 22.9 19.2 28.8









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.851 min Scan# 2544
Delta R.T. 0.000 min
Lab File: BP003655.D
Acq: 17 Oct 2020 02:02




Instrument :
BNA_P
ClientSampleId :
PB132431TB


Tgt Ion:188	Resp: 681511
Ion Ratio	Lower Upper
188 100	
94 7.2	6.2 9.2
80 8.2	6.2 9.2



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.851 min Scan# 3224
Delta R.T. -0.012 min
Lab File: BP003655.D
Acq: 17 Oct 2020 02:02

Tgt Ion:240	Resp: 748287
Ion Ratio	Lower Upper
240 100	
120 6.8	7.8 11.6#
236 24.8	20.8 31.2









#79
Terphenyl-d14
Concen: 77.20 ng
RT: 20.316 min Scan# 2963
Delta R.T. 0.000 min
Lab File: BP003655.D
Acq: 17 Oct 2020 02:02

Instrument :
BNA_P
ClientSampleId :
PB132431TB

Tgt Ion:244 Resp: 3193033
Ion Ratio Lower Upper
244 100
212 7.4 5.8 8.6
122 6.8 7.8 11.8#



#86
Perylene-d12
Concen: 20.00 ng
RT: 24.421 min Scan# 3661
Delta R.T. -0.012 min
Lab File: BP003655.D
Acq: 17 Oct 2020 02:02

Tgt Ion:264 Resp: 665618
Ion Ratio Lower Upper
264 100
260 23.1 18.8 28.2
265 22.2 17.4 26.2

