

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP102320\
 Data File : BP003726.D
 Acq On : 23 Oct 2020 18:18
 Operator : CG/JU
 Sample : L4491-02
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 COMP-2

Quant Time: Oct 24 00:31:15 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270-BP101920.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 19 14:54:24 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.522	152	140116	20.00	ng	0.00
21) Naphthalene-d8	11.369	136	499711	20.00	ng	# 0.00
39) Acenaphthene-d10	15.122	164	300543	20.00	ng	0.00
64) Phenanthrene-d10	17.839	188	628491	20.00	ng	0.00
76) Chrysene-d12	21.857	240	598251	20.00	ng	# 0.00
86) Perylene-d12	24.433	264	579439	20.00	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	6.022	112	672712	80.28	ng	0.00
7) Phenol-d6	7.669	99	861168	72.74	ng	0.00
23) Nitrobenzene-d5	9.693	82	602810	51.03	ng	0.00
42) 2,4,6-Tribromophenol	16.592	330	334975	71.44	ng	0.00
45) 2-Fluorobiphenyl	13.751	172	1242459	53.44	ng	0.00
79) Terphenyl-d14	20.310	244	1574476	46.29	ng	0.00
Target Compounds						
50) Dimethylphthalate	14.539	163	111674	4.52	ng	# 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP102320\
Data File : BP003726.D
Acq On : 23 Oct 2020 18:18
Operator : CG/JU
Sample : L4491-02
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
COMP-2

Quant Time: Oct 24 00:31:15 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270-BP101920.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 19 14:54:24 2020
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.522 min Scan# 958
Delta R.T. -0.006 min
Lab File: BP003726.D
Acq: 23 Oct 2020 18:18




Instrument :
BNA_P
ClientSampleId :
COMP-2


Tgt Ion:152 Resp: 140116
Ion Ratio Lower Upper
152 100
150 153.9 123.8 185.6
115 63.9 43.8 65.6



#5
2-Fluorophenol
Concen: 80.28 ng
RT: 6.022 min Scan# 533
Delta R.T. 0.000 min
Lab File: BP003726.D
Acq: 23 Oct 2020 18:18

Tgt Ion:112 Resp: 672712
Ion Ratio Lower Upper
112 100
64 57.9 32.8 49.2#
63 31.3 17.0 25.4#









#7
Phenol-d6
Concen: 72.74 ng
RT: 7.669 min Scan# 813
Delta R.T. -0.006 min
Lab File: BP003726.D
Acq: 23 Oct 2020 18:18




Instrument :
BNA_P
ClientSampleId :
COMP-2


Tgt Ion: 99 Resp: 861168
Ion Ratio Lower Upper
99 100
42 16.2 8.6 13.0#
71 38.9 23.4 35.2#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 11.369 min Scan# 1442
Delta R.T. -0.006 min
Lab File: BP003726.D
Acq: 23 Oct 2020 18:18

Tgt Ion: 136 Resp: 499711
Ion Ratio Lower Upper
136 100
137 10.5 8.6 13.0
54 7.2 3.6 5.4#
68 5.7 3.3 4.9#









#23
Nitrobenzene-d5
Concen: 51.03 ng
RT: 9.693 min Scan# 1157
Delta R.T. -0.006 min
Lab File: BP003726.D
Acq: 23 Oct 2020 18:18




Instrument :
BNA_P
ClientSampleId :
COMP-2


Tgt Ion: 82 Resp: 602810
Ion Ratio Lower Upper
82 100
128 38.4 45.6 68.4#
54 43.5 30.1 45.1



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 15.122 min Scan# 2080
Delta R.T. -0.005 min
Lab File: BP003726.D
Acq: 23 Oct 2020 18:18

Tgt Ion: 164 Resp: 300543
Ion Ratio Lower Upper
164 100
162 102.5 79.4 119.2
160 44.4 36.1 54.1









#42
2,4,6-Tribromophenol
Concen: 71.44 ng
RT: 16.592 min Scan# 2330
Delta R.T. -0.006 min
Lab File: BP003726.D
Acq: 23 Oct 2020 18:18




Instrument :
BNA_P
ClientSampleId :
COMP-2


Tgt Ion:	330	Resp:	334975
Ion Ratio	Lower	Upper	
330	100		
332	95.4	77.1	115.7
141	28.8	23.4	35.2



#45
2-Fluorobiphenyl
Concen: 53.44 ng
RT: 13.751 min Scan# 1847
Delta R.T. -0.006 min
Lab File: BP003726.D
Acq: 23 Oct 2020 18:18

Tgt Ion:	172	Resp:	1242459
Ion Ratio	Lower	Upper	
172	100		
171	34.9	28.5	42.7
170	22.6	19.2	28.8









#50
Dimethylphthalate
Concen: 4.52 ng
RT: 14.539 min Scan# 1981
Delta R.T. -0.006 min
Lab File: BP003726.D
Acq: 23 Oct 2020 18:18




Instrument :
BNA_P
ClientSampleId :
COMP-2


Tgt Ion:163 Resp: 111674
Ion Ratio Lower Upper
163 100
194 5.1 3.3 4.9#
164 9.3 8.2 12.2



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.839 min Scan# 2542
Delta R.T. 0.000 min
Lab File: BP003726.D
Acq: 23 Oct 2020 18:18

Tgt Ion:188 Resp: 628491
Ion Ratio Lower Upper
188 100
94 7.7 6.2 9.2
80 9.2 6.2 9.2









#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.857 min Scan# 3225
Delta R.T. 0.006 min
Lab File: BP003726.D
Acq: 23 Oct 2020 18:18




Instrument :
BNA_P
ClientSampleId :
COMP-2


Tgt Ion:240 Resp: 598251
Ion Ratio Lower Upper
240 100
120 6.5 7.8 11.6#
236 25.2 20.8 31.2



#79
Terphenyl-d14
Concen: 46.29 ng
RT: 20.310 min Scan# 2962
Delta R.T. 0.000 min
Lab File: BP003726.D
Acq: 23 Oct 2020 18:18

Tgt Ion:244 Resp: 1574476
Ion Ratio Lower Upper
244 100
212 7.2 5.8 8.6
122 6.9 7.8 11.8#





#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 24.433 min Scan# 3663
 Delta R.T. 0.018 min
 Lab File: BP003726.D
 Acq: 23 Oct 2020 18:18

Instrument :
 BNA_P
 ClientSampleId :
 COMP-2

Tgt Ion:264 Resp: 579439
 Ion Ratio Lower Upper
 264 100
 260 23.0 18.8 28.2
 265 21.9 17.4 26.2

