

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP103122\
 Data File : BP012388.D
 Acq On : 31 Oct 2022 16:05
 Operator : CG/JU
 Sample : N5180-05
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 C0KX4

Quant Time: Oct 31 23:50:42 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP102522.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Oct 28 06:05:59 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.822	152	182773	20.000	ng/u1	0.02
20) Naphthalene-d8	10.616	136	1265980	20.000	ng/u1	0.01
38) Acenaphthene-d10	14.445	164	825037	20.000	ng/u1	-0.01
64) Phenanthrene-d10	17.210	188	1821436	20.000	ng/u1	0.00
79) Chrysene-d12	21.304	240	2118251	20.000	ng/u1	0.00
88) Perylene-d12	23.698	264	2220415	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.240	96	34229	7.541	ng/uL	0.00
4) Pyridine-d5	3.670	84	228047	17.489	ng/u1	0.00
7) Phenol-d5	6.975	99	194437	11.861	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.152	67	583238	59.597	ng/u1	0.01
11) 2-Chlorophenol-d4	7.334	132	562508	46.987	ng/u1	0.00
15) 4-Methylphenol-d8	8.522	113	341607	26.347	ng/u1	0.00
21) Nitrobenzene-d5	8.975	128	366703	44.668	ng/u1	0.00
24) 2-Nitrophenol-d4	9.693	143	376118	44.140	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.234	165	613656	33.231	ng/u1	0.00
31) 4-Chloroaniline-d4	10.757	131	695586	25.298	ng/u1	0.00
46) Dimethylphthalate-d6	13.863	166	2179846	38.596	ng/u1	0.00
49) Acenaphthylene-d8	14.140	160	2556119	39.604	ng/u1	0.00
54) 4-Nitrophenol-d4	14.687	143	11881	1.112	ng/u1	0.01
60) Fluorene-d10	15.445	176	1982825	41.005	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.587	200	23459	2.474	ng/u1	0.00
73) Anthracene-d10	17.310	188	3260690	41.547	ng/u1	0.00
81) Pyrene-d10	19.551	212	4014056	37.744	ng/u1	0.00
92) Benzo(a)pyrene-d12	23.545	264	4514393	41.610	ng/u1	0.00
Target Compounds						
					Qvalue	
8) Phenol	7.005	94	23360	1.370	ng/u1	93
12) 2-Chlorophenol	7.369	128	26056	1.999	ng/u1	93
22) Nitrobenzene	9.016	77	2009061	93.796	ng/u1	99
25) 2-Nitrophenol	9.722	139	25087	2.455	ng/u1#	90
39) 1,2,4,5-Tetrachloroben...	12.634	216	1329985	54.882	ng/u1	99
75) 1,2,3,4-Tetrachloroben...	13.246	216	3051622	117.120	ng/uL	100
76) Pentachlorobenzene	14.763	250	99469	3.615	ng/uL	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP103122\
Data File : BP012388.D
Acq On : 31 Oct 2022 16:05
Operator : CG/JU
Sample : N5180-05
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
C0KX4

Quant Time: Oct 31 23:50:42 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP102522.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Oct 28 06:05:59 2022
Response via : Initial Calibration

