

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP110520\
 Data File : BP003817.D
 Acq On : 05 Nov 2020 12:22
 Operator : CG/JU
 Sample : PB132804BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB132804BL

Quant Time: Nov 05 16:32:36 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270-BP110320.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 05 14:31:45 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.299	152	170667	20.00	ng	0.00
21) Naphthalene-d8	11.128	136	638513	20.00	ng	# 0.00
39) Acenaphthene-d10	14.910	164	403442	20.00	ng	0.00
64) Phenanthrene-d10	17.634	188	864734	20.00	ng	# 0.00
76) Chrysene-d12	21.651	240	868630	20.00	ng	0.00
86) Perylene-d12	24.121	264	850492	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.817	112	1318553	128.94	ng	0.00
7) Phenol-d6	7.458	99	1720928	117.24	ng	0.00
23) Nitrobenzene-d5	9.458	82	1119871	85.90	ng	0.00
42) 2,4,6-Tribromophenol	16.387	330	709132	140.53	ng	0.00
45) 2-Fluorobiphenyl	13.540	172	2596643	89.98	ng	0.00
79) Terphenyl-d14	20.128	244	4319193	96.07	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP110520\
Data File : BP003817.D
Acq On : 05 Nov 2020 12:22
Operator : CG/JU
Sample : PB132804BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB132804BL

Quant Time: Nov 05 16:32:36 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270-BP110320.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Nov 05 14:31:45 2020
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.299 min Scan# 920
Delta R.T. 0.006 min
Lab File: BP003817.D
Acq: 05 Nov 2020 12:22




Instrument :
BNA_P
ClientSampleId :
PB132804BL


Tgt Ion:152 Resp: 170667
Ion Ratio Lower Upper
152 100
150 155.3 123.8 185.6
115 59.0 43.8 65.6



#5
2-Fluorophenol
Concen: 128.94 ng
RT: 5.817 min Scan# 498
Delta R.T. 0.006 min
Lab File: BP003817.D
Acq: 05 Nov 2020 12:22

Tgt Ion:112 Resp: 1318553
Ion Ratio Lower Upper
112 100
64 62.0 32.8 49.2#
63 32.0 17.0 25.4#









#7
Phenol-d6
Concen: 117.24 ng
RT: 7.458 min Scan# 777
Delta R.T. -0.000 min
Lab File: BP003817.D
Acq: 05 Nov 2020 12:22




Instrument :
BNA_P
ClientSampleId :
PB132804BL


Tgt Ion: 99 Resp: 1720928
Ion Ratio Lower Upper
99 100
42 19.2 8.6 13.0#
71 35.1 23.4 35.2



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 11.128 min Scan# 1401
Delta R.T. 0.000 min
Lab File: BP003817.D
Acq: 05 Nov 2020 12:22

Tgt Ion: 136 Resp: 638513
Ion Ratio Lower Upper
136 100
137 10.9 8.6 13.0
54 9.3 3.6 5.4#
68 6.2 3.3 4.9#









#23
Nitrobenzene-d5
Concen: 85.90 ng
RT: 9.458 min Scan# 1117
Delta R.T. -0.000 min
Lab File: BP003817.D
Acq: 05 Nov 2020 12:22




Instrument :
BNA_P
ClientSampleId :
PB132804BL


Tgt Ion: 82 Resp: 1119871
Ion Ratio Lower Upper
82 100
128 41.9 45.6 68.4#
54 53.7 30.1 45.1#



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.910 min Scan# 2044
Delta R.T. 0.000 min
Lab File: BP003817.D
Acq: 05 Nov 2020 12:22

Tgt Ion:164 Resp: 403442
Ion Ratio Lower Upper
164 100
162 97.3 79.4 119.2
160 42.8 36.1 54.1









#42
2,4,6-Tribromophenol
Concen: 140.53 ng
RT: 16.387 min Scan# 2295
Delta R.T. -0.000 min
Lab File: BP003817.D
Acq: 05 Nov 2020 12:22




Instrument :
BNA_P
ClientSampleId :
PB132804BL


Tgt Ion:330 Resp: 709132
Ion Ratio Lower Upper
330 100
332 97.2 77.1 115.7
141 31.3 23.4 35.2



#45
2-Fluorobiphenyl
Concen: 89.98 ng
RT: 13.540 min Scan# 1811
Delta R.T. 0.006 min
Lab File: BP003817.D
Acq: 05 Nov 2020 12:22

Tgt Ion:172 Resp: 2596643
Ion Ratio Lower Upper
172 100
171 35.1 28.5 42.7
170 22.8 19.2 28.8









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.634 min Scan# 2507
Delta R.T. -0.000 min
Lab File: BP003817.D
Acq: 05 Nov 2020 12:22




Instrument :
BNA_P
ClientSampleId :
PB132804BL


Tgt Ion:188 Resp: 864734
Ion Ratio Lower Upper
188 100
94 8.9 6.2 9.2
80 9.4 6.2 9.2#



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.651 min Scan# 3190
Delta R.T. -0.000 min
Lab File: BP003817.D
Acq: 05 Nov 2020 12:22

Tgt Ion:240 Resp: 868630
Ion Ratio Lower Upper
240 100
120 9.4 7.8 11.6
236 24.9 20.8 31.2









#79
Terphenyl-d14
Concen: 96.07 ng
RT: 20.128 min Scan# 2931
Delta R.T. 0.006 min
Lab File: BP003817.D
Acq: 05 Nov 2020 12:22

Instrument :
BNA_P
ClientSampleId :
PB132804BL

Tgt Ion:244 Resp: 4319193
Ion Ratio Lower Upper
244 100
212 6.8 5.8 8.6
122 9.1 7.8 11.8



#86
Perylene-d12
Concen: 20.00 ng
RT: 24.121 min Scan# 3610
Delta R.T. 0.012 min
Lab File: BP003817.D
Acq: 05 Nov 2020 12:22

Tgt Ion:264 Resp: 850492
Ion Ratio Lower Upper
264 100
260 22.7 18.8 28.2
265 21.9 17.4 26.2

