

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP110520\
 Data File : BP003819.D
 Acq On : 05 Nov 2020 13:38
 Operator : CG/JU
 Sample : PB132832BL
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB132832BL

Quant Time: Nov 05 16:34:01 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270-BP110320.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 05 14:31:45 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.298	152	160423	20.00	ng	0.00
21) Naphthalene-d8	11.128	136	616482	20.00	ng	# 0.00
39) Acenaphthene-d10	14.910	164	373422	20.00	ng	0.00
64) Phenanthrene-d10	17.633	188	803504	20.00	ng	# 0.00
76) Chrysene-d12	21.651	240	758232	20.00	ng	0.00
86) Perylene-d12	24.121	264	752004	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.816	112	1307213	136.00	ng	0.00
7) Phenol-d6	7.463	99	1659379	120.26	ng	0.00
23) Nitrobenzene-d5	9.457	82	1031404	81.94	ng	0.00
42) 2,4,6-Tribromophenol	16.386	330	635516	136.07	ng	0.00
45) 2-Fluorobiphenyl	13.539	172	2291633	85.79	ng	0.00
79) Terphenyl-d14	20.127	244	3232381	82.36	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP110520\
Data File : BP003819.D
Acq On : 05 Nov 2020 13:38
Operator : CG/JU
Sample : PB132832BL
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB132832BL

Quant Time: Nov 05 16:34:01 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270-BP110320.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Nov 05 14:31:45 2020
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.298 min Scan# 920
Delta R.T. 0.005 min
Lab File: BP003819.D
Acq: 05 Nov 2020 13:38




Instrument :
BNA_P
ClientSampleId :
PB132832BL


Tgt Ion:152 Resp: 160423
Ion Ratio Lower Upper
152 100
150 156.6 123.8 185.6
115 58.7 43.8 65.6



#5
2-Fluorophenol
Concen: 136.00 ng
RT: 5.816 min Scan# 498
Delta R.T. 0.005 min
Lab File: BP003819.D
Acq: 05 Nov 2020 13:38


Tgt Ion:112 Resp: 1307213
Ion Ratio Lower Upper
112 100
64 63.0 32.8 49.2#
63 32.7 17.0 25.4#








#7
Phenol-d6
Concen: 120.26 ng
RT: 7.463 min Scan# 778
Delta R.T. 0.005 min
Lab File: BP003819.D
Acq: 05 Nov 2020 13:38

Instrument :
BNA_P
ClientSampleId :
PB132832BL







Tgt Ion: 99 Resp: 1659379
Ion Ratio Lower Upper
99 100
42 18.8 8.6 13.0#
71 35.5 23.4 35.2#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 11.128 min Scan# 1401
Delta R.T. -0.000 min
Lab File: BP003819.D
Acq: 05 Nov 2020 13:38

Tgt Ion: 136 Resp: 616482
Ion Ratio Lower Upper
136 100
137 10.7 8.6 13.0
54 9.5 3.6 5.4#
68 5.9 3.3 4.9#









#23
Nitrobenzene-d5
Concen: 81.94 ng
RT: 9.457 min Scan# 1117
Delta R.T. -0.001 min
Lab File: BP003819.D
Acq: 05 Nov 2020 13:38




Instrument :
BNA_P
ClientSampleId :
PB132832BL


Tgt Ion: 82 Resp: 1031404
Ion Ratio Lower Upper
82 100
128 41.7 45.6 68.4#
54 53.9 30.1 45.1#



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.910 min Scan# 2044
Delta R.T. -0.000 min
Lab File: BP003819.D
Acq: 05 Nov 2020 13:38

Tgt Ion:164 Resp: 373422
Ion Ratio Lower Upper
164 100
162 99.4 79.4 119.2
160 43.7 36.1 54.1









#42
2,4,6-Tribromophenol
Concen: 136.07 ng
RT: 16.386 min Scan# 2295
Delta R.T. -0.001 min
Lab File: BP003819.D
Acq: 05 Nov 2020 13:38




Instrument :
BNA_P
ClientSampleId :
PB132832BL


Tgt Ion:330 Resp: 635516
Ion Ratio Lower Upper
330 100
332 97.7 77.1 115.7
141 30.8 23.4 35.2



#45
2-Fluorobiphenyl
Concen: 85.79 ng
RT: 13.539 min Scan# 1811
Delta R.T. 0.005 min
Lab File: BP003819.D
Acq: 05 Nov 2020 13:38

Tgt Ion:172 Resp: 2291633
Ion Ratio Lower Upper
172 100
171 34.7 28.5 42.7
170 22.4 19.2 28.8









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.633 min Scan# 2507
Delta R.T. -0.001 min
Lab File: BP003819.D
Acq: 05 Nov 2020 13:38




Instrument :
BNA_P
ClientSampleId :
PB132832BL


Tgt Ion:188 Resp: 803504
Ion Ratio Lower Upper
188 100
94 8.6 6.2 9.2
80 9.4 6.2 9.2#



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.651 min Scan# 3190
Delta R.T. -0.000 min
Lab File: BP003819.D
Acq: 05 Nov 2020 13:38

Tgt Ion:240 Resp: 758232
Ion Ratio Lower Upper
240 100
120 9.5 7.8 11.6
236 24.8 20.8 31.2









#79
Terphenyl-d14
Concen: 82.36 ng
RT: 20.127 min Scan# 2931
Delta R.T. 0.005 min
Lab File: BP003819.D
Acq: 05 Nov 2020 13:38

Instrument :
BNA_P
ClientSampleId :
PB132832BL

Tgt Ion:244 Resp: 3232381
Ion Ratio Lower Upper
244 100
212 7.2 5.8 8.6
122 9.6 7.8 11.8



#86
Perylene-d12
Concen: 20.00 ng
RT: 24.121 min Scan# 3610
Delta R.T. 0.011 min
Lab File: BP003819.D
Acq: 05 Nov 2020 13:38

Tgt Ion:264 Resp: 752004
Ion Ratio Lower Upper
264 100
260 22.7 18.8 28.2
265 21.9 17.4 26.2

