

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP110822\
 Data File : BP012548.D
 Acq On : 08 Nov 2022 12:21
 Operator : CG/JU
 Sample : N5407-02
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 EW4Y2

Manual Integrations
 APPROVED

Reviewed By :Jagrut Upadhyay 11/09/2022
 Supervised By :mohammad ahmed 11/14/2022

Quant Time: Nov 08 21:41:03 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP102522.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Nov 04 02:53:36 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.775	152	317647	20.000	ng/u1	0.00
20) Naphthalene-d8	10.575	136	1443485	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.428	164	951519	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.192	188	1950629	20.000	ng/u1	0.00
79) Chrysene-d12	21.292	240	1632143	20.000	ng/u1	0.00
88) Perylene-d12	23.674	264	1538975	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.228	96	32843	4.163	ng/uL	0.00
4) Pyridine-d5	3.734	84	260628m	11.501	ng/u1	0.08
7) Phenol-d5	6.969	99	247631	8.692	ng/u1	0.01
9) Bis-(2-Chloroethyl)eth...	7.122	67	528237	31.058	ng/u1	0.00
11) 2-Chlorophenol-d4	7.311	132	486945	23.405	ng/u1	0.00
15) 4-Methylphenol-d8	8.505	113	404195	17.938	ng/u1	0.00
21) Nitrobenzene-d5	8.946	128	394131	42.105	ng/u1	0.00
24) 2-Nitrophenol-d4	9.663	143	344530	35.461	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.210	165	545978	25.930	ng/u1	0.00
31) 4-Chloroaniline-d4	10.746	131	346451	11.051	ng/u1	0.02
46) Dimethylphthalate-d6	13.851	166	2400849	36.859	ng/u1	0.00
49) Acenaphthylene-d8	14.122	160	2471033	33.196	ng/u1	0.00
54) 4-Nitrophenol-d4	14.704	143	117979m	9.570	ng/u1	0.05
60) Fluorene-d10	15.428	176	2000446	35.871	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.563	200	339335	33.413	ng/u1	0.00
73) Anthracene-d10	17.292	188	3135010	37.300	ng/u1	0.00
81) Pyrene-d10	19.533	212	3297596	40.242	ng/u1	0.00
92) Benzo(a)pyrene-d12	23.522	264	2794272	37.160	ng/u1	0.00
Target Compounds						
2) 1,4-Dioxane	3.264	88	42034	5.012	ng/uL#	90
8) Phenol	7.011	94	8706738	293.914	ng/u1#	91
13) 2-Methylphenol	8.240	108	38148	1.675	ng/u1	93
18) 4-Methylphenol	8.569	108	836128	33.580	ng/u1	100
26) 2,4-Dimethylphenol	9.799	107	475577m	18.591	ng/u1	
42) 2,4,5-Trichlorophenol	12.946	196	21001	1.078	ng/u1	88
58) 2,3,4,6-Tetrachlorophenol	15.069	232	34321	2.075	ng/u1#	49

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP110822\
Data File : BP012548.D
Acq On : 08 Nov 2022 12:21
Operator : CG/JU
Sample : N5407-02
Misc :
ALS Vial : 6 Sample Multiplier: 1


Instrument :
BNA_P
ClientSampleId :
EW4Y2

Quant Time: Nov 08 21:41:03 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP102522.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Nov 04 02:53:36 2022
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 11/09/2022
Supervised By :mohammad ahmed 11/14/2022





#2
1,4-Dioxane
Concen: 5.012 ng/uL
RT: 3.264 min Scan# 41
Delta R.T. 0.000 min
Lab File: BP012548.D
Acq: 08 Nov 2022 12:21




Instrument :
BNA_P
ClientSampleId :
EW4Y2




Tgt Ion: 88 Resp: 42034
Ion Ratio Lower Upper
88 100
43 43.8 20.6 31.0
58 71.5 58.0 87.0

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 11/09/2022
Supervised By :mohammad ahmed 11/14/2022




#8
Phenol
Concen: 293.914 ng/uL
RT: 7.011 min Scan# 684
Delta R.T. 0.030 min
Lab File: BP012548.D
Acq: 08 Nov 2022 12:21



Tgt Ion: 94 Resp: 8706738
Ion Ratio Lower Upper
94 100
65 27.4 20.8 31.2
66 40.2 26.2 39.2









#13
2-Methylphenol
Concen: 1.675 ng/ul
RT: 8.240 min Scan# 891
Delta R.T. 0.006 min
Lab File: BP012548.D
Acq: 08 Nov 2022 12:21

Instrument :
BNA_P
ClientSampleId :
EW4Y2

Tgt Ion:108 Resp: 38148
Ion Ratio Lower Upper
108 100
107 82.1 70.8 106.2




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 11/09/2022
Supervised By :mohammad ahmed 11/14/2022



#18
4-Methylphenol
Concen: 33.580 ng/ul
RT: 8.569 min Scan# 949
Delta R.T. 0.006 min
Lab File: BP012548.D
Acq: 08 Nov 2022 12:21


Tgt Ion:108 Resp: 836128
Ion Ratio Lower Upper
108 100
107 110.9 89.1 133.7





#26
2,4-Dimethylphenol
Concen: 18.591 ng/ul m
RT: 9.799 min Scan# 1151
Delta R.T. 0.035 min
Lab File: BP012548.D
Acq: 08 Nov 2022 12:21




Instrument :
BNA_P
ClientSampleId :
EW4Y2



Tgt Ion:107 Resp: 475572
Ion Ratio Lower Upper
107 100
121 39.8 40.9 61.3
122 90.4 70.6 105.8




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 11/09/2022
Supervised By :mohammad ahmed 11/14/2022



#42
2,4,5-Trichlorophenol
Concen: 1.078 ng/ul
RT: 12.946 min Scan# 1693
Delta R.T. 0.006 min
Lab File: BP012548.D
Acq: 08 Nov 2022 12:21


Tgt Ion:196 Resp: 21001
Ion Ratio Lower Upper
196 100
198 110.2 77.8 116.8
200 35.0 25.0 37.4





#58
 2,3,4,6-Tetrachlorophenol
 Concen: 2.075 ng/ul
 RT: 15.069 min Scan# 20
 Delta R.T. 0.006 min
 Lab File: BP012548.D
 Acq: 08 Nov 2022 12:21

Instrument :
 BNA_P
 ClientSampleId :
 EW4Y2



Tgt Ion: 232 Resp: 3432

Ion	Ratio	Lower	Upper
232	100		
131	90.4	33.6	50.4
130	17.0	1.8	2.6
166	38.9	24.2	36.2

Manual Integrations
APPROVED
 Reviewed By :Jagrut Upadhyay 11/09/2022
 Supervised By :mohammad ahmed 11/14/2022

