

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP110920\
 Data File : BP003872.D
 Acq On : 09 Nov 2020 17:23
 Operator : CG/JU
 Sample : L4658-04
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 361-CL

Quant Time: Nov 09 17:51:16 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270-BP110320.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Nov 06 11:33:14 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.299	152	130854	20.00	ng	0.00
21) Naphthalene-d8	11.134	136	481792	20.00	ng	# 0.00
39) Acenaphthene-d10	14.916	164	298526	20.00	ng	0.00
64) Phenanthrene-d10	17.645	188	637669	20.00	ng	0.00
76) Chrysene-d12	21.669	240	659226	20.00	ng	0.00
86) Perylene-d12	24.151	264	690692	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.822	112	634117	80.88	ng	0.00
7) Phenol-d6	7.463	99	799978	71.08	ng	0.00
23) Nitrobenzene-d5	9.463	82	511837	52.03	ng	0.00
42) 2,4,6-Tribromophenol	16.398	330	318406	85.28	ng	0.00
45) 2-Fluorobiphenyl	13.540	172	1091941	51.14	ng	0.00
79) Terphenyl-d14	20.139	244	1607218	47.10	ng	0.00
Target Compounds						
50) Dimethylphthalate	14.339	163	113998	4.89	ng	Qvalue 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP110920\
Data File : BP003872.D
Acq On : 09 Nov 2020 17:23
Operator : CG/JU
Sample : L4658-04
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
361-CL

Quant Time: Nov 09 17:51:16 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270-BP110320.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Nov 06 11:33:14 2020
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.299 min Scan# 920
Delta R.T. -0.006 min
Lab File: BP003872.D
Acq: 09 Nov 2020 17:23




Instrument :
BNA_P
ClientSampleId :
361-CL

Tgt Ion:152 Resp: 130854
Ion Ratio Lower Upper
152 100
150 152.3 123.8 185.6
115 60.9 43.8 65.6



#5
2-Fluorophenol
Concen: 80.88 ng
RT: 5.822 min Scan# 499
Delta R.T. -0.000 min
Lab File: BP003872.D
Acq: 09 Nov 2020 17:23


Tgt Ion:112 Resp: 634117
Ion Ratio Lower Upper
112 100
64 63.9 32.8 49.2#
63 33.7 17.0 25.4#








#7
Phenol-d6
Concen: 71.08 ng
RT: 7.463 min Scan# 778
Delta R.T. -0.006 min
Lab File: BP003872.D
Acq: 09 Nov 2020 17:23

Instrument :
BNA_P
ClientSampleId :
361-CL







Tgt Ion: 99 Resp: 799978
Ion Ratio Lower Upper
99 100
42 19.3 8.6 13.0#
71 36.5 23.4 35.2#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 11.134 min Scan# 1402
Delta R.T. -0.000 min
Lab File: BP003872.D
Acq: 09 Nov 2020 17:23

Tgt Ion: 136 Resp: 481792
Ion Ratio Lower Upper
136 100
137 10.7 8.6 13.0
54 9.2 3.6 5.4#
68 5.9 3.3 4.9#









#23
Nitrobenzene-d5
Concen: 52.03 ng
RT: 9.463 min Scan# 1118
Delta R.T. -0.006 min
Lab File: BP003872.D
Acq: 09 Nov 2020 17:23




Instrument :
BNA_P
ClientSampleId :
361-CL


Tgt Ion: 82 Resp: 511837
Ion Ratio Lower Upper
82 100
128 42.2 45.6 68.4#
54 55.0 30.1 45.1#



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.916 min Scan# 2045
Delta R.T. -0.000 min
Lab File: BP003872.D
Acq: 09 Nov 2020 17:23

Tgt Ion: 164 Resp: 298526
Ion Ratio Lower Upper
164 100
162 97.7 79.4 119.2
160 42.7 36.1 54.1









#42
2,4,6-Tribromophenol
Concen: 85.28 ng
RT: 16.398 min Scan# 2297
Delta R.T. -0.000 min
Lab File: BP003872.D
Acq: 09 Nov 2020 17:23




Instrument :
BNA_P
ClientSampleId :
361-CL

Tgt Ion:330 Resp: 318406
Ion Ratio Lower Upper
330 100
332 97.2 77.1 115.7
141 31.9 23.4 35.2



#45
2-Fluorobiphenyl
Concen: 51.14 ng
RT: 13.540 min Scan# 1811
Delta R.T. -0.006 min
Lab File: BP003872.D
Acq: 09 Nov 2020 17:23

Tgt Ion:172 Resp: 1091941
Ion Ratio Lower Upper
172 100
171 35.1 28.5 42.7
170 22.7 19.2 28.8









#50
Dimethylphthalate
Concen: 4.89 ng
RT: 14.339 min Scan# 1947
Delta R.T. -0.006 min
Lab File: BP003872.D
Acq: 09 Nov 2020 17:23




Instrument :
BNA_P
ClientSampleId :
361-CL


Tgt Ion:163 Resp: 113998
Ion Ratio Lower Upper
163 100
194 4.8 3.3 4.9
164 10.4 8.2 12.2



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.645 min Scan# 2509
Delta R.T. -0.000 min
Lab File: BP003872.D
Acq: 09 Nov 2020 17:23

Tgt Ion:188 Resp: 637669
Ion Ratio Lower Upper
188 100
94 8.0 6.2 9.2
80 8.6 6.2 9.2









#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.669 min Scan# 3193
Delta R.T. -0.000 min
Lab File: BP003872.D
Acq: 09 Nov 2020 17:23




Instrument :
BNA_P
ClientSampleId :
361-CL


Tgt Ion:240 Resp: 659226
Ion Ratio Lower Upper
240 100
120 9.0 7.8 11.6
236 25.1 20.8 31.2



#79
Terphenyl-d14
Concen: 47.10 ng
RT: 20.139 min Scan# 2933
Delta R.T. 0.006 min
Lab File: BP003872.D
Acq: 09 Nov 2020 17:23

Tgt Ion:244 Resp: 1607218
Ion Ratio Lower Upper
244 100
212 7.0 5.8 8.6
122 8.7 7.8 11.8





#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 24.151 min Scan# 3615
 Delta R.T. 0.006 min
 Lab File: BP003872.D
 Acq: 09 Nov 2020 17:23

Instrument :
 BNA_P
 ClientSampleId :
 361-CL

Tgt Ion:	264	Resp:	690692
Ion	Ratio	Lower	Upper
264	100		
260	22.8	18.8	28.2
265	21.1	17.4	26.2

