

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP110920\
 Data File : BP003882.D
 Acq On : 10 Nov 2020 01:53
 Operator : CG/JU
 Sample : PB132892BL
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB132892BL

Quant Time: Nov 10 02:29:29 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270-BP110320.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Nov 06 11:33:14 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.305	152	187232	20.00	ng	0.00
21) Naphthalene-d8	11.134	136	702644	20.00	ng	# 0.00
39) Acenaphthene-d10	14.922	164	394422	20.00	ng	0.00
64) Phenanthrene-d10	17.645	188	714482	20.00	ng	0.00
76) Chrysene-d12	21.675	240	596867	20.00	ng	0.00
86) Perylene-d12	24.157	264	622643	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.828	112	1583898	141.19	ng	0.00
7) Phenol-d6	7.475	99	1972700	122.50	ng	0.00
23) Nitrobenzene-d5	9.469	82	1251259	87.21	ng	0.00
42) 2,4,6-Tribromophenol	16.398	330	606306	122.90	ng	0.00
45) 2-Fluorobiphenyl	13.546	172	2684978	95.17	ng	0.00
79) Terphenyl-d14	20.139	244	2801721	90.69	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP110920\
Data File : BP003882.D
Acq On : 10 Nov 2020 01:53
Operator : CG/JU
Sample : PB132892BL
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB132892BL

Quant Time: Nov 10 02:29:29 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270-BP110320.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Nov 06 11:33:14 2020
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.305 min Scan# 921
Delta R.T. -0.000 min
Lab File: BP003882.D
Acq: 10 Nov 2020 01:53




Instrument :
BNA_P
ClientSampleId :
PB132892BL

Tgt Ion:152 Resp: 187232
Ion Ratio Lower Upper
152 100
150 153.3 123.8 185.6
115 60.3 43.8 65.6



#5
2-Fluorophenol
Concen: 141.19 ng
RT: 5.828 min Scan# 500
Delta R.T. 0.006 min
Lab File: BP003882.D
Acq: 10 Nov 2020 01:53

Tgt Ion:112 Resp: 1583898
Ion Ratio Lower Upper
112 100
64 62.7 32.8 49.2#
63 33.0 17.0 25.4#









#7
Phenol-d6
Concen: 122.50 ng
RT: 7.475 min Scan# 780
Delta R.T. 0.006 min
Lab File: BP003882.D
Acq: 10 Nov 2020 01:53




Instrument :
BNA_P
ClientSampleId :
PB132892BL


Tgt Ion: 99 Resp: 1972700
Ion Ratio Lower Upper
99 100
42 19.3 8.6 13.0#
71 36.5 23.4 35.2#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 11.134 min Scan# 1402
Delta R.T. 0.000 min
Lab File: BP003882.D
Acq: 10 Nov 2020 01:53

Tgt Ion:136 Resp: 702644
Ion Ratio Lower Upper
136 100
137 10.9 8.6 13.0
54 9.6 3.6 5.4#
68 5.7 3.3 4.9#









#23
Nitrobenzene-d5
Concen: 87.21 ng
RT: 9.469 min Scan# 1119
Delta R.T. 0.000 min
Lab File: BP003882.D
Acq: 10 Nov 2020 01:53




Instrument :
BNA_P
ClientSampleId :
PB132892BL


Tgt Ion: 82 Resp: 1251259
Ion Ratio Lower Upper
82 100
128 42.1 45.6 68.4#
54 54.6 30.1 45.1#



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.922 min Scan# 2046
Delta R.T. 0.006 min
Lab File: BP003882.D
Acq: 10 Nov 2020 01:53

Tgt Ion: 164 Resp: 394422
Ion Ratio Lower Upper
164 100
162 98.4 79.4 119.2
160 42.5 36.1 54.1









#42
2,4,6-Tribromophenol
Concen: 122.90 ng
RT: 16.398 min Scan# 2297
Delta R.T. 0.000 min
Lab File: BP003882.D
Acq: 10 Nov 2020 01:53




Instrument :
BNA_P
ClientSampleId :
PB132892BL


Tgt Ion:330 Resp: 606306
Ion Ratio Lower Upper
330 100
332 97.5 77.1 115.7
141 31.1 23.4 35.2



#45
2-Fluorobiphenyl
Concen: 95.17 ng
RT: 13.546 min Scan# 1812
Delta R.T. 0.000 min
Lab File: BP003882.D
Acq: 10 Nov 2020 01:53

Tgt Ion:172 Resp: 2684978
Ion Ratio Lower Upper
172 100
171 35.2 28.5 42.7
170 22.8 19.2 28.8









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.645 min Scan# 2509
Delta R.T. 0.000 min
Lab File: BP003882.D
Acq: 10 Nov 2020 01:53




Instrument :
BNA_P
ClientSampleId :
PB132892BL


Tgt Ion:188	Resp: 714482
Ion Ratio	Lower Upper
188 100	
94 8.4	6.2 9.2
80 9.0	6.2 9.2



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.675 min Scan# 3194
Delta R.T. 0.006 min
Lab File: BP003882.D
Acq: 10 Nov 2020 01:53

Tgt Ion:240	Resp: 596867
Ion Ratio	Lower Upper
240 100	
120 8.7	7.8 11.6
236 25.0	20.8 31.2





#79

Terphenyl-d14

Concen: 90.69 ng

RT: 20.139 min Scan# 2933





Delta R.T. 0.006 min

Lab File: BP003882.D

Acq: 10 Nov 2020 01:53

Tgt Ion:244 Resp: 2801721

Ion	Ratio	Lower	Upper
244	100		
212	7.2	5.8	8.6
122	9.4	7.8	11.8



#86

Perylene-d12

Concen: 20.00 ng

RT: 24.157 min Scan# 3616

Delta R.T. 0.012 min

Lab File: BP003882.D

Acq: 10 Nov 2020 01:53

Tgt Ion:264 Resp: 622643

Ion	Ratio	Lower	Upper
264	100		
260	22.8	18.8	28.2
265	21.3	17.4	26.2

