

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP110921\
 Data File : BP007902.D
 Acq On : 09 Nov 2021 22:03
 Operator : CG/JU
 Sample : M4485-09
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 AG-10

Quant Time: Nov 10 11:05:38 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP110221.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 09 10:45:24 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.857	152	129923	20.000	ng	0.00
21) Naphthalene-d8	10.657	136	449962	20.000	ng	0.00
39) Acenaphthene-d10	14.492	164	288023	20.000	ng	-0.01
64) Phenanthrene-d10	17.251	188	632559	20.000	ng	# 0.00
76) Chrysene-d12	21.339	240	710298	20.000	ng	-0.01
86) Perylene-d12	23.751	264	755876	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.446	112	908975	118.652	ng	0.00
7) Phenol-d6	7.034	99	1102079	99.391	ng	0.00
23) Nitrobenzene-d5	9.016	82	632755	75.539	ng	-0.01
42) 2,4,6-Tribromophenol	15.986	330	506296	123.171	ng	-0.01
45) 2-Fluorobiphenyl	13.122	172	1540733	77.901	ng	0.00
79) Terphenyl-d14	19.816	244	2552699	73.181	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP110921\
Data File : BP007902.D
Acq On : 09 Nov 2021 22:03
Operator : CG/JU
Sample : M4485-09
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
AG-10

Quant Time: Nov 10 11:05:38 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP110221.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 09 10:45:24 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.857 min Scan# 71
Delta R.T. -0.007 min
Lab File: BP007902.D
Acq: 09 Nov 2021 22:03




Instrument :
BNA_P
ClientSampleId :
AG-10


Tgt Ion:152 Resp: 129923
Ion Ratio Lower Upper
152 100
150 158.4 124.1 186.1
115 62.1 48.1 72.1



#5
2-Fluorophenol
Concen: 118.652 ng
RT: 5.446 min Scan# 367
Delta R.T. -0.000 min
Lab File: BP007902.D
Acq: 09 Nov 2021 22:03

Tgt Ion:112 Resp: 908975
Ion Ratio Lower Upper
112 100
64 56.0 46.6 70.0
63 30.6 25.0 37.6









#7
Phenol-d6
Concen: 99.391 ng
RT: 7.034 min Scan# 61
Delta R.T. -0.006 min
Lab File: BP007902.D
Acq: 09 Nov 2021 22:03

Instrument :
BNA_P
ClientSampleId :
AG-10

Tgt Ion: 99 Resp: 1102079




Ion	Ratio	Lower	Upper
99	100		
42	17.3	14.9	22.3
71	39.7	29.2	43.8




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.657 min Scan# 1253
Delta R.T. -0.006 min
Lab File: BP007902.D
Acq: 09 Nov 2021 22:03

Tgt Ion: 136 Resp: 449962

Ion	Ratio	Lower	Upper
136	100		
137	11.2	8.6	13.0
54	6.9	6.2	9.4
68	4.8	4.7	7.1









#23
Nitrobenzene-d5
Concen: 75.539 ng
RT: 9.016 min Scan# 91
Delta R.T. -0.012 min
Lab File: BP007902.D
Acq: 09 Nov 2021 22:03




Instrument :
BNA_P
ClientSampleId :
AG-10


Tgt Ion: 82 Resp: 632755
Ion Ratio Lower Upper
82 100
128 43.6 32.6 48.8
54 49.1 40.4 60.6



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.492 min Scan# 1905
Delta R.T. -0.012 min
Lab File: BP007902.D
Acq: 09 Nov 2021 22:03

Tgt Ion: 164 Resp: 288023
Ion Ratio Lower Upper
164 100
162 102.3 81.1 121.7
160 45.6 36.0 54.0









#42
2,4,6-Tribromophenol
Concen: 123.171 ng
RT: 15.986 min Scan# 2171
Delta R.T. -0.012 min
Lab File: BP007902.D
Acq: 09 Nov 2021 22:03




Instrument :
BNA_P
ClientSampleId :
AG-10


Tgt Ion:330 Resp: 506296
Ion Ratio Lower Upper
330 100
332 95.7 78.9 118.3
141 32.7 30.7 46.1



#45
2-Fluorobiphenyl
Concen: 77.901 ng
RT: 13.122 min Scan# 1672
Delta R.T. -0.006 min
Lab File: BP007902.D
Acq: 09 Nov 2021 22:03

Tgt Ion:172 Resp: 1540733
Ion Ratio Lower Upper
172 100
171 35.2 28.2 42.2
170 23.2 19.0 28.4









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.251 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP007902.D
Acq: 09 Nov 2021 22:03




Instrument :
BNA_P
ClientSampleId :
AG-10


Tgt Ion:188 Resp: 632559
Ion Ratio Lower Upper
188 100
94 7.1 7.1 10.7#
80 7.5 7.8 11.6#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.339 min Scan# 3069
Delta R.T. -0.012 min
Lab File: BP007902.D
Acq: 09 Nov 2021 22:03

Tgt Ion:240 Resp: 710298
Ion Ratio Lower Upper
240 100
120 8.1 7.8 11.8
236 26.1 20.6 30.8









#79
 Terphenyl-d14
 Concen: 73.181 ng
 RT: 19.816 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BP007902.D
 Acq: 09 Nov 2021 22:03

Instrument :
 BNA_P
 ClientSampleId :
 AG-10

Tgt Ion:244 Resp: 2552699
 Ion Ratio Lower Upper
 244 100
 212 7.6 6.2 9.2
 122 7.4 7.8 11.8#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.751 min Scan# 3479
 Delta R.T. -0.018 min
 Lab File: BP007902.D
 Acq: 09 Nov 2021 22:03

Tgt Ion:264 Resp: 755876
 Ion Ratio Lower Upper
 264 100
 260 23.7 19.1 28.7
 265 21.9 16.7 25.1

