

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP111120\
 Data File : BP003926.D
 Acq On : 11 Nov 2020 18:14
 Operator : CG/JU
 Sample : PB132948TB
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB132948TB

Quant Time: Nov 12 00:24:07 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270-BP110320.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 10 13:41:24 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.281	152	132110	20.00	ng	0.00
21) Naphthalene-d8	11.110	136	508063	20.00	ng	# 0.00
39) Acenaphthene-d10	14.898	164	276826	20.00	ng	0.00
64) Phenanthrene-d10	17.633	188	584944	20.00	ng	0.00
76) Chrysene-d12	21.662	240	566099	20.00	ng	0.00
86) Perylene-d12	24.139	264	648103	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.804	112	1140983	144.14	ng	0.00
7) Phenol-d6	7.451	99	1279233	112.58	ng	0.00
23) Nitrobenzene-d5	9.440	82	932251	89.87	ng	0.00
42) 2,4,6-Tribromophenol	16.380	330	488073	140.96	ng	0.00
45) 2-Fluorobiphenyl	13.522	172	1742834	88.02	ng	0.00
79) Terphenyl-d14	20.133	244	2507060	85.56	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP111120\
Data File : BP003926.D
Acq On : 11 Nov 2020 18:14
Operator : CG/JU
Sample : PB132948TB
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB132948TB

Quant Time: Nov 12 00:24:07 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270-BP110320.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 10 13:41:24 2020
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.281 min Scan# 917
Delta R.T. -0.000 min
Lab File: BP003926.D
Acq: 11 Nov 2020 18:14




Instrument :
BNA_P
ClientSampleId :
PB132948TB


Tgt Ion:152 Resp: 132110
Ion Ratio Lower Upper
152 100
150 156.0 123.8 185.6
115 60.2 43.8 65.6



#5
2-Fluorophenol
Concen: 144.14 ng
RT: 5.804 min Scan# 496
Delta R.T. 0.006 min
Lab File: BP003926.D
Acq: 11 Nov 2020 18:14

Tgt Ion:112 Resp: 1140983
Ion Ratio Lower Upper
112 100
64 65.2 32.8 49.2#
63 34.4 17.0 25.4#









#7
Phenol-d6
Concen: 112.58 ng
RT: 7.451 min Scan# 776
Delta R.T. -0.000 min
Lab File: BP003926.D
Acq: 11 Nov 2020 18:14




Instrument :
BNA_P
ClientSampleId :
PB132948TB


Tgt Ion: 99 Resp: 1279233
Ion Ratio Lower Upper
99 100
42 20.2 8.6 13.0#
71 36.4 23.4 35.2#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 11.110 min Scan# 1398
Delta R.T. -0.000 min
Lab File: BP003926.D
Acq: 11 Nov 2020 18:14

Tgt Ion: 136 Resp: 508063
Ion Ratio Lower Upper
136 100
137 10.8 8.6 13.0
54 9.7 3.6 5.4#
68 6.4 3.3 4.9#









#23
Nitrobenzene-d5
Concen: 89.87 ng
RT: 9.440 min Scan# 1114
Delta R.T. -0.000 min
Lab File: BP003926.D
Acq: 11 Nov 2020 18:14




Instrument :
BNA_P
ClientSampleId :
PB132948TB


Tgt Ion: 82 Resp: 932251
Ion Ratio Lower Upper
82 100
128 40.3 45.6 68.4#
54 55.3 30.1 45.1#



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.898 min Scan# 2042
Delta R.T. -0.006 min
Lab File: BP003926.D
Acq: 11 Nov 2020 18:14

Tgt Ion: 164 Resp: 276826
Ion Ratio Lower Upper
164 100
162 97.9 79.4 119.2
160 41.7 36.1 54.1









#42
2,4,6-Tribromophenol
Concen: 140.96 ng
RT: 16.380 min Scan# 2294
Delta R.T. -0.000 min
Lab File: BP003926.D
Acq: 11 Nov 2020 18:14




Instrument :
BNA_P
ClientSampleId :
PB132948TB


Tgt Ion:330 Resp: 488073
Ion Ratio Lower Upper
330 100
332 97.4 77.1 115.7
141 31.9 23.4 35.2



#45
2-Fluorobiphenyl
Concen: 88.02 ng
RT: 13.522 min Scan# 1808
Delta R.T. -0.000 min
Lab File: BP003926.D
Acq: 11 Nov 2020 18:14

Tgt Ion:172 Resp: 1742834
Ion Ratio Lower Upper
172 100
171 35.0 28.5 42.7
170 23.0 19.2 28.8









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.633 min Scan# 2507
Delta R.T. 0.006 min
Lab File: BP003926.D
Acq: 11 Nov 2020 18:14




Instrument :
BNA_P
ClientSampleId :
PB132948TB


Tgt Ion:188	Resp: 584944
Ion Ratio	Lower Upper
188 100	
94 8.2	6.2 9.2
80 9.1	6.2 9.2



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.662 min Scan# 3192
Delta R.T. 0.006 min
Lab File: BP003926.D
Acq: 11 Nov 2020 18:14

Tgt Ion:240	Resp: 566099
Ion Ratio	Lower Upper
240 100	
120 9.1	7.8 11.6
236 25.1	20.8 31.2









#79
Terphenyl-d14
Concen: 85.56 ng
RT: 20.133 min Scan# 2932
Delta R.T. 0.006 min
Lab File: BP003926.D
Acq: 11 Nov 2020 18:14

Instrument :
BNA_P
ClientSampleId :
PB132948TB

Tgt Ion:244 Resp: 2507060
Ion Ratio Lower Upper
244 100
212 7.1 5.8 8.6
122 8.4 7.8 11.8



#86
Perylene-d12
Concen: 20.00 ng
RT: 24.139 min Scan# 3613
Delta R.T. 0.011 min
Lab File: BP003926.D
Acq: 11 Nov 2020 18:14

Tgt Ion:264 Resp: 648103
Ion Ratio Lower Upper
264 100
260 23.2 18.8 28.2
265 22.3 17.4 26.2

