

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP111121\
 Data File : BP007947.D
 Acq On : 11 Nov 2021 16:06
 Operator : CG/JU
 Sample : M4630-14
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SB-13W-25.5-26

Quant Time: Nov 11 17:40:14 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP110221.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 11 13:53:53 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.852	152	109812	20.000	ng	0.00
21) Naphthalene-d8	10.646	136	405979	20.000	ng	0.00
39) Acenaphthene-d10	14.487	164	293528	20.000	ng	0.00
64) Phenanthrene-d10	17.240	188	722004	20.000	ng	# 0.00
76) Chrysene-d12	21.333	240	1039816	20.000	ng	0.00
86) Perylene-d12	23.745	264	1278886	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.434	112	1102508	170.271	ng	0.00
7) Phenol-d6	7.028	99	1298559	138.559	ng	0.00
23) Nitrobenzene-d5	9.011	82	749200	99.131	ng	0.00
42) 2,4,6-Tribromophenol	15.981	330	788269	188.173	ng	0.00
45) 2-Fluorobiphenyl	13.110	172	1887356	93.637	ng	0.00
79) Terphenyl-d14	19.810	244	4281649	83.848	ng	0.00
Target Compounds						
						Qvalue
31) Naphthalene	10.699	128	391721	19.074	ng	97
37) 2-Methylnaphthalene	12.310	142	57741	3.812	ng	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP111121\
Data File : BP007947.D
Acq On : 11 Nov 2021 16:06
Operator : CG/JU
Sample : M4630-14
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
SB-13W-25.5-26

Quant Time: Nov 11 17:40:14 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP110221.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Nov 11 13:53:53 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.852 min Scan# 71
Delta R.T. -0.000 min
Lab File: BP007947.D
Acq: 11 Nov 2021 16:06




Instrument :
BNA_P
ClientSampleId :
SB-13W-25.5-26

Tgt Ion:152 Resp: 109812
Ion Ratio Lower Upper
152 100
150 149.6 124.1 186.1
115 57.7 48.1 72.1



#5
2-Fluorophenol
Concen: 170.271 ng
RT: 5.434 min Scan# 365
Delta R.T. 0.000 min
Lab File: BP007947.D
Acq: 11 Nov 2021 16:06

Tgt Ion:112 Resp: 1102508
Ion Ratio Lower Upper
112 100
64 54.1 46.6 70.0
63 30.0 25.0 37.6









#7
Phenol-d6
Concen: 138.559 ng
RT: 7.028 min Scan# 61
Delta R.T. 0.000 min
Lab File: BP007947.D
Acq: 11 Nov 2021 16:06




Instrument :
BNA_P
ClientSampleId :
SB-13W-25.5-26


Tgt Ion: 99 Resp: 1298559
Ion Ratio Lower Upper
99 100
42 19.0 14.9 22.3
71 54.1 29.2 43.8#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.646 min Scan# 1251
Delta R.T. -0.006 min
Lab File: BP007947.D
Acq: 11 Nov 2021 16:06

Tgt Ion: 136 Resp: 405979
Ion Ratio Lower Upper
136 100
137 12.8 8.6 13.0
54 8.5 6.2 9.4
68 6.3 4.7 7.1









#23
Nitrobenzene-d5
Concen: 99.131 ng
RT: 9.011 min Scan# 91
Delta R.T. 0.000 min
Lab File: BP007947.D
Acq: 11 Nov 2021 16:06




Instrument :
BNA_P
ClientSampleId :
SB-13W-25.5-26


Tgt Ion: 82 Resp: 749200
Ion Ratio Lower Upper
82 100
128 43.4 32.6 48.8
54 50.1 40.4 60.6



#31
Naphthalene
Concen: 19.074 ng
RT: 10.699 min Scan# 1260
Delta R.T. -0.006 min
Lab File: BP007947.D
Acq: 11 Nov 2021 16:06

Tgt Ion: 128 Resp: 391721
Ion Ratio Lower Upper
128 100
129 11.7 8.9 13.3
127 14.6 10.2 15.4









#37
2-Methylnaphthalene
Concen: 3.812 ng
RT: 12.310 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP007947.D
Acq: 11 Nov 2021 16:06




Instrument :
BNA_P
ClientSampleId :
SB-13W-25.5-26


Tgt Ion:142 Resp: 57741
Ion Ratio Lower Upper
142 100
141 92.3 71.4 107.0
115 39.0 29.5 44.3



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.487 min Scan# 1904
Delta R.T. -0.006 min
Lab File: BP007947.D
Acq: 11 Nov 2021 16:06

Tgt Ion:164 Resp: 293528
Ion Ratio Lower Upper
164 100
162 102.6 81.1 121.7
160 44.5 36.0 54.0









#42
2,4,6-Tribromophenol
Concen: 188.173 ng
RT: 15.981 min Scan# 2171
Delta R.T. -0.006 min
Lab File: BP007947.D
Acq: 11 Nov 2021 16:06




Instrument :
BNA_P
ClientSampleId :
SB-13W-25.5-26


Tgt Ion:330 Resp: 788269
Ion Ratio Lower Upper
330 100
332 97.5 78.9 118.3
141 30.7 30.7 46.1



#45
2-Fluorobiphenyl
Concen: 93.637 ng
RT: 13.110 min Scan# 1670
Delta R.T. -0.006 min
Lab File: BP007947.D
Acq: 11 Nov 2021 16:06

Tgt Ion:172 Resp: 1887356
Ion Ratio Lower Upper
172 100
171 36.1 28.2 42.2
170 23.6 19.0 28.4









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.240 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP007947.D
Acq: 11 Nov 2021 16:06




Instrument :
BNA_P
ClientSampleId :
SB-13W-25.5-26


Tgt Ion:188 Resp: 722004
Ion Ratio Lower Upper
188 100
94 7.3 7.1 10.7
80 7.6 7.8 11.6#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.333 min Scan# 3068
Delta R.T. -0.006 min
Lab File: BP007947.D
Acq: 11 Nov 2021 16:06

Tgt Ion:240 Resp: 1039816
Ion Ratio Lower Upper
240 100
120 7.9 7.8 11.8
236 26.2 20.6 30.8









#79
 Terphenyl-d14
 Concen: 83.848 ng
 RT: 19.810 min Scan# 21
 Delta R.T. 0.000 min
 Lab File: BP007947.D
 Acq: 11 Nov 2021 16:06

Instrument :
 BNA_P
 ClientSampleId :
 SB-13W-25.5-26

Tgt Ion:244 Resp: 4281649
 Ion Ratio Lower Upper
 244 100
 212 7.9 6.2 9.2
 122 7.1 7.8 11.8#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.745 min Scan# 3478
 Delta R.T. -0.006 min
 Lab File: BP007947.D
 Acq: 11 Nov 2021 16:06

Tgt Ion:264 Resp: 1278886
 Ion Ratio Lower Upper
 264 100
 260 23.6 19.1 28.7
 265 21.3 16.7 25.1

