




Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP111224\
Data File : BP023033.D
Acq On : 12 Nov 2024 04:34
Operator : RC/JU
Sample : P4717-02
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
C0AE5

Manual IntegrationsAPPROVED

Quant Time: Nov 12 04:58:40 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP110924.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Nov 11 22:00:58 2024
Response via : Initial Calibration

Reviewed By :Yogesh Patel 11/13/2024
Supervised By :mohammad ahmed 11/14/2024



TIC: BP023033.D\data.ms

(28) 2,4-Dichlorophenol-d3 (S)

9.987min (+ 0.006) 25.68 ng/u1

response 96394

Ion	Exp%	Act%
165.00	100.00	100.00
167.00	65.80	66.55
101.00	32.60	34.59
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP111224\
Data File : BP023033.D
Acq On : 12 Nov 2024 04:34
Operator : RC/JU
Sample : P4717-02
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
C0AE5

Manual IntegrationsAPPROVED

Quant Time: Nov 12 04:58:40 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP110924.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Nov 11 22:00:58 2024
Response via : Initial Calibration

Reviewed By :Yogesh Patel 11/13/2024
Supervised By :mohammad ahmed 11/14/2024



TIC: BP023033.D\data.ms

(28) 2,4-Dichlorophenol-d3 (S)

9.987min (+ 0.006) 27.46 ng/ul m

response 103110

Ion	Exp%	Act%
165.00	100.00	100.00
167.00	65.80	66.55
101.00	32.60	34.59
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP111224\
Data File : BP023033.D
Acq On : 12 Nov 2024 04:34
Operator : RC/JU
Sample : P4717-02
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
C0AE5

Manual IntegrationsAPPROVED

Quant Time: Nov 12 04:58:40 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP110924.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Nov 11 22:00:58 2024
Response via : Initial Calibration

Reviewed By :Yogesh Patel 11/13/2024
Supervised By :mohammad ahmed 11/14/2024



TIC: BP023033.D\data.ms

(54) 4-Nitrophenol-d4 (S)

14.522min (+ 0.053) 2.92 ng/u1

response 5515

Ion	Exp%	Act%
143.00	100.00	100.00
113.00	107.90	92.29
41.00	39.20	46.01
42.00	25.90	23.30




Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP111224\
Data File : BP023033.D
Acq On : 12 Nov 2024 04:34
Operator : RC/JU
Sample : P4717-02
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
C0AE5

Manual IntegrationsAPPROVED

Quant Time: Nov 12 04:58:40 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP110924.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Nov 11 22:00:58 2024
Response via : Initial Calibration

Reviewed By :Yogesh Patel 11/13/2024
Supervised By :mohammad ahmed 11/14/2024



TIC: BP023033.D\data.ms

(54) 4-Nitrophenol-d4 (S)

14.522min (+ 0.053) 7.07 ng/ul m

response 13377

Ion	Exp%	Act%
143.00	100.00	100.00
113.00	107.90	92.29
41.00	39.20	46.01
42.00	25.90	23.30

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP111224\
 Data File : BP023033.D
 Acq On : 12 Nov 2024 04:34
 Operator : RC/JU
 Sample : P4717-02
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 C0AE5

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 11/13/2024
 Supervised By :mohammad ahmed 11/14/2024

Quant Time: Nov 12 05:00:23 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP110924.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Nov 11 22:00:58 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.587	152	56274	20.000	ng/ul	0.00
20) Naphthalene-d8	10.334	136	216004	20.000	ng/ul	0.00
38) Acenaphthene-d10	14.210	164	174577	20.000	ng/ul	0.00
64) Phenanthrene-d10	17.022	188	434210	20.000	ng/ul	0.00
79) Chrysene-d12	21.457	240	535120	20.000	ng/ul	0.00
88) Perylene-d12	24.680	264	663599	20.000	ng/ul	-0.03
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.140	96	6133	5.239	ng/uL	0.00
4) Pyridine-d5	3.564	84	23951	6.886	ng/ul	0.01
7) Phenol-d5	6.799	99	30055	7.224	ng/ul	0.01
9) Bis-(2-Chloroethyl)eth...	6.934	67	75037	30.698	ng/ul	0.00
11) 2-Chlorophenol-d4	7.134	132	81737	26.825	ng/ul	0.00
15) 4-Methylphenol-d8	8.305	113	59352	17.336	ng/ul	0.00
21) Nitrobenzene-d5	8.728	128	46402	30.857	ng/ul	0.00
24) 2-Nitrophenol-d4	9.440	143	55826	31.140	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	9.987	165	103110m	27.464	ng/ul	0.00
31) 4-Chloroaniline-d4	10.493	131	93476	20.870	ng/ul	0.00
46) Dimethylphthalate-d6	13.604	166	415001	32.983	ng/ul	0.00
49) Acenaphthylene-d8	13.898	160	396662	30.213	ng/ul	0.00
54) 4-Nitrophenol-d4	14.522	143	13377m	7.074	ng/ul	0.05
60) Fluorene-d10	15.222	176	356540	32.320	ng/ul	0.00
65) 4,6-Dinitro-2-methylph...	15.375	200	80494	30.946	ng/ul	0.00
73) Anthracene-d10	17.122	188	690238	37.544	ng/ul	0.01
81) Pyrene-d10	19.504	212	927009	37.610	ng/ul	0.00
92) Benzo(a)pyrene-d12	24.468	264	1217782	38.525	ng/ul	0.00
Target Compounds						
					Qvalue	
2) 1,4-Dioxane	3.170	88	1964	1.452	ng/uL	87

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP111224\
Data File : BP023033.D
Acq On : 12 Nov 2024 04:34
Operator : RC/JU
Sample : P4717-02
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
C0AE5

Manual IntegrationsAPPROVED

Quant Time: Nov 12 05:00:23 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP110924.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Nov 11 22:00:58 2024
Response via : Initial Calibration

Reviewed By :Yogesh Patel 11/13/2024
Supervised By :mohammad ahmed 11/14/2024

