

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP112020\
 Data File : BP004027.D
 Acq On : 20 Nov 2020 16:52
 Operator : CG/JU
 Sample : L4829-17
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 MW-10D

Quant Time: Nov 20 17:20:03 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270-BP110320.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Nov 20 12:19:10 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.269	152	123668	20.00	ng	0.00
21) Naphthalene-d8	11.099	136	479335	20.00	ng	# 0.00
39) Acenaphthene-d10	14.887	164	305701	20.00	ng	0.00
64) Phenanthrene-d10	17.622	188	628937	20.00	ng	0.00
76) Chrysene-d12	21.651	240	606122	20.00	ng	0.00
86) Perylene-d12	24.121	264	608841	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.805	112	460244	62.11	ng	0.00
7) Phenol-d6	7.452	99	374243	35.18	ng	0.00
23) Nitrobenzene-d5	9.434	82	886961	90.62	ng	0.00
42) 2,4,6-Tribromophenol	16.375	330	543270	142.09	ng	0.00
45) 2-Fluorobiphenyl	13.510	172	1922874	87.94	ng	0.00
79) Terphenyl-d14	20.122	244	2571527	81.97	ng	0.00
Target Compounds						
31) Naphthalene	11.146	128	67452	2.62	ng	99
50) Dimethylphthalate	14.310	163	83215	3.48	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP112020\
Data File : BP004027.D
Acq On : 20 Nov 2020 16:52
Operator : CG/JU
Sample : L4829-17
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
MW-10D

Quant Time: Nov 20 17:20:03 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270-BP110320.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Nov 20 12:19:10 2020
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.269 min Scan# 915
Delta R.T. 0.000 min
Lab File: BP004027.D
Acq: 20 Nov 2020 16:52




Instrument :
BNA_P
ClientSampleId :
MW-10D


Tgt Ion:152 Resp: 123668
Ion Ratio Lower Upper
152 100
150 156.1 123.8 185.6
115 59.1 43.8 65.6



#5
2-Fluorophenol
Concen: 62.11 ng
RT: 5.805 min Scan# 496
Delta R.T. 0.006 min
Lab File: BP004027.D
Acq: 20 Nov 2020 16:52

Tgt Ion:112 Resp: 460244
Ion Ratio Lower Upper
112 100
64 63.3 32.8 49.2#
63 32.8 17.0 25.4#









#7
Phenol-d6
Concen: 35.18 ng
RT: 7.452 min Scan# 776
Delta R.T. -0.006 min
Lab File: BP004027.D
Acq: 20 Nov 2020 16:52




Instrument :
BNA_P
ClientSampleId :
MW-10D


Tgt Ion: 99 Resp: 374243
Ion Ratio Lower Upper
99 100
42 19.6 8.6 13.0#
71 36.2 23.4 35.2#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 11.099 min Scan# 1396
Delta R.T. 0.000 min
Lab File: BP004027.D
Acq: 20 Nov 2020 16:52

Tgt Ion: 136 Resp: 479335
Ion Ratio Lower Upper
136 100
137 11.2 8.6 13.0
54 9.0 3.6 5.4#
68 5.9 3.3 4.9#









#23
Nitrobenzene-d5
Concen: 90.62 ng
RT: 9.434 min Scan# 1113
Delta R.T. -0.006 min
Lab File: BP004027.D
Acq: 20 Nov 2020 16:52




Instrument :
BNA_P
ClientSampled :
MW-10D


Tgt Ion: 82 Resp: 886961
Ion Ratio Lower Upper
82 100
128 42.2 45.6 68.4#
54 54.5 30.1 45.1#



#31
Naphthalene
Concen: 2.62 ng
RT: 11.146 min Scan# 1404
Delta R.T. -0.006 min
Lab File: BP004027.D
Acq: 20 Nov 2020 16:52

Tgt Ion: 128 Resp: 67452
Ion Ratio Lower Upper
128 100
129 11.3 8.8 13.2
127 13.6 10.6 15.8









#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.887 min Scan# 2040
Delta R.T. -0.006 min
Lab File: BP004027.D
Acq: 20 Nov 2020 16:52




Instrument :
BNA_P
ClientSampleId :
MW-10D


Tgt Ion:164 Resp: 305701
Ion Ratio Lower Upper
164 100
162 99.3 79.4 119.2
160 42.5 36.1 54.1



#42
2,4,6-Tribromophenol
Concen: 142.09 ng
RT: 16.375 min Scan# 2293
Delta R.T. 0.000 min
Lab File: BP004027.D
Acq: 20 Nov 2020 16:52

Tgt Ion:330 Resp: 543270
Ion Ratio Lower Upper
330 100
332 96.5 77.1 115.7
141 30.4 23.4 35.2









#45
2-Fluorobiphenyl
Concen: 87.94 ng
RT: 13.510 min Scan# 1806
Delta R.T. -0.006 min
Lab File: BP004027.D
Acq: 20 Nov 2020 16:52




Instrument :
BNA_P
ClientSampleId :
MW-10D


Tgt Ion:172 Resp: 1922874
Ion Ratio Lower Upper
172 100
171 34.8 28.5 42.7
170 22.9 19.2 28.8



#50
Dimethylphthalate
Concen: 3.48 ng
RT: 14.310 min Scan# 1942
Delta R.T. -0.012 min
Lab File: BP004027.D
Acq: 20 Nov 2020 16:52

Tgt Ion:163 Resp: 83215
Ion Ratio Lower Upper
163 100
194 4.2 3.3 4.9
164 10.8 8.2 12.2









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.622 min Scan# 2505
Delta R.T. 0.000 min
Lab File: BP004027.D
Acq: 20 Nov 2020 16:52




Instrument :
BNA_P
ClientSampled :
MW-10D


Tgt Ion:188 Resp: 628937
Ion Ratio Lower Upper
188 100
94 8.0 6.2 9.2
80 9.2 6.2 9.2



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.651 min Scan# 3190
Delta R.T. -0.006 min
Lab File: BP004027.D
Acq: 20 Nov 2020 16:52

Tgt Ion:240 Resp: 606122
Ion Ratio Lower Upper
240 100
120 9.2 7.8 11.6
236 24.7 20.8 31.2









#79
Terphenyl-d14
Concen: 81.97 ng
RT: 20.122 min Scan# 2930
Delta R.T. 0.000 min
Lab File: BP004027.D
Acq: 20 Nov 2020 16:52

Instrument :
BNA_P
ClientSampled :
MW-10D

Tgt Ion:244 Resp: 2571527
Ion Ratio Lower Upper
244 100
212 7.3 5.8 8.6
122 9.0 7.8 11.8



#86
Perylene-d12
Concen: 20.00 ng
RT: 24.121 min Scan# 3610
Delta R.T. -0.006 min
Lab File: BP004027.D
Acq: 20 Nov 2020 16:52

Tgt Ion:264 Resp: 608841
Ion Ratio Lower Upper
264 100
260 23.0 18.8 28.2
265 21.6 17.4 26.2

