

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP113020\
 Data File : BP004111.D
 Acq On : 30 Nov 2020 14:00
 Operator : CG/JU
 Sample : PB133301BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB133301BL

Quant Time: Nov 30 14:35:09 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270E-BP110320.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Nov 23 16:42:41 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.263	152	164097	20.00	ng	0.00
21) Naphthalene-d8	11.093	136	606769	20.00	ng	# 0.00
39) Acenaphthene-d10	14.887	164	335711	20.00	ng	0.00
64) Phenanthrene-d10	17.622	188	635103	20.00	ng	# 0.00
76) Chrysene-d12	21.663	240	504178	20.00	ng	0.00
86) Perylene-d12	24.139	264	478774	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.799	112	1240139	126.13	ng	0.00
7) Phenol-d6	7.452	99	1518510	107.59	ng	0.00
23) Nitrobenzene-d5	9.428	82	990446	79.94	ng	0.00
42) 2,4,6-Tribromophenol	16.375	330	445329	106.06	ng	0.00
45) 2-Fluorobiphenyl	13.510	172	2017017	84.00	ng	0.00
79) Terphenyl-d14	20.122	244	2165623	82.98	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP113020\
Data File : BP004111.D
Acq On : 30 Nov 2020 14:00
Operator : CG/JU
Sample : PB133301BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB133301BL

Quant Time: Nov 30 14:35:09 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270E-BP110320.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Nov 23 16:42:41 2020
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.263 min Scan# 914
Delta R.T. -0.006 min
Lab File: BP004111.D
Acq: 30 Nov 2020 14:00




Instrument :
BNA_P
ClientSampleId :
PB133301BL

Tgt Ion:152 Resp: 164097
Ion Ratio Lower Upper
152 100
150 152.0 123.8 185.6
115 58.8 43.8 65.6



#5
2-Fluorophenol
Concen: 126.13 ng
RT: 5.799 min Scan# 495
Delta R.T. -0.006 min
Lab File: BP004111.D
Acq: 30 Nov 2020 14:00

Tgt Ion:112 Resp: 1240139
Ion Ratio Lower Upper
112 100
64 64.3 32.8 49.2#
63 33.2 17.0 25.4#









#7
Phenol-d6
Concen: 107.59 ng
RT: 7.452 min Scan# 776
Delta R.T. 0.000 min
Lab File: BP004111.D
Acq: 30 Nov 2020 14:00




Instrument :
BNA_P
ClientSampleId :
PB133301BL


Tgt Ion: 99 Resp: 1518510
Ion Ratio Lower Upper
99 100
42 19.4 8.6 13.0#
71 35.2 23.4 35.2#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 11.093 min Scan# 1395
Delta R.T. -0.006 min
Lab File: BP004111.D
Acq: 30 Nov 2020 14:00

Tgt Ion: 136 Resp: 606769
Ion Ratio Lower Upper
136 100
137 10.8 8.6 13.0
54 9.5 3.6 5.4#
68 6.1 3.3 4.9#









#23
Nitrobenzene-d5
Concen: 79.94 ng
RT: 9.428 min Scan# 1112
Delta R.T. -0.006 min
Lab File: BP004111.D
Acq: 30 Nov 2020 14:00




Instrument :
BNA_P
ClientSampleId :
PB133301BL


Tgt Ion: 82 Resp: 990446
Ion Ratio Lower Upper
82 100
128 41.8 45.6 68.4#
54 55.0 30.1 45.1#



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.887 min Scan# 2040
Delta R.T. -0.006 min
Lab File: BP004111.D
Acq: 30 Nov 2020 14:00

Tgt Ion: 164 Resp: 335711
Ion Ratio Lower Upper
164 100
162 100.7 79.4 119.2
160 43.5 36.1 54.1









#42
2,4,6-Tribromophenol
Concen: 106.06 ng
RT: 16.375 min Scan# 2293
Delta R.T. 0.000 min
Lab File: BP004111.D
Acq: 30 Nov 2020 14:00




Instrument :
BNA_P
ClientSampleId :
PB133301BL


Tgt Ion:330 Resp: 445329
Ion Ratio Lower Upper
330 100
332 96.6 77.1 115.7
141 31.7 23.4 35.2



#45
2-Fluorobiphenyl
Concen: 84.00 ng
RT: 13.510 min Scan# 1806
Delta R.T. 0.000 min
Lab File: BP004111.D
Acq: 30 Nov 2020 14:00

Tgt Ion:172 Resp: 2017017
Ion Ratio Lower Upper
172 100
171 35.4 28.5 42.7
170 22.9 19.2 28.8









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.622 min Scan# 2505
Delta R.T. 0.000 min
Lab File: BP004111.D
Acq: 30 Nov 2020 14:00




Instrument :
BNA_P
ClientSampleId :
PB133301BL


Tgt Ion:188 Resp: 635103
Ion Ratio Lower Upper
188 100
94 8.4 6.2 9.2
80 10.3 6.2 9.2#



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.663 min Scan# 3192
Delta R.T. 0.000 min
Lab File: BP004111.D
Acq: 30 Nov 2020 14:00

Tgt Ion:240 Resp: 504178
Ion Ratio Lower Upper
240 100
120 9.1 7.8 11.6
236 25.2 20.8 31.2









#79
 Terphenyl-d14
 Concen: 82.98 ng
 RT: 20.122 min Scan# 2930
 Delta R.T. 0.000 min
 Lab File: BP004111.D
 Acq: 30 Nov 2020 14:00

Instrument :
 BNA_P
 ClientSampleId :
 PB133301BL

Tgt Ion:244 Resp: 2165623
 Ion Ratio Lower Upper
 244 100
 212 7.2 5.8 8.6
 122 9.4 7.8 11.8



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 24.139 min Scan# 3613
 Delta R.T. 0.012 min
 Lab File: BP004111.D
 Acq: 30 Nov 2020 14:00

Tgt Ion:264 Resp: 478774
 Ion Ratio Lower Upper
 264 100
 260 22.6 18.8 28.2
 265 22.4 17.4 26.2

