

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP113020\
 Data File : BP004118.D
 Acq On : 30 Nov 2020 18:39
 Operator : CG/JU
 Sample : L4891-06
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PAV-B3-112420-10-11.5

Quant Time: Dec 01 00:36:27 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270E-BP110320.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Nov 23 16:42:41 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.263	152	155564	20.00	ng	0.00
21) Naphthalene-d8	11.093	136	624905	20.00	ng	# 0.00
39) Acenaphthene-d10	14.887	164	395323	20.00	ng	0.00
64) Phenanthrene-d10	17.622	188	831782	20.00	ng	# 0.00
76) Chrysene-d12	21.663	240	793828	20.00	ng	0.00
86) Perylene-d12	24.139	264	684703	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.805	112	1234304	132.42	ng	0.00
7) Phenol-d6	7.458	99	1444901	107.99	ng	0.00
23) Nitrobenzene-d5	9.434	82	1139854	89.33	ng	0.00
42) 2,4,6-Tribromophenol	16.381	330	762205	154.15	ng	0.00
45) 2-Fluorobiphenyl	13.510	172	2537497	89.74	ng	0.00
79) Terphenyl-d14	20.127	244	3764697	91.62	ng	0.00
Target Compounds						
10) Phenol	7.481	94	28840	2.23	ng	# 68
50) Dimethylphthalate	14.316	163	189734	6.14	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP113020\
Data File : BP004118.D
Acq On : 30 Nov 2020 18:39
Operator : CG/JU
Sample : L4891-06
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PAV-B3-112420-10-11.5

Quant Time: Dec 01 00:36:27 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_P\METHODS\8270E-BP110320.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Nov 23 16:42:41 2020
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.263 min Scan# 914
Delta R.T. -0.006 min
Lab File: BP004118.D
Acq: 30 Nov 2020 18:39




Instrument :
BNA_P
ClientSampleId :
PAV-B3-112420-10-11.5

Tgt Ion:152 Resp: 155564
Ion Ratio Lower Upper
152 100
150 153.9 123.8 185.6
115 60.4 43.8 65.6



#5
2-Fluorophenol
Concen: 132.42 ng
RT: 5.805 min Scan# 496
Delta R.T. 0.000 min
Lab File: BP004118.D
Acq: 30 Nov 2020 18:39

Tgt Ion:112 Resp: 1234304
Ion Ratio Lower Upper
112 100
64 62.5 32.8 49.2#
63 32.2 17.0 25.4#









#7
Phenol-d6
Concen: 107.99 ng
RT: 7.458 min Scan# 777
Delta R.T. 0.006 min
Lab File: BP004118.D
Acq: 30 Nov 2020 18:39




Instrument :
BNA_P
ClientSampleId :
PAV-B3-112420-10-11.5


Tgt Ion: 99 Resp: 1444901
Ion Ratio Lower Upper
99 100
42 18.9 8.6 13.0#
71 35.3 23.4 35.2#



#10
Phenol
Concen: 2.23 ng
RT: 7.481 min Scan# 781
Delta R.T. 0.000 min
Lab File: BP004118.D
Acq: 30 Nov 2020 18:39

Tgt Ion: 94 Resp: 28840
Ion Ratio Lower Upper
94 100
65 34.5 2.3 42.3
66 51.5 10.9 50.9#









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 11.093 min Scan# 1395
Delta R.T. -0.006 min
Lab File: BP004118.D
Acq: 30 Nov 2020 18:39




Instrument :
BNA_P
ClientSampleId :
PAV-B3-112420-10-11.5


Tgt Ion:	136	Resp:	624905
Ion Ratio	Lower	Upper	
136	100		
137	11.2	8.6	13.0
54	8.8	3.6	5.4#
68	6.0	3.3	4.9#



#23
Nitrobenzene-d5
Concen: 89.33 ng
RT: 9.434 min Scan# 1113
Delta R.T. 0.000 min
Lab File: BP004118.D
Acq: 30 Nov 2020 18:39

Tgt Ion:	82	Resp:	1139854
Ion Ratio	Lower	Upper	
82	100		
128	42.0	45.6	68.4#
54	53.5	30.1	45.1#









#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.887 min Scan# 2040
Delta R.T. -0.006 min
Lab File: BP004118.D
Acq: 30 Nov 2020 18:39




Instrument :
BNA_P
ClientSampleId :
PAV-B3-112420-10-11.5


Tgt Ion:164 Resp: 395323
Ion Ratio Lower Upper
164 100
162 99.6 79.4 119.2
160 42.9 36.1 54.1



#42
2,4,6-Tribromophenol
Concen: 154.15 ng
RT: 16.381 min Scan# 2294
Delta R.T. 0.006 min
Lab File: BP004118.D
Acq: 30 Nov 2020 18:39

Tgt Ion:330 Resp: 762205
Ion Ratio Lower Upper
330 100
332 97.1 77.1 115.7
141 31.3 23.4 35.2









#45
2-Fluorobiphenyl
Concen: 89.74 ng
RT: 13.510 min Scan# 1806
Delta R.T. 0.000 min
Lab File: BP004118.D
Acq: 30 Nov 2020 18:39




Instrument :
BNA_P
ClientSampleId :
PAV-B3-112420-10-11.5


Tgt Ion:172 Resp: 2537497
Ion Ratio Lower Upper
172 100
171 35.4 28.5 42.7
170 22.9 19.2 28.8



#50
Dimethylphthalate
Concen: 6.14 ng
RT: 14.316 min Scan# 1943
Delta R.T. -0.006 min
Lab File: BP004118.D
Acq: 30 Nov 2020 18:39

Tgt Ion:163 Resp: 189734
Ion Ratio Lower Upper
163 100
194 4.3 3.3 4.9
164 9.6 8.2 12.2









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.622 min Scan# 2505
Delta R.T. 0.000 min
Lab File: BP004118.D
Acq: 30 Nov 2020 18:39




Instrument :
BNA_P
ClientSampleId :
PAV-B3-112420-10-11.5


Tgt Ion:188 Resp: 831782
Ion Ratio Lower Upper
188 100
94 8.5 6.2 9.2
80 9.8 6.2 9.2#



#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.663 min Scan# 3192
Delta R.T. 0.000 min
Lab File: BP004118.D
Acq: 30 Nov 2020 18:39

Tgt Ion:240 Resp: 793828
Ion Ratio Lower Upper
240 100
120 8.9 7.8 11.6
236 24.8 20.8 31.2





#79

Terphenyl-d14

Concen: 91.62 ng

RT: 20.127 min Scan# 2931





Delta R.T. 0.006 min

Lab File: BP004118.D

Acq: 30 Nov 2020 18:39

Tgt Ion:244 Resp: 3764697

Ion	Ratio	Lower	Upper
244	100		
212	7.2	5.8	8.6
122	9.3	7.8	11.8



#86

Perylene-d12

Concen: 20.00 ng

RT: 24.139 min Scan# 3613

Delta R.T. 0.012 min

Lab File: BP004118.D

Acq: 30 Nov 2020 18:39

Tgt Ion:264 Resp: 684703

Ion	Ratio	Lower	Upper
264	100		
260	23.2	18.8	28.2
265	21.7	17.4	26.2

