

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP120121\
 Data File : BP008174.D
 Acq On : 01 Dec 2021 15:08
 Operator : CG/JU
 Sample : M4855-01
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 LS-RO-COMP

Quant Time: Dec 01 16:44:30 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP112521.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 01 12:06:05 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.798	152	88886	20.000	ng	0.00
21) Naphthalene-d8	10.592	136	305044	20.000	ng	0.00
39) Acenaphthene-d10	14.445	164	172458	20.000	ng	0.00
64) Phenanthrene-d10	17.204	188	330124	20.000	ng	0.00
76) Chrysene-d12	21.304	240	378329	20.000	ng	0.00
86) Perylene-d12	23.698	264	462766	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.393	112	703761	127.480	ng	0.00
7) Phenol-d6	6.981	99	870385	116.793	ng	0.00
23) Nitrobenzene-d5	8.957	82	614104	91.545	ng	0.00
42) 2,4,6-Tribromophenol	15.945	330	283621	128.667	ng	0.00
45) 2-Fluorobiphenyl	13.063	172	1083448	91.254	ng	0.00
79) Terphenyl-d14	19.774	244	1443684	79.750	ng	0.00
Target Compounds						
9) Benzaldehyde	6.922	77	69	Below Cal	#	35
78) Pyrene	19.574	202	19114	Below Cal		99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP120121\
Data File : BP008174.D
Acq On : 01 Dec 2021 15:08
Operator : CG/JU
Sample : M4855-01
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
LS-RO-COMP

Quant Time: Dec 01 16:44:30 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP112521.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 01 12:06:05 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.798 min Scan# 81
Delta R.T. -0.001 min
Lab File: BP008174.D
Acq: 01 Dec 2021 15:08




Instrument :
BNA_P
ClientSampleId :
LS-RO-COMP


Tgt Ion:152 Resp: 88886
Ion Ratio Lower Upper
152 100
150 147.0 125.7 188.5
115 61.7 50.7 76.1



#5
2-Fluorophenol
Concen: 127.480 ng
RT: 5.393 min Scan# 409
Delta R.T. 0.005 min
Lab File: BP008174.D
Acq: 01 Dec 2021 15:08

Tgt Ion:112 Resp: 703761
Ion Ratio Lower Upper
112 100
64 64.8 53.4 80.2
63 35.0 27.8 41.8









#7
Phenol-d6
Concen: 116.793 ng
RT: 6.981 min Scan# 61
Delta R.T. -0.000 min
Lab File: BP008174.D
Acq: 01 Dec 2021 15:08




Instrument :
BNA_P
ClientSampleId :
LS-RO-COMP


Tgt Ion: 99 Resp: 870385
Ion Ratio Lower Upper
99 100
42 19.2 14.6 22.0
71 42.3 31.1 46.7



#9
Benzaldehyde
Concen: Below Cal
RT: 6.922 min Scan# 669
Delta R.T. -0.018 min
Lab File: BP008174.D
Acq: 01 Dec 2021 15:08

Tgt Ion: 77 Resp: 69
Ion Ratio Lower Upper
77 100
105 37.7 71.8 111.8#
106 18.5 67.3 107.3#









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.592 min Scan# 11
Delta R.T. -0.006 min
Lab File: BP008174.D
Acq: 01 Dec 2021 15:08




Instrument :
BNA_P
ClientSampleId :
LS-RO-COMP


Tgt Ion:136 Resp: 305044
Ion Ratio Lower Upper
136 100
137 10.9 9.0 13.6
54 10.3 8.2 12.4
68 6.9 5.8 8.8



#23
Nitrobenzene-d5
Concen: 91.545 ng
RT: 8.957 min Scan# 1015
Delta R.T. -0.006 min
Lab File: BP008174.D
Acq: 01 Dec 2021 15:08

Tgt Ion: 82 Resp: 614104
Ion Ratio Lower Upper
82 100
128 37.0 29.6 44.4
54 53.7 42.7 64.1









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.445 min Scan# 1948
Delta R.T. -0.000 min
Lab File: BP008174.D
Acq: 01 Dec 2021 15:08




Instrument :
BNA_P
ClientSampleId :
LS-RO-COMP


Tgt Ion:164 Resp: 172458
Ion Ratio Lower Upper
164 100
162 99.8 81.9 122.9
160 44.0 35.4 53.0



#42
2,4,6-Tribromophenol
Concen: 128.667 ng
RT: 15.945 min Scan# 2203
Delta R.T. -0.000 min
Lab File: BP008174.D
Acq: 01 Dec 2021 15:08

Tgt Ion:330 Resp: 283621
Ion Ratio Lower Upper
330 100
332 96.0 77.0 115.4
141 33.5 28.4 42.6









#45
2-Fluorobiphenyl
Concen: 91.254 ng
RT: 13.063 min Scan# 1
Delta R.T. -0.006 min
Lab File: BP008174.D
Acq: 01 Dec 2021 15:08




Instrument :
BNA_P
ClientSampleId :
LS-RO-COMP


Tgt Ion:172 Resp: 1083448
Ion Ratio Lower Upper
172 100
171 35.8 28.0 42.0
170 23.4 18.9 28.3



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.204 min Scan# 2417
Delta R.T. -0.000 min
Lab File: BP008174.D
Acq: 01 Dec 2021 15:08

Tgt Ion:188 Resp: 330124
Ion Ratio Lower Upper
188 100
94 8.5 7.2 10.8
80 9.9 8.2 12.4









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.304 min Scan# 3116
Delta R.T. -0.006 min
Lab File: BP008174.D
Acq: 01 Dec 2021 15:08




Instrument :
BNA_P
ClientSampleId :
LS-RO-COMP


Tgt Ion:240 Resp: 378329
Ion Ratio Lower Upper
240 100
120 8.6 7.3 10.9
236 26.2 21.4 32.2



#79
Terphenyl-d14
Concen: 79.750 ng
RT: 19.774 min Scan# 2854
Delta R.T. -0.006 min
Lab File: BP008174.D
Acq: 01 Dec 2021 15:08

Tgt Ion:244 Resp: 1443684
Ion Ratio Lower Upper
244 100
212 7.8 6.0 9.0
122 7.9 6.6 9.8





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.698 min Scan# 31
 Delta R.T. -0.006 min
 Lab File: BP008174.D
 Acq: 01 Dec 2021 15:08

Instrument :
 BNA_P
 ClientSampleId :
 LS-RO-COMP

Tgt Ion:264 Resp: 462766
 Ion Ratio Lower Upper
 264 100
 260 23.8 19.4 29.2
 265 22.2 17.6 26.4

