

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP120222\
 Data File : BP012942.D
 Acq On : 02 Dec 2022 16:35
 Operator : CG/JU
 Sample : N5785-05
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 COL75

Quant Time: Dec 03 01:30:48 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP120122.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Dec 01 23:46:27 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.028	152	347874	20.000	ng/u1	0.02
20) Naphthalene-d8	10.834	136	2038662	20.000	ng/u1	0.01
38) Acenaphthene-d10	14.639	164	1551817	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.398	188	3791049	20.000	ng/u1	0.00
79) Chrysene-d12	21.480	240	4345465	20.000	ng/u1	0.00
88) Perylene-d12	23.992	264	4349290	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.393	96	33975	4.346	ng/uL	0.00
4) Pyridine-d5	3.828	84	167788	6.651	ng/u1	0.01
7) Phenol-d5	7.163	99	217675	6.776	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.340	67	638089	35.083	ng/u1	0.01
11) 2-Chlorophenol-d4	7.540	132	668036	28.372	ng/u1	0.00
15) 4-Methylphenol-d8	8.710	113	425161	16.118	ng/u1	0.00
21) Nitrobenzene-d5	9.175	128	461686	31.846	ng/u1	0.00
24) 2-Nitrophenol-d4	9.898	143	510255	30.754	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.440	165	868402	26.145	ng/u1	0.00
31) 4-Chloroaniline-d4	10.957	131	545337	11.621	ng/u1	0.00
46) Dimethylphthalate-d6	14.045	166	3288002	29.377	ng/u1	0.00
49) Acenaphthylene-d8	14.334	160	3791998	30.685	ng/u1	0.00
54) 4-Nitrophenol-d4	14.828	143	115562	5.048	ng/u1	0.00
60) Fluorene-d10	15.633	176	3056596	31.070	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.745	200	565221	25.412	ng/u1	0.00
73) Anthracene-d10	17.498	188	5363450	32.007	ng/u1	0.00
81) Pyrene-d10	19.727	212	6664546	31.201	ng/u1	0.00
92) Benzo(a)pyrene-d12	23.827	264	6840903	32.191	ng/u1	0.00
Target Compounds						Qvalue
8) Phenol	7.187	94	183076	5.489	ng/u1	99
12) 2-Chlorophenol	7.569	128	141753	5.626	ng/u1	97
13) 2-Methylphenol	8.387	108	205460	7.879	ng/u1	98
22) Nitrobenzene	9.222	77	2223336	63.578	ng/u1	95
25) 2-Nitrophenol	9.934	139	21545	1.154	ng/u1	97
39) 1,2,4,5-Tetrachloroben...	12.839	216	1302130	27.641	ng/u1	98
75) 1,2,3,4-Tetrachloroben...	13.445	216	3539580	70.087	ng/uL	99
76) Pentachlorobenzene	14.957	250	122774	2.184	ng/uL	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP120222\
Data File : BP012942.D
Acq On : 02 Dec 2022 16:35
Operator : CG/JU
Sample : N5785-05
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
COL75

Quant Time: Dec 03 01:30:48 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\SFAM-EPA-BP120122.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Dec 01 23:46:27 2022
Response via : Initial Calibration









#8
Phenol
Concen: 5.489 ng/ul
RT: 7.187 min Scan# 680
Delta R.T. 0.000 min
Lab File: BP012942.D
Acq: 02 Dec 2022 16:35




Instrument :
BNA_P
ClientSampleId :
COL75


Tgt Ion: 94 Resp: 183076
Ion Ratio Lower Upper
94 100
65 26.2 21.8 32.6
66 33.0 26.6 39.8



#12
2-Chlorophenol
Concen: 5.626 ng/ul
RT: 7.569 min Scan# 745
Delta R.T. 0.000 min
Lab File: BP012942.D
Acq: 02 Dec 2022 16:35

Tgt Ion: 128 Resp: 141753
Ion Ratio Lower Upper
128 100
64 46.0 34.8 52.2
130 33.3 25.4 38.2





#13

2-Methylphenol

Concen: 7.879 ng/ul

RT: 8.387 min Scan# 8

Delta R.T. -0.059 min

Lab File: BP012942.D

Acq: 02 Dec 2022 16:35

Instrument :

BNA_P

ClientSampleId :





COL75

Tgt Ion:108 Resp: 205460

Ion Ratio Lower Upper

108 100

107 91.6 71.9 107.9



#22

Nitrobenzene

Concen: 63.578 ng/ul

RT: 9.222 min Scan# 1026

Delta R.T. 0.006 min

Lab File: BP012942.D

Acq: 02 Dec 2022 16:35




Tgt Ion: 77 Resp: 2223336


Ion Ratio Lower Upper

77 100

123 50.7 37.6 56.4

65 13.1 9.9 14.9









#25
2-Nitrophenol
Concen: 1.154 ng/ul
RT: 9.934 min Scan# 1146
Delta R.T. 0.006 min
Lab File: BP012942.D
Acq: 02 Dec 2022 16:35




Instrument :
BNA_P
ClientSampleId :
COL75


Tgt Ion:139 Resp: 21545
Ion Ratio Lower Upper
139 100
65 47.2 39.3 58.9
109 29.5 21.9 32.9



#39
1,2,4,5-Tetrachlorobenzene
Concen: 27.641 ng/ul
RT: 12.839 min Scan# 1641
Delta R.T. 0.000 min
Lab File: BP012942.D
Acq: 02 Dec 2022 16:35

Tgt Ion:216 Resp: 1302130
Ion Ratio Lower Upper
216 100
214 78.3 64.2 96.4
179 19.4 15.4 23.2
108 13.8 11.7 17.5





#75

1,2,3,4-Tetrachlorobenzene

Concen: 70.087 ng/uL

RT: 13.445 min Scan# 1

Delta R.T. 0.000 min

Lab File: BP012942.D

Acq: 02 Dec 2022 16:35

Instrument :

BNA_P

ClientSampleId :

COL75





Tgt Ion:216 Resp: 3539580

Ion Ratio Lower Upper

216 100

214 78.0 62.2 93.2

218 48.4 39.4 59.2



#76

Pentachlorobenzene

Concen: 2.184 ng/uL

RT: 14.957 min Scan# 2001

Delta R.T. 0.000 min

Lab File: BP012942.D

Acq: 02 Dec 2022 16:35

Tgt Ion:250 Resp: 122774

Ion Ratio Lower Upper

250 100

248 58.6 49.4 74.2

252 62.0 50.6 75.8

