

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP120821\
 Data File : BP008275.D
 Acq On : 08 Dec 2021 11:56
 Operator : CG/JU
 Sample : PB141209BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 PB141209BL

Quant Time: Dec 09 01:18:08 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP112521.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Dec 03 14:39:24 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.775	152	70629	20.000	ng	-0.02
21) Naphthalene-d8	10.575	136	257807	20.000	ng	-0.02
39) Acenaphthene-d10	14.428	164	169527	20.000	ng	-0.02
64) Phenanthrene-d10	17.198	188	389271	20.000	ng	-0.01
76) Chrysene-d12	21.304	240	431941	20.000	ng	-0.01
86) Perylene-d12	23.698	264	462127	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.369	112	624160	142.287	ng	-0.02
7) Phenol-d6	6.969	99	764330	129.074	ng	-0.02
23) Nitrobenzene-d5	8.940	82	489266	86.299	ng	-0.02
42) 2,4,6-Tribromophenol	15.933	330	320722	148.014	ng	-0.02
45) 2-Fluorobiphenyl	13.051	172	1004546	86.071	ng	-0.02
79) Terphenyl-d14	19.774	244	1912260	92.524	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP120821\
Data File : BP008275.D
Acq On : 08 Dec 2021 11:56
Operator : CG/JU
Sample : PB141209BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_P
ClientSampleId :
PB141209BL

Quant Time: Dec 09 01:18:08 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP112521.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Dec 03 14:39:24 2021
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.775 min Scan# 81
Delta R.T. -0.024 min
Lab File: BP008275.D
Acq: 08 Dec 2021 11:56




Instrument :
BNA_P
ClientSampleId :
PB141209BL

Tgt Ion:152 Resp: 70629
Ion Ratio Lower Upper
152 100
150 153.4 125.7 188.5
115 61.1 50.7 76.1



#5
2-Fluorophenol
Concen: 142.287 ng
RT: 5.369 min Scan# 405
Delta R.T. -0.018 min
Lab File: BP008275.D
Acq: 08 Dec 2021 11:56

Tgt Ion:112 Resp: 624160
Ion Ratio Lower Upper
112 100
64 65.9 53.4 80.2
63 34.5 27.8 41.8









#7
Phenol-d6
Concen: 129.074 ng
RT: 6.969 min Scan# 61
Delta R.T. -0.018 min
Lab File: BP008275.D
Acq: 08 Dec 2021 11:56




Instrument :
BNA_P
ClientSampleId :
PB141209BL


Tgt Ion: 99 Resp: 764330
Ion Ratio Lower Upper
99 100
42 18.9 14.6 22.0
71 41.1 31.1 46.7



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.575 min Scan# 1290
Delta R.T. -0.024 min
Lab File: BP008275.D
Acq: 08 Dec 2021 11:56

Tgt Ion: 136 Resp: 257807
Ion Ratio Lower Upper
136 100
137 10.3 9.0 13.6
54 9.8 8.2 12.4
68 6.0 5.8 8.8








#23
Nitrobenzene-d5
Concen: 86.299 ng
RT: 8.940 min Scan# 1018
Delta R.T. -0.024 min
Lab File: BP008275.D
Acq: 08 Dec 2021 11:56




Instrument :
BNA_P
ClientSampleId :
PB141209BL


Tgt Ion: 82 Resp: 489266
Ion Ratio Lower Upper
82 100
128 37.3 29.6 44.4
54 52.4 42.7 64.1



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.428 min Scan# 1945
Delta R.T. -0.018 min
Lab File: BP008275.D
Acq: 08 Dec 2021 11:56

Tgt Ion: 164 Resp: 169527
Ion Ratio Lower Upper
164 100
162 101.0 81.9 122.9
160 42.7 35.4 53.0








#42
2,4,6-Tribromophenol
Concen: 148.014 ng
RT: 15.933 min Scan# 21
Delta R.T. -0.018 min
Lab File: BP008275.D
Acq: 08 Dec 2021 11:56




Instrument :
BNA_P
ClientSampleId :
PB141209BL


Tgt Ion:330 Resp: 320722
Ion Ratio Lower Upper
330 100
332 95.9 77.0 115.4
141 31.8 28.4 42.6



#45
2-Fluorobiphenyl
Concen: 86.071 ng
RT: 13.051 min Scan# 1711
Delta R.T. -0.018 min
Lab File: BP008275.D
Acq: 08 Dec 2021 11:56

Tgt Ion:172 Resp: 1004546
Ion Ratio Lower Upper
172 100
171 34.6 28.0 42.0
170 23.3 18.9 28.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.198 min Scan# 2419
Delta R.T. -0.012 min
Lab File: BP008275.D
Acq: 08 Dec 2021 11:56




Instrument :
BNA_P
ClientSampleId :
PB141209BL


Tgt Ion:188 Resp: 389271
Ion Ratio Lower Upper
188 100
94 8.1 7.2 10.8
80 9.1 8.2 12.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.304 min Scan# 3114
Delta R.T. -0.012 min
Lab File: BP008275.D
Acq: 08 Dec 2021 11:56

Tgt Ion:240 Resp: 431941
Ion Ratio Lower Upper
240 100
120 8.2 7.3 10.9
236 26.5 21.4 32.2









#79
 Terphenyl-d14
 Concen: 92.524 ng
 RT: 19.774 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BP008275.D
 Acq: 08 Dec 2021 11:56

Instrument :
 BNA_P
 ClientSampleId :
 PB141209BL

Tgt Ion:244 Resp: 1912260
 Ion Ratio Lower Upper
 244 100
 212 7.7 6.0 9.0
 122 7.3 6.6 9.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.698 min Scan# 3521
 Delta R.T. -0.018 min
 Lab File: BP008275.D
 Acq: 08 Dec 2021 11:56

Tgt Ion:264 Resp: 462127
 Ion Ratio Lower Upper
 264 100
 260 23.8 19.4 29.2
 265 22.6 17.6 26.4

