

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP121322\
 Data File : BP013087.D
 Acq On : 12 Dec 2022 16:49
 Operator : CG/JU
 Sample : SSTDICC010
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SSTDICC010

Quant Time: Dec 13 02:23:09 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP121322.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Dec 13 02:17:11 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.963	152	421095	20.000	ng	0.00
21) Naphthalene-d8	10.775	136	1548295	20.000	ng	0.00
39) Acenaphthene-d10	14.604	164	903740	20.000	ng	0.00
64) Phenanthrene-d10	17.357	188	1868425	20.000	ng	0.00
76) Chrysene-d12	21.445	240	1986698	20.000	ng	0.00
86) Perylene-d12	23.927	264	2038980	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.511	112	470254	24.193	ng	0.00
7) Phenol-d6	7.116	99	587495	21.076	ng	0.00
23) Nitrobenzene-d5	9.128	82	540440	19.467	ng	0.00
42) 2,4,6-Tribromophenol	16.092	330	206366	20.260	ng	0.00
45) 2-Fluorobiphenyl	13.228	172	1358038	21.408	ng	0.00
79) Terphenyl-d14	19.904	244	1944340	20.801	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.381	88	109129	13.323	ng	98
3) Pyridine	3.793	79	297246	11.421	ng	98
4) n-Nitrosodimethylamine	3.699	42	130923	11.503	ng	# 91
6) Aniline	7.281	93	350980	9.960	ng	96
8) 2-Chlorophenol	7.522	128	268990	10.729	ng	99
9) Benzaldehyde	7.099	77	204595	10.501	ng	97
10) Phenol	7.146	94	330694	10.411	ng	97
11) bis(2-Chloroethyl)ether	7.381	93	268733	9.689	ng	98
12) 1,3-Dichlorobenzene	7.852	146	327260	10.504	ng	98
13) 1,4-Dichlorobenzene	7.999	146	332416	10.389	ng	99
14) 1,2-Dichlorobenzene	8.316	146	315512	10.148	ng	98
15) Benzyl Alcohol	8.205	79	197040	9.942	ng	96
16) 2,2'-oxybis(1-Chloropr...	8.493	45	389391	9.474	ng	99
17) 2-Methylphenol	8.405	107	212574	9.798	ng	98
18) Hexachloroethane	9.046	117	108207	9.257	ng	96
19) n-Nitroso-di-n-propyla...	8.769	70	180064	9.151	ng	99
20) 3+4-Methylphenols	8.728	107	278886	9.547	ng	97
22) Acetophenone	8.793	105	381343	10.089	ng	# 98
24) Nitrobenzene	9.169	77	285885	10.064	ng	97
25) Isophorone	9.699	82	432141	8.489	ng	99
26) 2-Nitrophenol	9.887	139	110236	14.829	ng	100
27) 2,4-Dimethylphenol	9.940	122	190548	10.917	ng	97
28) bis(2-Chloroethoxy)met...	10.181	93	290781	9.659	ng	99
29) 2,4-Dichlorophenol	10.422	162	229321	10.945	ng	98
30) 1,2,4-Trichlorobenzene	10.640	180	294676	10.596	ng	98
31) Naphthalene	10.828	128	844788	10.053	ng	99
32) Benzoic acid	10.016	122	101926	11.297	ng	97
33) 4-Chloroaniline	10.940	127	291386	9.516	ng	100
34) Hexachlorobutadiene	11.110	225	182773	10.473	ng	97
35) Caprolactam	11.716	113	52691	8.464	ng	89
36) 4-Chloro-3-methylphenol	12.052	107	214511	9.218	ng	97
37) 2-Methylnaphthalene	12.434	142	553659	9.249	ng	97
38) 1-Methylnaphthalene	12.651	142	544017	9.255	ng	99
40) 1,2,4,5-Tetrachloroben...	12.799	216	311620	10.832	ng	99
41) Hexachlorocyclopentadiene	12.775	237	128162	9.367	ng	98
43) 2,4,6-Trichlorophenol	13.034	196	185079	11.101	ng	99

Data Path : Z:\svoasrv\HPCHEM1\BNA_P\Data\BP121322\
 Data File : BP013087.D
 Acq On : 12 Dec 2022 16:49
 Operator : CG/JU
 Sample : SSTDICC010
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_P
 ClientSampleId :
 SSTDICC010

Quant Time: Dec 13 02:23:09 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_P\Methods\8270E-BP121322.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Dec 13 02:17:11 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	13.104	196	201480	10.822	ng	98
46) 1,1'-Biphenyl	13.440	154	706678	10.337	ng	99
47) 2-Chloronaphthalene	13.481	162	556083	10.271	ng	100
48) 2-Nitroaniline	13.687	65	117776	9.900	ng	96
49) Acenaphthylene	14.328	152	805761	9.372	ng	98
50) Dimethylphthalate	14.057	163	668004	10.046	ng	100
51) 2,6-Dinitrotoluene	14.175	165	123816	8.860	ng	92
52) Acenaphthene	14.669	154	515492	9.461	ng	99
53) 3-Nitroaniline	14.504	138	122168	8.609	ng	# 98
54) 2,4-Dinitrophenol	14.716	184	55523	10.203	ng	92
55) Dibenzofuran	14.998	168	847250	9.997	ng	99
56) 4-Nitrophenol	14.810	139	95011	7.924	ng	94
57) 2,4-Dinitrotoluene	14.963	165	148444	8.055	ng	89
58) Fluorene	15.651	166	663722	9.526	ng	99
59) 2,3,4,6-Tetrachlorophenol	15.228	232	182581	10.023	ng	98
60) Diethylphthalate	15.416	149	620196	9.862	ng	98
61) 4-Chlorophenyl-phenyle...	15.645	204	338811	9.794	ng	98
62) 4-Nitroaniline	15.669	138	111443	8.191	ng	93
63) Azobenzene	15.934	77	560431	8.455	ng	95
65) 4,6-Dinitro-2-methylph...	15.728	198	86136	11.372	ng	91
66) n-Nitrosodiphenylamine	15.857	169	547032	10.475	ng	99
67) 4-Bromophenyl-phenylether	16.540	248	200475	10.490	ng	99
68) Hexachlorobenzene	16.657	284	246183	10.425	ng	98
69) Atrazine	16.810	200	161463	11.518	ng	98
70) Pentachlorophenol	17.004	266	122276	8.955	ng	96
71) Phenanthrene	17.398	178	1064075	10.068	ng	99
72) Anthracene	17.492	178	960029	9.559	ng	99
73) Carbazole	17.763	167	873220	9.624	ng	100
74) Di-n-butylphthalate	18.304	149	895986	11.281	ng	100
75) Fluoranthene	19.363	202	1196350	9.595	ng	100
77) Benzidine	19.539	184	269246	22.999	ng	98
78) Pyrene	19.716	202	1268570	9.672	ng	99
80) Butylbenzylphthalate	20.580	149	371184	28.275	ng	97
81) Benzo(a)anthracene	21.427	228	1297757	9.665	ng	99
82) 3,3'-Dichlorobenzidine	21.357	252	369836	13.033	ng	98
83) Chrysene	21.480	228	1295656	10.081	ng	100
84) Bis(2-ethylhexyl)phtha...	21.339	149	516255	20.905	ng	99
85) Di-n-octyl phthalate	22.292	149	874187	15.142	ng	97
87) Indeno(1,2,3-cd)pyrene	26.527	276	1578852	11.056	ng	99
88) Benzo(b)fluoranthene	23.163	252	1287163	9.434	ng	99
89) Benzo(k)fluoranthene	23.216	252	1259428	9.006	ng	100
90) Benzo(a)pyrene	23.816	252	1040167	9.563	ng	99
91) Dibenzo(a,h)anthracene	26.539	278	1318681	10.833	ng	100
92) Benzo(g,h,i)perylene	27.327	276	1283539	11.683	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Instrument :

BNA P

ClientSampleId :

SSTDICC010


Quant Time: Dec 13 02:23:09 2022


Quant Method : Z:\svoasrv\HPCHEM1\BNA P\Methods\8270E-BP121322.M

Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

QLast Update : Tue Dec 13 02:17:11 2022

Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.963 min Scan# 81
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49




Instrument :
BNA_P
ClientSampleId :
SSTDICC010


Tgt Ion:152 Resp: 421095
Ion Ratio Lower Upper
152 100
150 155.4 125.3 187.9
115 57.1 45.6 68.4



#2
1,4-Dioxane
Concen: 13.323 ng
RT: 3.381 min Scan# 33
Delta R.T. 0.006 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49

Tgt Ion: 88 Resp: 109129
Ion Ratio Lower Upper
88 100
58 77.2 60.1 90.1
43 30.6 23.5 35.3









#3
 Pyridine
 Concen: 11.421 ng
 RT: 3.793 min Scan# 103
 Delta R.T. 0.000 min
 Lab File: BP013087.D
 Acq: 12 Dec 2022 16:49




Instrument :
 BNA_P
 ClientSampleId :
 SSTDICC010


Tgt Ion: 79 Resp: 297246
 Ion Ratio Lower Upper
 79 100
 52 71.5 57.0 85.4
 51 38.7 29.1 43.7



#4
 n-Nitrosodimethylamine
 Concen: 11.503 ng
 RT: 3.699 min Scan# 87
 Delta R.T. 0.000 min
 Lab File: BP013087.D
 Acq: 12 Dec 2022 16:49

Tgt Ion: 42 Resp: 130923
 Ion Ratio Lower Upper
 42 100
 74 118.2 102.7 154.1
 44 11.0 5.6 8.4









#5
2-Fluorophenol
Concen: 24.193 ng
RT: 5.511 min Scan# 395
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49




Instrument :
BNA_P
ClientSampleId :
SSTDICC010


Tgt Ion:112 Resp: 470254
Ion Ratio Lower Upper
112 100
64 56.3 45.1 67.7
63 30.2 23.8 35.6



#6
Aniline
Concen: 9.960 ng
RT: 7.281 min Scan# 696
Delta R.T. -0.006 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49

Tgt Ion: 93 Resp: 350980
Ion Ratio Lower Upper
93 100
66 40.5 30.6 45.8
65 21.0 15.5 23.3









#7
Phenol-d6
Concen: 21.076 ng
RT: 7.116 min Scan# 611
Delta R.T. -0.006 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49




Instrument :
BNA_P
ClientSampleId :
SSTDICC010


Tgt Ion: 99 Resp: 587495
Ion Ratio Lower Upper
99 100
42 19.0 14.2 21.4
71 32.2 24.7 37.1



#8
2-Chlorophenol
Concen: 10.729 ng
RT: 7.522 min Scan# 737
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49

Tgt Ion:128 Resp: 268990
Ion Ratio Lower Upper
128 100
130 32.4 11.9 51.9
64 47.8 26.7 66.7









#9
Benzaldehyde
Concen: 10.501 ng
RT: 7.099 min Scan# 60
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49




Instrument :
BNA_P
ClientSampleId :
SSTDICC010


Tgt Ion: 77 Resp: 204595
Ion Ratio Lower Upper
77 100
105 102.8 80.1 120.1
106 99.7 76.6 116.6



#10
Phenol
Concen: 10.411 ng
RT: 7.146 min Scan# 673
Delta R.T. -0.006 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49

Tgt Ion: 94 Resp: 330694
Ion Ratio Lower Upper
94 100
65 28.7 7.2 47.2
66 35.0 13.7 53.7









#11
bis(2-Chloroethyl)ether
Concen: 9.689 ng
RT: 7.381 min Scan# 714
Delta R.T. -0.006 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49




Instrument :
BNA_P
ClientSampleId :
SSTDICC010


Tgt Ion: 93 Resp: 268733
Ion Ratio Lower Upper
93 100
63 78.2 56.3 96.3
95 32.8 13.0 53.0



#12
1,3-Dichlorobenzene
Concen: 10.504 ng
RT: 7.852 min Scan# 793
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49

Tgt Ion:146 Resp: 327260
Ion Ratio Lower Upper
146 100
148 65.4 51.5 77.3
75 30.6 23.0 34.4









#13
1,4-Dichlorobenzene
Concen: 10.389 ng
RT: 7.999 min Scan# 818
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49




Instrument :
BNA_P
ClientSampleId :
SSTDICC010


Tgt Ion:146 Resp: 332416
Ion Ratio Lower Upper
146 100
148 64.1 51.9 77.9
111 40.0 31.3 46.9



#14
1,2-Dichlorobenzene
Concen: 10.148 ng
RT: 8.316 min Scan# 872
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49

Tgt Ion:146 Resp: 315512
Ion Ratio Lower Upper
146 100
148 65.7 51.0 76.6
111 41.5 32.6 49.0









#15
Benzyl Alcohol
Concen: 9.942 ng
RT: 8.205 min Scan# 81
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49




Instrument :
BNA_P
ClientSampleId :
SSTDICC010


Tgt Ion: 79 Resp: 197040
Ion Ratio Lower Upper
79 100
108 79.6 65.3 97.9
77 69.0 51.9 77.9



#16
2,2'-oxybis(1-Chloropropane)
Concen: 9.474 ng
RT: 8.493 min Scan# 902
Delta R.T. -0.006 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49

Tgt Ion: 45 Resp: 389391
Ion Ratio Lower Upper
45 100
77 13.3 0.0 33.6
79 11.1 0.0 30.6









#17
2-Methylphenol
Concen: 9.798 ng
RT: 8.405 min Scan# 81
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49




Instrument :
BNA_P
ClientSampleId :
SSTDICC010


Tgt Ion:	107	Resp:	212574
Ion	Ratio	Lower	Upper
107	100		
108	112.8	89.6	134.4
77	47.3	35.5	53.3
79	45.8	34.2	51.4



#18
Hexachloroethane
Concen: 9.257 ng
RT: 9.046 min Scan# 996
Delta R.T. -0.006 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49

Tgt Ion:	117	Resp:	108207
Ion	Ratio	Lower	Upper
117	100		
119	97.7	76.7	115.1
201	112.0	94.6	141.8









#19
n-Nitroso-di-n-propylamine
Concen: 9.151 ng
RT: 8.769 min Scan# 941
Delta R.T. -0.006 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49

Instrument :
BNA_P
ClientSampleId :
SSTDIC010

Tgt Ion: 70 Resp: 180064




Ion	Ratio	Lower	Upper
70	100		
42	59.9	48.5	72.7
101	8.8	7.4	11.2
130	19.5	16.7	25.1




#20
3+4-Methylphenols
Concen: 9.547 ng
RT: 8.728 min Scan# 942
Delta R.T. -0.012 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49

Tgt Ion: 107 Resp: 278886

Ion	Ratio	Lower	Upper
107	100		
108	88.4	70.5	110.5
77	31.5	12.2	52.2
79	25.8	8.4	48.4









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.775 min Scan# 1290
Delta R.T. -0.006 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49




Instrument :
BNA_P
ClientSampleId :
SSTDICC010


Tgt Ion:136 Resp: 1548295
Ion Ratio Lower Upper
136 100
137 10.7 8.7 13.1
54 8.0 6.2 9.4
68 6.1 4.8 7.2



#22
Acetophenone
Concen: 10.089 ng
RT: 8.793 min Scan# 953
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49

Tgt Ion:105 Resp: 381343
Ion Ratio Lower Upper
105 100
71 0.7 2.2 3.4#
51 27.9 21.5 32.3
120 22.5 18.2 27.2









#23
Nitrobenzene-d5
Concen: 19.467 ng
RT: 9.128 min Scan# 1010
Delta R.T. -0.006 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49




Instrument :
BNA_P
ClientSampleId :
SSTDICC010


Tgt Ion: 82 Resp: 540440
Ion Ratio Lower Upper
82 100
128 39.7 35.9 53.9
54 51.9 40.4 60.6



#24
Nitrobenzene
Concen: 10.064 ng
RT: 9.169 min Scan# 1017
Delta R.T. -0.006 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49

Tgt Ion: 77 Resp: 285885
Ion Ratio Lower Upper
77 100
123 44.2 37.0 55.4
65 13.1 10.7 16.1









#25
Isophorone
Concen: 8.489 ng
RT: 9.699 min Scan# 1107
Delta R.T. -0.006 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49




Instrument :
BNA_P
ClientSampleId :
SSTDICC010


Tgt Ion: 82 Resp: 432141
Ion Ratio Lower Upper
82 100
95 6.7 5.4 8.0
138 17.2 14.5 21.7



#26
2-Nitrophenol
Concen: 14.829 ng
RT: 9.887 min Scan# 1139
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49

Tgt Ion: 139 Resp: 110236
Ion Ratio Lower Upper
139 100
109 28.5 22.5 33.7
65 49.7 39.9 59.9





#27

2,4-Dimethylphenol

Concen: 10.917 ng

RT: 9.940 min Scan# 1149

Delta R.T. -0.006 min

Lab File: BP013087.D

Acq: 12 Dec 2022 16:49

Instrument :

BNA_P

ClientSampleId :

SSTDICC010





Tgt Ion:122 Resp: 190548

Ion Ratio Lower Upper

122 100

107 117.4 91.1 136.7

121 57.8 47.0 70.4



#28

bis(2-Chloroethoxy)methane

Concen: 9.659 ng

RT: 10.181 min Scan# 1189

Delta R.T. -0.006 min

Lab File: BP013087.D

Acq: 12 Dec 2022 16:49




Tgt Ion: 93 Resp: 290781


Ion Ratio Lower Upper

93 100

95 33.5 26.4 39.6

123 10.5 9.2 13.8









#29
2,4-Dichlorophenol
Concen: 10.945 ng
RT: 10.422 min Scan# 1230
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49




Instrument :
BNA_P
ClientSampleId :
SSTDICC010


Tgt Ion:162 Resp: 229321
Ion Ratio Lower Upper
162 100
164 64.0 45.8 85.8
98 34.0 13.8 53.8



#30
1,2,4-Trichlorobenzene
Concen: 10.596 ng
RT: 10.640 min Scan# 1267
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49

Tgt Ion:180 Resp: 294676
Ion Ratio Lower Upper
180 100
182 95.1 77.8 116.6
145 28.4 22.6 33.8









#31
Naphthalene
Concen: 10.053 ng
RT: 10.828 min Scan# 1161
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49




Instrument :
BNA_P
ClientSampleId :
SSTDICC010


Tgt Ion:128 Resp: 844788
Ion Ratio Lower Upper
128 100
129 10.7 8.8 13.2
127 12.7 10.4 15.6



#32
Benzoic acid
Concen: 11.297 ng
RT: 10.016 min Scan# 1161
Delta R.T. -0.070 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49

Tgt Ion:122 Resp: 101926
Ion Ratio Lower Upper
122 100
105 116.6 101.9 141.9
77 91.9 71.7 111.7









#33
4-Chloroaniline
Concen: 9.516 ng
RT: 10.940 min Scan# 1318
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49




Instrument :
BNA_P
ClientSampleId :
SSTDICC010


Tgt Ion:	127	Resp:	291386
Ion	Ratio	Lower	Upper
127	100		
129	32.2	25.5	38.3
65	30.0	23.8	35.8
92	18.5	14.7	22.1



#34
Hexachlorobutadiene
Concen: 10.473 ng
RT: 11.110 min Scan# 1347
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49

Tgt Ion:	225	Resp:	182773
Ion	Ratio	Lower	Upper
225	100		
223	63.6	49.4	74.0
227	62.7	52.0	78.0









#35
 Caprolactam
 Concen: 8.464 ng
 RT: 11.716 min Scan# 1453
 Delta R.T. -0.018 min
 Lab File: BP013087.D
 Acq: 12 Dec 2022 16:49




Instrument :
 BNA_P
 ClientSampleId :
 SSTDICC010


Tgt Ion:113 Resp: 52691
 Ion Ratio Lower Upper
 113 100
 55 188.8 155.5 195.5
 56 140.9 106.7 146.7



#36
 4-Chloro-3-methylphenol
 Concen: 9.218 ng
 RT: 12.052 min Scan# 1507
 Delta R.T. -0.006 min
 Lab File: BP013087.D
 Acq: 12 Dec 2022 16:49

Tgt Ion:107 Resp: 214511
 Ion Ratio Lower Upper
 107 100
 144 26.1 21.5 32.3
 142 80.3 67.2 100.8









#37
2-Methylnaphthalene
Concen: 9.249 ng
RT: 12.434 min Scan# 1572
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49




Instrument :
BNA_P
ClientSampleId :
SSTDICC010


Tgt Ion:142 Resp: 553659
Ion Ratio Lower Upper
142 100
141 90.4 70.4 105.6
115 33.7 25.7 38.5



#38
1-Methylnaphthalene
Concen: 9.255 ng
RT: 12.651 min Scan# 1609
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49

Tgt Ion:142 Resp: 544017
Ion Ratio Lower Upper
142 100
141 92.2 73.0 109.4
116 3.9 2.8 4.2









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.604 min Scan# 1941
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49




Instrument :
BNA_P
ClientSampleId :
SSTDICC010


Tgt Ion:164 Resp: 903740
Ion Ratio Lower Upper
164 100
162 99.9 78.8 118.2
160 45.4 36.0 54.0



#40
1,2,4,5-Tetrachlorobenzene
Concen: 10.832 ng
RT: 12.799 min Scan# 1634
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49

Tgt Ion:216 Resp: 311620
Ion Ratio Lower Upper
216 100
214 78.8 62.6 94.0
179 19.4 15.7 23.5
108 16.4 12.9 19.3









#41
Hexachlorocyclopentadiene
Concen: 9.367 ng
RT: 12.775 min Scan# 1
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49




Instrument :
BNA_P
ClientSampleId :
SSTDICC010


Tgt Ion:237 Resp: 128162
Ion Ratio Lower Upper
237 100
235 63.0 41.8 81.8
272 13.6 0.0 32.7



#42
2,4,6-Tribromophenol
Concen: 20.260 ng
RT: 16.092 min Scan# 2194
Delta R.T. -0.006 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49

Tgt Ion:330 Resp: 206366
Ion Ratio Lower Upper
330 100
332 96.6 77.5 116.3
141 31.2 23.2 34.8









#43
2,4,6-Trichlorophenol
Concen: 11.101 ng
RT: 13.034 min Scan# 1674
Delta R.T. -0.006 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49




Instrument :
BNA_P
ClientSampleId :
SSTDICC010


Tgt Ion:196 Resp: 185079
Ion Ratio Lower Upper
196 100
198 95.0 76.9 115.3
200 32.0 25.0 37.4



#44
2,4,5-Trichlorophenol
Concen: 10.822 ng
RT: 13.104 min Scan# 1686
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49

Tgt Ion:196 Resp: 201480
Ion Ratio Lower Upper
196 100
198 92.2 75.3 112.9
97 44.0 36.1 54.1
132 23.8 19.9 29.9









#45
2-Fluorobiphenyl
Concen: 21.408 ng
RT: 13.228 min Scan# 1707
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49




Instrument :
BNA_P
ClientSampleId :
SSTDICC010


Tgt Ion:172 Resp: 1358038
Ion Ratio Lower Upper
172 100
171 34.7 28.3 42.5
170 23.2 19.2 28.8



#46
1,1'-Biphenyl
Concen: 10.337 ng
RT: 13.440 min Scan# 1743
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49

Tgt Ion:154 Resp: 706678
Ion Ratio Lower Upper
154 100
153 39.1 19.9 59.9
76 12.0 0.0 32.2









#47
2-Chloronaphthalene
Concen: 10.271 ng
RT: 13.481 min Scan# 1750
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49




Instrument :
BNA_P
ClientSampleId :
SSTDICC010


Tgt Ion:162 Resp: 556083
Ion Ratio Lower Upper
162 100
127 36.3 29.0 43.6
164 33.3 26.7 40.1



#48
2-Nitroaniline
Concen: 9.900 ng
RT: 13.687 min Scan# 1785
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49

Tgt Ion: 65 Resp: 117776
Ion Ratio Lower Upper
65 100
92 70.3 55.4 83.2
138 103.1 88.1 132.1









#49
Acenaphthylene
Concen: 9.372 ng
RT: 14.328 min Scan# 1894
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49




Instrument :
BNA_P
ClientSampleId :
SSTDICC010


Tgt Ion:152 Resp: 805761
Ion Ratio Lower Upper
152 100
151 19.1 16.0 24.0
153 12.9 10.7 16.1



#50
Dimethylphthalate
Concen: 10.046 ng
RT: 14.057 min Scan# 1848
Delta R.T. -0.006 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49

Tgt Ion:163 Resp: 668004
Ion Ratio Lower Upper
163 100
194 4.0 3.5 5.3
164 10.0 8.0 12.0









#51
2,6-Dinitrotoluene
Concen: 8.860 ng
RT: 14.175 min Scan# 1868
Delta R.T. -0.006 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49




Instrument :
BNA_P
ClientSampleId :
SSTDICC010


Tgt Ion:165 Resp: 123816
Ion Ratio Lower Upper
165 100
63 58.2 41.8 62.8
89 58.8 42.4 63.6



#52
Acenaphthene
Concen: 9.461 ng
RT: 14.669 min Scan# 1952
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49

Tgt Ion:154 Resp: 515492
Ion Ratio Lower Upper
154 100
153 111.5 90.0 135.0
152 53.4 43.0 64.6









#53
3-Nitroaniline
Concen: 8.609 ng
RT: 14.504 min Scan# 1924
Delta R.T. -0.006 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49




Instrument :
BNA_P
ClientSampleId :
SSTDICC010


Tgt Ion:138 Resp: 122168
Ion Ratio Lower Upper
138 100
108 11.8 7.8 11.6#
92 113.4 89.2 133.8



#54
2,4-Dinitrophenol
Concen: 10.203 ng
RT: 14.716 min Scan# 1960
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49

Tgt Ion:184 Resp: 55523
Ion Ratio Lower Upper
184 100
63 69.4 47.6 71.4
154 59.4 45.5 68.3









#55
Dibenzenofuran
Concen: 9.997 ng
RT: 14.998 min Scan# 2009
Delta R.T. -0.006 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49




Instrument :
BNA_P
ClientSampleId :
SSTDICC010


Tgt Ion:168 Resp: 847250
Ion Ratio Lower Upper
168 100
139 35.2 27.8 41.8
169 13.0 10.7 16.1



#56
4-Nitrophenol
Concen: 7.924 ng
RT: 14.810 min Scan# 1976
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49

Tgt Ion:139 Resp: 95011
Ion Ratio Lower Upper
139 100
109 72.0 49.4 89.4
65 101.7 74.1 114.1





#57

2,4-Dinitrotoluene

Concen: 8.055 ng

RT: 14.963 min Scan# 2003

Delta R.T. -0.006 min

Lab File: BP013087.D

Acq: 12 Dec 2022 16:49

Instrument :

BNA_P

ClientSampleId :

SSTDICC010

Tgt Ion:165 Resp: 148444





Ion Ratio Lower Upper

165 100

63 45.6 31.4 47.2

89 75.0 52.1 78.1

182 2.7 2.2 3.4



#58

Fluorene

Concen: 9.526 ng

RT: 15.651 min Scan# 2119

Delta R.T. 0.000 min

Lab File: BP013087.D

Acq: 12 Dec 2022 16:49




Tgt Ion:166 Resp: 663722


Ion Ratio Lower Upper

166 100

165 98.6 78.2 117.4

167 13.8 11.2 16.8









#59
2,3,4,6-Tetrachlorophenol
Concen: 10.023 ng
RT: 15.228 min Scan# 2047
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49




Instrument :
BNA_P
ClientSampleId :
SSTDICC010


Tgt Ion:	232	Resp:	182581
Ion	Ratio	Lower	Upper
232	100		
131	40.1	30.8	46.2
130	2.3	1.7	2.5
166	28.9	22.6	33.8



#60
Diethylphthalate
Concen: 9.862 ng
RT: 15.416 min Scan# 2079
Delta R.T. -0.006 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49

Tgt Ion:	149	Resp:	620196
Ion	Ratio	Lower	Upper
149	100		
177	22.6	19.0	28.4
150	12.7	9.9	14.9









#61
4-Chlorophenyl-phenylether
Concen: 9.794 ng
RT: 15.645 min Scan# 2118
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49




Instrument :
BNA_P
ClientSampleId :
SSTDICC010


Tgt Ion:204 Resp: 338811
Ion Ratio Lower Upper
204 100
206 33.7 26.6 39.8
141 52.2 39.9 59.9



#62
4-Nitroaniline
Concen: 8.191 ng
RT: 15.669 min Scan# 2122
Delta R.T. -0.006 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49

Tgt Ion:138 Resp: 111443
Ion Ratio Lower Upper
138 100
92 54.5 30.4 70.4
108 78.4 51.4 91.4





#63

Azobenzene

Concen: 8.455 ng

RT: 15.934 min Scan# 2168

Delta R.T. -0.006 min

Lab File: BP013087.D

Acq: 12 Dec 2022 16:49

Instrument :

BNA_P

ClientSampleId :

SSTDICC010

Tgt Ion: 77 Resp: 560431





Ion Ratio Lower Upper

77 100

182 24.9 8.3 48.3

105 20.9 1.6 41.6

51 32.5 9.4 49.4



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.357 min Scan# 2409

Delta R.T. 0.000 min

Lab File: BP013087.D

Acq: 12 Dec 2022 16:49




Tgt Ion:188 Resp: 1868425


Ion Ratio Lower Upper

188 100

94 9.1 7.0 10.6

80 9.5 7.5 11.3









#65
4,6-Dinitro-2-methylphenol
Concen: 11.372 ng
RT: 15.728 min Scan# 2132
Delta R.T. -0.006 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49




Instrument :
BNA_P
ClientSampleId :
SSTDIC010


Tgt Ion:198 Resp: 86136
Ion Ratio Lower Upper
198 100
51 45.2 18.9 58.9
105 43.1 18.2 58.2



#66
n-Nitrosodiphenylamine
Concen: 10.475 ng
RT: 15.857 min Scan# 2154
Delta R.T. -0.006 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49

Tgt Ion:169 Resp: 547032
Ion Ratio Lower Upper
169 100
168 66.8 53.4 80.2
167 37.6 29.4 44.0









#67
4-Bromophenyl-phenylether
Concen: 10.490 ng
RT: 16.540 min Scan# 2270
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49




Instrument :
BNA_P
ClientSampleId :
SSTDICC010


Tgt Ion:248 Resp: 200475
Ion Ratio Lower Upper
248 100
250 96.2 76.4 114.6
141 66.4 51.8 77.6



#68
Hexachlorobenzene
Concen: 10.425 ng
RT: 16.657 min Scan# 2290
Delta R.T. -0.006 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49

Tgt Ion:284 Resp: 246183
Ion Ratio Lower Upper
284 100
142 31.0 22.6 34.0
249 30.7 24.5 36.7









#69
Atrazine
Concen: 11.518 ng
RT: 16.810 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49




Instrument :
BNA_P
ClientSampleId :
SSTDICC010


Tgt Ion:200 Resp: 161463
Ion Ratio Lower Upper
200 100
173 25.7 4.7 44.7
215 50.4 29.5 69.5



#70
Pentachlorophenol
Concen: 8.955 ng
RT: 17.004 min Scan# 2349
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49

Tgt Ion:266 Resp: 122276
Ion Ratio Lower Upper
266 100
268 64.1 50.9 76.3
264 69.4 50.6 76.0





#71

Phenanthrene

Concen: 10.068 ng

RT: 17.398 min Scan# 2416

Delta R.T. -0.006 min

Lab File: BP013087.D

Acq: 12 Dec 2022 16:49

Instrument :

BNA_P

ClientSampleId :

SSTDICC010





Tgt Ion:178 Resp: 1064075

Ion Ratio Lower Upper

178 100

176 18.9 15.5 23.3

179 15.9 12.6 18.8



#72

Anthracene

Concen: 9.559 ng

RT: 17.492 min Scan# 2432

Delta R.T. 0.000 min

Lab File: BP013087.D

Acq: 12 Dec 2022 16:49




Tgt Ion:178 Resp: 960029


Ion Ratio Lower Upper

178 100

176 18.6 14.8 22.2

179 15.1 12.4 18.6





#73

Carbazole

Concen: 9.624 ng

RT: 17.763 min Scan# 2478

Delta R.T. 0.000 min

Lab File: BP013087.D

Acq: 12 Dec 2022 16:49

Instrument :

BNA_P

ClientSampleId :

SSTDICC010





Tgt Ion:167 Resp: 873220

Ion Ratio Lower Upper

167 100

166 21.4 17.1 25.7

139 12.5 9.7 14.5



#74

Di-n-butylphthalate

Concen: 11.281 ng

RT: 18.304 min Scan# 2570

Delta R.T. 0.000 min

Lab File: BP013087.D

Acq: 12 Dec 2022 16:49




Tgt Ion:149 Resp: 895986


Ion Ratio Lower Upper

149 100

150 9.3 7.4 11.2

104 5.0 3.8 5.6









#75
Fluoranthene
Concen: 9.595 ng
RT: 19.363 min Scan# 2750
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49




Instrument :
BNA_P
ClientSampleId :
SSTDICC010


Tgt Ion:202 Resp: 1196350
Ion Ratio Lower Upper
202 100
101 10.0 0.0 30.0
203 17.6 0.0 37.6



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.445 min Scan# 3104
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49

Tgt Ion:240 Resp: 1986698
Ion Ratio Lower Upper
240 100
120 9.4 7.4 11.2
236 25.4 21.0 31.4









#77
Benzidine
Concen: 22.999 ng
RT: 19.539 min Scan# 21
Delta R.T. -0.006 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49




Instrument :
BNA_P
ClientSampleId :
SSTDICC010


Tgt Ion:184 Resp: 269246
Ion Ratio Lower Upper
184 100
185 14.9 11.6 17.4
183 10.6 9.4 14.0



#78
Pyrene
Concen: 9.672 ng
RT: 19.716 min Scan# 2810
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49

Tgt Ion:202 Resp: 1268570
Ion Ratio Lower Upper
202 100
200 20.8 17.0 25.4
203 17.3 14.2 21.2









#79
 Terphenyl-d14
 Concen: 20.801 ng
 RT: 19.904 min Scan# 2843
 Delta R.T. -0.006 min
 Lab File: BP013087.D
 Acq: 12 Dec 2022 16:49




Instrument :
 BNA_P
 ClientSampleId :
 SSTDICC010


Tgt Ion:244 Resp: 1944340
 Ion Ratio Lower Upper
 244 100
 212 6.9 5.5 8.3
 122 9.9 7.2 10.8



#80
 Butylbenzylphthalate
 Concen: 28.275 ng
 RT: 20.580 min Scan# 2957
 Delta R.T. 0.000 min
 Lab File: BP013087.D
 Acq: 12 Dec 2022 16:49

Tgt Ion:149 Resp: 371184
 Ion Ratio Lower Upper
 149 100
 91 72.2 55.2 82.8
 206 21.9 18.3 27.5









#81
Benzo(a)anthracene
Concen: 9.665 ng
RT: 21.427 min Scan# 3101
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49




Instrument :
BNA_P
ClientSampleId :
SSTDICC010


Tgt Ion:228 Resp: 1297757
Ion Ratio Lower Upper
228 100
226 27.0 22.0 33.0
229 20.2 16.2 24.4



#82
3,3'-Dichlorobenzidine
Concen: 13.033 ng
RT: 21.357 min Scan# 3089
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49

Tgt Ion:252 Resp: 369836
Ion Ratio Lower Upper
252 100
254 65.8 51.0 76.4
126 10.0 7.8 11.8









#83
Chrysene
Concen: 10.081 ng
RT: 21.480 min Scan# 3111
Delta R.T. -0.006 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49




Instrument :
BNA_P
ClientSampleId :
SSTDICC010


Tgt Ion:228 Resp: 1295656
Ion Ratio Lower Upper
228 100
226 30.2 24.3 36.5
229 20.1 16.0 24.0



#84
Bis(2-ethylhexyl)phthalate
Concen: 20.905 ng
RT: 21.339 min Scan# 3086
Delta R.T. 0.000 min
Lab File: BP013087.D
Acq: 12 Dec 2022 16:49

Tgt Ion:149 Resp: 516255
Ion Ratio Lower Upper
149 100
167 27.7 22.6 34.0
279 4.3 3.8 5.6





#85

Di-n-octyl phthalate

Concen: 15.142 ng

RT: 22.292 min Scan# 31

Delta R.T. 0.000 min

Lab File: BP013087.D

Acq: 12 Dec 2022 16:49

Instrument :

BNA_P

ClientSampleId :

SSTDICC010





Tgt Ion:149 Resp: 874187

Ion Ratio Lower Upper

149 100

167 1.6 1.3 1.9

43 11.1 7.8 11.8



#86

Perylene-d12

Concen: 20.000 ng

RT: 23.927 min Scan# 3526

Delta R.T. 0.000 min

Lab File: BP013087.D

Acq: 12 Dec 2022 16:49




Tgt Ion:264 Resp: 2038980


Ion Ratio Lower Upper

264 100

260 23.5 19.1 28.7

265 22.7 17.7 26.5





#87

Indeno(1,2,3-cd)pyrene

Concen: 11.056 ng

RT: 26.527 min Scan# 3968

Delta R.T. -0.012 min

Lab File: BP013087.D

Acq: 12 Dec 2022 16:49

Instrument :

BNA_P

ClientSampleId :

SSTDICC010





Tgt Ion:276 Resp: 1578852

Ion Ratio Lower Upper

276 100

138 22.1 17.3 25.9

277 25.3 20.2 30.2



#88

Benzo(b)fluoranthene

Concen: 9.434 ng

RT: 23.163 min Scan# 3396

Delta R.T. -0.006 min

Lab File: BP013087.D

Acq: 12 Dec 2022 16:49




Tgt Ion:252 Resp: 1287163


Ion Ratio Lower Upper

252 100

253 22.4 17.8 26.6

125 9.0 7.0 10.4





#89

Benzo(k)fluoranthene

Concen: 9.006 ng

RT: 23.216 min Scan# 34

Delta R.T. -0.006 min

Lab File: BP013087.D

Acq: 12 Dec 2022 16:49

Instrument :

BNA_P

ClientSampleId :

SSTDICC010





Tgt Ion:252 Resp: 1259428

Ion Ratio Lower Upper

252 100

253 22.0 17.6 26.4

125 8.8 6.7 10.1



#90

Benzo(a)pyrene

Concen: 9.563 ng

RT: 23.816 min Scan# 3507

Delta R.T. -0.006 min

Lab File: BP013087.D

Acq: 12 Dec 2022 16:49




Tgt Ion:252 Resp: 1040167


Ion Ratio Lower Upper

252 100

253 22.4 17.5 26.3

125 9.9 7.4 11.2





#91

Dibenzo(a,h)anthracene

Concen: 10.833 ng

RT: 26.539 min Scan# 3970

Delta R.T. -0.012 min

Lab File: BP013087.D

Acq: 12 Dec 2022 16:49

Instrument :

BNA_P

ClientSampleId :

SSTDICC010





Tgt Ion:278 Resp: 1318681

Ion Ratio Lower Upper

278 100

139 13.7 11.0 16.6

279 23.7 19.1 28.7



#92

Benzo(g,h,i)perylene

Concen: 11.683 ng

RT: 27.327 min Scan# 4104

Delta R.T. -0.006 min

Lab File: BP013087.D

Acq: 12 Dec 2022 16:49

Tgt Ion:276 Resp: 1283539

Ion Ratio Lower Upper

276 100

277 24.4 18.9 28.3

138 18.7 15.0 22.6

